



PRICE LIST BIG WHITE® 2022

valid from 01.03.2022

All prices are net plus VAT and are only aimed at commercial customers. With the appearance of this price list, all previous ones lose their validity. Changes and errors reserved.

| Article number | EAN | Catalogue page number BIG WHITE® 2022 | Article name | Status | RSP BIG WHITE® 2022 - in Euro (01.03.2022) |
|----------------|---------------|---------------------------------------|---|--------|---|
| 1000127 | 402416317450 | 303 | KALLU, wall and ceiling light, single-headed, LED, 3000K, black, 60° | | 165.85 |
| 1000128 | 402416317467 | 303 | KALLU, wall and ceiling light, single-headed, LED, 3000K, white/black, 60° | | 165.85 |
| 1000129 | 402416317443 | 303 | KALLU, wall and ceiling light, double-headed, LED, 3000K, black, 60° | | 280.34 |
| 1000130 | 402416317474 | 303 | KALLU, wall and ceiling light, double-headed, LED, 3000K, white/black, 60° | | 280.34 |
| 1000131 | 402416317481 | 303 | KALLU, wall and ceiling light, three-headed, LED, 3000K, black, 60° | | 418.37 |
| 1000132 | 402416317498 | 303 | KALLU, wall and ceiling light, three-headed, LED, 3000K, white/black, 60° | | 418.37 |
| 1000135 | 402416317528 | 303 | KALLU, wall and ceiling light, four-headed, LED, 3000K, square, black, 60° | | 528.58 |
| 1000136 | 402416317535 | 303 | KALLU, wall and ceiling light, four-headed, LED, 3000K, square, white/black, 60° | | 528.58 |
| 1000327 | 4024163180733 | 216 | THEO UP/DOWN, QPARS1, wall light, white, max. 2x50W | | 112.35 |
| 1000329 | 4024163180757 | 216 | THEO UP/DOWN, QPARS1, wall light, brushed aluminium, max. 2x50W | | 119.84 |
| 1000330 | 4024163180702 | 216 | THEO UP/DOWN, wall light, QPARS1, anthracite, max. 2x50W | | 112.35 |
| 1000331 | 4024163180764 | 618 | THEO UP/DOWN, QPARS1, outdoor wall light, natural aluminium, max. 2x50W, IP44 | | 101.65 |
| 1000332 | 4024163180771 | 679 | ROX CEILING OUT, QPAR11, outdoor ceiling light, brushed aluminium, max. 50W, IP44 | | 121.98 |
| 1000331 | 4024163180786 | 645 | ROX WALL OUT, QPAR11, outdoor wall light, brushed aluminium, max. 50W, IP44 | | 143.38 |
| 1000334 | 4024163180795 | 645 | ROX WALL OUT/DOWN, QPAR11, outdoor wall light, brushed aluminium, max. 2x50W, IP44 | | 176.55 |
| 1000335 | 4024163180801 | 662 | SQUARE TURN, QT14, outdoor wall light, silver-grey, max. 42W, IP44 | | 196.88 |
| 1000336 | 4024163180818 | 660 | SQUARE WALL, E27, outdoor wall light, stainless steel 304, max. 20W, IP44 | | 207.58 |
| 1000339 | 4024163180849 | 679 | ROX CEILING OUT, TCR-TSE, outdoor ceiling light, brushed aluminium, max. 11W, IP44 | | 155.15 |
| 1000340 | 4024163180856 | 679 | SQUARE POLE 60, E27, outdoor floor stand, stainless steel 304, max. 20W, IP44 | | 197.95 |
| 1000342 | 4024163180870 | 647 | DELWA WIDE LED outdoor wall light, 3000K, 100°, anthracite, IP44 | | 197.95 |
| 1000343 | 4024163180887 | 568 | Concrete anchor set for SQUARE POLE, ROX ACRYLIC POLE and ARCOLOS UP, stainless steel 304 | | 40.22 |
| 1000344 | 4024163180894 | 568 | SQUARE POLE 30, E27, outdoor floor stand, stainless steel 304, max. 20W, IP44 | | 223.63 |
| 1000345 | 4024163180910 | 568 | SQUARE POLE 60, E27, outdoor floor stand, stainless steel 304, max. 20W, IP44 | | 277.13 |
| 1000346 | 4024163180917 | 568 | SQUARE POLE 90, E27, outdoor floor stand, stainless steel 304, max. 20W, IP44 | | 330.63 |
| 1000384 | 4024163186766 | 724 | GIMBLE OUT, inground fitting, LED, 3000K, stainless steel 316, 36°, IP67 | | 358.45 |
| 1000398 | 4024163186902 | 548, 552 | DECKENROSETTE, for PHOTONIA outdoor pendant, anthracite, IP44 | | 69.55 |
| 1000422 | 4024163187145 | 199 | SHELL 15, WL, LED indoor surface-mounted wall light, 3000K, white | | 234.33 |
| 1000423 | 4024163187152 | 199 | SHELL 30, WL, LED indoor surface-mounted wall light, 3000K, white | | 352.03 |
| 1000426 | 4024163187183 | 298 | TOTHEE, wall and ceiling light, LED, 3000K, black, 50° | | 239.68 |
| 1000427 | 4024163187190 | 298 | TOTHEE, wall and ceiling light, LED, 3000K, white/black, 50° | | 239.68 |
| 1000443 | 4024163187350 | 288 | BATO 45 CW, indoor surface-mounted ceiling light, black, E27, max. 60W | | 180.83 |
| 1000445 | 4024163187374 | 288 | BATO 45 CW, indoor surface-mounted ceiling light, brass, E27, max. 60W | | 202.23 |
| 1000457 | 4024163187497 | 735 | GRAZIA 10, recess mounted profile, LED, 2m, aluminium | | 27.82 |
| 1000458 | 4024163187503 | 735 | GRAZIA 10, recess mounted profile, LED, 2m, white | | 27.82 |
| 1000459 | 4024163187510 | 735 | GRAZIA 10, recess mounted profile, LED, 2m, black | | 27.82 |
| 1000460 | 4024163187527 | 735 | GRAZIA 10, surface mounted profile, LED, flat, grooved, 2m, aluminium | | 27.82 |
| 1000461 | 4024163187534 | 735 | GRAZIA 10, surface mounted profile, LED, flat, grooved, 2m, white | | 27.82 |
| 1000462 | 4024163187541 | 735 | GRAZIA 10, surface mounted profile, LED, flat, grooved, 2m, black | | 27.82 |
| 1000463 | 4024163187558 | 735 | GRAZIA 10, surface mounted profile, LED, standard, grooved, 2m, aluminium | | 27.82 |
| 1000464 | 4024163187565 | 735 | GRAZIA 10, surface mounted profile, LED, standard, grooved, 2m, white | | 27.82 |
| 1000465 | 4024163187572 | 735 | GRAZIA 10, surface mounted profile, LED, standard, grooved, 2m, black | | 27.82 |
| 1000466 | 4024163187589 | 736, 739 | COVER, for GRAZIA 10, flat version, 2m, opaque | | 17.66 |
| 1000467 | 4024163187596 | 736, 739 | COVER, for GRAZIA 10, flat version, 2m, clear | | 17.66 |
| 1000468 | 4024163187602 | 736, 739 | COVER, for GRAZIA 10, flat version, 2m, frosted | | 23.54 |
| 1000469 | 4024163187619 | 736, 739 | COVER, for GRAZIA 10, flat version, 2m, frosted | | 23.54 |
| 1000470 | 4024163187626 | 736 | COVER, for GRAZIA 10, high version, 2m, frosted | | 23.54 |
| 1000471 | 4024163187633 | 736 | COVER, for GRAZIA 10, high version, 2m, frosted | | 27.02 |
| 1000472 | 4024163187640 | 737 | END CAPS, for GRAZIA 10 recess mounted profile, 2 pieces, aluminium | | 6.69 |
| 1000473 | 4024163187657 | 737 | END CAPS, for GRAZIA 10 recess mounted profile, 2 pieces, white | | 6.69 |
| 1000474 | 4024163187664 | 737 | END CAPS, for GRAZIA 10 recess mounted profile, 2 pieces, black | | 6.69 |
| 1000475 | 4024163187671 | 737 | END CAPS, for GRAZIA 10 surface mounted profile flat, 2 pieces, flat version, aluminium | | 6.69 |
| 1000476 | 4024163187688 | 737 | END CAPS, for GRAZIA 10 surface mounted profile flat, 2 pieces, flat version, white | | 6.69 |
| 1000477 | 4024163187695 | 737 | END CAPS, for GRAZIA 10 surface mounted profile flat, 2 pieces, flat version, black | | 6.69 |
| 1000478 | 4024163187701 | 737 | END CAPS, for GRAZIA 10 surface mounted profile standard, 2 pieces, flat version, aluminium | | 6.69 |
| 1000479 | 4024163187718 | 737 | END CAPS, for GRAZIA 10 surface mounted profile standard, 2 pieces, flat version, white | | 6.69 |
| 1000480 | 4024163187725 | 737 | END CAPS, for GRAZIA 10 surface mounted profile standard, 2 pieces, flat version, black | | 6.69 |
| 1000481 | 4024163187732 | 737 | END CAPS, for GRAZIA 10 surface mounted profile flat, 2 pieces, high version, aluminium | | 6.69 |
| 1000482 | 4024163187749 | 737 | END CAPS, for GRAZIA 10 surface mounted profile flat, 2 pieces, high version, white | | 6.69 |
| 1000483 | 4024163187756 | 737 | END CAPS, for GRAZIA 10 surface mounted profile flat, 2 pieces, high version, black | | 6.69 |
| 1000484 | 4024163187763 | 737 | END CAPS, for GRAZIA 10 surface mounted profile standard, 2 pieces, high version, aluminium | | 6.69 |
| 1000485 | 4024163187770 | 737 | END CAPS, for GRAZIA 10 surface mounted profile standard, 2 pieces, high version, white | | 6.69 |
| 1000486 | 4024163187787 | 737 | END CAPS, for GRAZIA 10 surface mounted profile standard, 2 pieces, high version, black | | 6.69 |
| 1000487 | 4024163187794 | 736 | MOUNTING CUP, for GRAZIA 10 surface mounted profile, invisible, 2 pieces | | 4.23 |
| 1000489 | 4024163187817 | 736 | MOUNTING CUP, for GRAZIA 10 surface mounted profile grooved, 45°, visible, 3 pieces | | 100.58 |
| 1000496 | 4024163187886 | 742 | GRAZIA 20, recess mounted profile, LED, 3m, aluminium | | 100.58 |
| 1000497 | 4024163187893 | 742 | GRAZIA 20, recess mounted profile, LED, 3m, white | | 100.58 |
| 1000498 | 4024163187909 | 742 | GRAZIA 20, recess mounted profile, LED, 3m, black | | 100.58 |
| 1000505 | 4024163187978 | 741 | GRAZIA 20, surface mounted profile, LED, flat, grooved, 3m, aluminium | | 68.48 |
| 1000506 | 4024163187985 | 741 | GRAZIA 20, surface mounted profile, LED, flat, grooved, 3m, white | | 68.48 |
| 1000507 | 4024163187992 | 741 | GRAZIA 20, surface mounted profile, LED, flat, grooved, 3m, black | | 68.48 |
| 1000514 | 4024163188067 | 741 | GRAZIA 20, surface mounted profile, LED, standard, grooved, 3m, aluminium | | 89.88 |
| 1000515 | 4024163188074 | 741 | GRAZIA 20, surface mounted profile, LED, standard, grooved, 3m, white | | 89.88 |
| 1000516 | 4024163188081 | 741 | GRAZIA 20, surface mounted profile, LED, standard, grooved, 3m, black | | 89.88 |
| 1000523 | 4024163188159 | 741 | GRAZIA 20, surface mounted profile, LED, standard, smooth, 3m, aluminium | | 89.88 |
| 1000524 | 4024163188166 | 741 | GRAZIA 20, surface mounted profile, LED, standard, smooth, 3m, white | | 89.88 |
| 1000525 | 4024163188173 | 741 | GRAZIA 20, surface mounted profile, LED, standard, smooth, 3m, black | | 89.88 |
| 1000532 | 4024163188241 | 741 | GRAZIA 20, surface mounted profile, LED, flat, smooth, 3m, aluminium | | 68.48 |
| 1000533 | 4024163188258 | 741 | GRAZIA 20, surface mounted profile, LED, flat, smooth, 3m, white | | 68.48 |
| 1000534 | 4024163188265 | 741 | GRAZIA 20, surface mounted profile, LED, flat, smooth, 3m, black | | 68.48 |
| 1000535 | 4024163188272 | 745 | PENDELABÄHANGUNG, for GRAZIA 20 surface mounted profile, 2m LED, 2 pieces | | 27.82 |
| 1000536 | 4024163188289 | 745 | MOUNTING CUP, for GRAZIA 20 surface mounted profile, LED, invisible mounting clip, 2 pieces | | 4.23 |
| 1000537 | 4024163188296 | 745 | MOUNTING CUP, for GRAZIA 20 surface mounted profile, LED, visible mounting clip, 2 pieces | | 4.23 |
| 1000540 | 4024163188326 | 743 | COVER, for GRAZIA 20, plastic, flat version, 3m, frosted | | 29.43 |
| 1000546 | 4024163188388 | 743 | COVER, for GRAZIA 20, plastic, flat version, 3m, frosted | | 41.20 |
| 1000549 | 4024163188418 | 743 | COVER, for GRAZIA 20, plastic, flat version, 3m, opaque | | 41.20 |
| 1000552 | 4024163188449 | 743 | COVER, for GRAZIA 20, plastic, high version, 3m, opaque | | 41.20 |
| 1000555 | 4024163188470 | 743 | COVER, for GRAZIA 20, plastic, high version, 3m, frosted | | 50.29 |
| 1000556 | 4024163188487 | 744, 748 | END CAPS, for GRAZIA 20 recess mounted profile, 2 pieces, aluminium | | 9.47 |
| 1000557 | 4024163188494 | 744, 748 | END CAPS, for GRAZIA 20 recess mounted profile, 2 pieces, white | | 9.47 |
| 1000558 | 4024163188500 | 744, 748 | END CAPS, for GRAZIA 20 recess mounted profile, 2 pieces, black | | 9.47 |
| 1000559 | 4024163188517 | 744 | END CAPS, for GRAZIA 20 surface mounted profile flat, 2 pieces, flat version, aluminium | | 9.47 |
| 1000560 | 4024163188524 | 744 | END CAPS, for GRAZIA 20 surface mounted profile flat, 2 pieces, flat version, white | | 9.47 |
| 1000561 | 4024163188531 | 744 | END CAPS, for GRAZIA 20 surface mounted profile flat, 2 pieces, flat version, black | | 9.47 |
| 1000562 | 4024163188548 | 744 | END CAPS, for GRAZIA 20 surface mounted profile flat, 2 pieces, high version, aluminium | | 9.47 |
| 1000563 | 4024163188555 | 744 | END CAPS, for GRAZIA 20 surface mounted profile flat, 2 pieces, high version, white | | 9.47 |
| 1000564 | 4024163188562 | 744 | END CAPS, for GRAZIA 20 surface mounted profile flat, 2 pieces, high version, black | | 9.47 |
| 1000565 | 4024163188579 | 744 | END CAPS, for GRAZIA 20 surface mounted profile standard, 2 pieces, flat version, aluminium | | 9.47 |
| 1000566 | 4024163188586 | 744 | END CAPS, for GRAZIA 20 surface mounted profile standard, 2 pieces, flat version, white | | 9.47 |
| 1000567 | 4024163188593 | 744 | END CAPS, for GRAZIA 20 surface mounted profile standard, 2 pieces, flat version, black | | 9.47 |
| 1000568 | 4024163188600 | 744 | END CAPS, for GRAZIA 20 surface mounted profile standard, 2 pieces, high version, aluminium | | 9.47 |
| 1000569 | 4024163188616 | 744 | END CAPS, for GRAZIA 20 surface mounted profile standard, 2 pieces, high version, white | | 9.47 |
| 1000570 | 4024163188623 | 744 | END CAPS, for GRAZIA 20 surface mounted profile standard, 2 pieces, high version, black | | 9.47 |
| 1000571 | 4024163188630 | 743 | LONG CONNECTOR for GRAZIA 20, 2 pieces | | 12.21 |
| 1000574 | 4024163188661 | 408 | FRAME LED 230V CURVE, LED indoor recessed wall light, 2700K | | 71.69 |
| 1000575 | 4024163188678 | 408 | FRAME LED 230V CURVE, LED indoor recessed wall light, 2700K | | 71.69 |
| 1000576 | 4024163188685 | 409 | FRAME LED 230V BASIC, LED indoor recessed wall light, 2700K | | 66.34 |
| 1000577 | 4024163188692 | 409 | FRAME LED 230V BASIC, LED indoor recessed wall light, 2700K | | 66.34 |
| 1000579 | 4024163188715 | 107, 155, 277 | FENDA, lamp shade, white, Ø70cm | | 104.86 |
| 1000580 | 4024163188722 | 107, 155, 277 | FENDA, lamp shade, black/copper, Ø70cm | | 121.58 |
| 1000613 | 4024163189057 | 187 | MANA, wall light, LED, 2000K-3000K Dim to Warm, white, W/H/D 9,6/8,5/8,6 cm | | 138.03 |
| 1000614 | 4024163189064 | 187 | MANA, wall light, LED, 2000K-3000K Dim to Warm, white, W/H/D 20,7/9,6/6 cm | | 160.50 |
| 1000615 | 4024163189071 | 187 | MANA, wall light, spot, LED, 3000K, white/chrome, W/H/D 20,7/9,6/6 cm | | 205.44 |
| 1000616 | 4024163189078 | 186 | MANA, lamp shade, wood, grey/brown, L/H/T 12/10/9 cm | | 47.62 |
| 1000618 | 4024163189101 | 186 | MANA, lamp shade, aluminium, white, L/H/T 12/10/9 cm | | 55.24 |
| 1000619 | 4024163189118 | 186 | MANA, lamp shade, aluminium, polished aluminium, L/H/T 12/10/9 cm | | 56.71 |
| 1000621 | 4024163189132 | 187 | MANA, lamp shade, wood, grey/brown, L/H/T 29,9/5/7 cm | | 56.71 |
| 1000623 | 4024163189156 | 187 | MANA, lamp shade, aluminium, white, L/H/T 29,9/5/7 cm | | 56.71 |
| 1000624 | 4024163189163 | 187 | MANA, lamp shade, aluminium, polished aluminium, L/H/T 29,9/5/7 cm | | 67.41 |
| 1000631 | 4024163189231 | 201 | ENOLA, C ceiling light, LED, 2000K-3000K Dim to Warm, white | | 240.75 |
| 1000634 | 4024163189262 | 201 | ASSO 300, wall light, LED, 2000K-3000K Dim to Warm, white | | 240.75 |

| | | | | |
|---------|---------------|----------|---|--------|
| 1000635 | 4024163189279 | 201 | ASSO 300, wall light, LED, 2000K-3000K Dim to Warm, brushed aluminium/white | 352.52 |
| 1000636 | 4024163189286 | 201 | ASSO, wall light, LED, 2000K-3000K Dim to Warm, white | 207.58 |
| 1000637 | 4024163189293 | 201 | ASSO, wall light, LED, 2000K-3000K Dim to Warm, brushed aluminium/white | 218.28 |
| 1000638 | 4024163189309 | 196 | LOGS IN, wall light, LED, 2000K-3000K Dim to Warm, black/brass | 171.20 |
| 1000639 | 4024163189316 | 196 | LOGS IN, wall light, LED, 2000K-3000K Dim to Warm, white | 165.85 |
| 1000640 | 4024163189323 | 196 | LOGS IN, wall light, LED, 2000K-3000K Dim to Warm, aluminium/white | 171.20 |
| 1000655 | 4024163189477 | 724 | Inground mounting pot, black for DASAR* PREMIUM and GIMBLE OUT | 66.34 |
| 1000656 | 4024163189484 | 457 | STRUCTEC, zooming lens spot for 3-circuit high-voltage track, LED, 3000K, black, 20-60°, ind. 3-circuit adapter | 255.73 |
| 1000657 | 4024163189491 | 457 | STRUCTEC, zooming lens spot for 3-circuit high-voltage track, LED, 3000K, white, 20-60°, ind. 3-circuit adapter | 255.73 |
| 1000665 | 4024163189576 | 553 | LISENNE POLE 40, E27, grey, IP54 | 373.43 |
| 1000666 | 4024163189583 | 553 | LISENNE POLE 70, E27, grey, IP54 | 626.93 |
| 1000668 | 4024163189606 | 243 | Q-LINE, wall light, LED, 3000K, white | 440.84 |
| 1000669 | 4024163189613 | 243 | Q-LINE, wall light, LED, 3000K, black | 440.84 |
| 1000670 | 4024163189620 | 243 | Q-LINE, wall light, LED, 3000K, silver-grey | 440.84 |
| 1000681 | 4024163189726 | 658 | APONI, outdoor wall light, LED, 3000K, anthracite, IP65 | 191.53 |
| 1000682 | 4024163189743 | 558 | APONI 90, outdoor floor stand, LED, 3000K, anthracite, IP65 | 240.75 |
| 1000683 | 4024163189750 | 558 | APONI 120, outdoor floor stand, LED, anthracite, 3000K, IP65 | 298.53 |
| 1000685 | 4024163189774 | 264 | Q-LINE CL, LED indoor surface-mounted ceiling light, 1m, BAP, white, 3000K | 440.84 |
| 1000686 | 4024163189781 | 264 | Q-LINE CL, LED indoor surface-mounted ceiling light, 1m, BAP, black, 3000K | 440.84 |
| 1000688 | 4024163189804 | 264 | Q-LINE CL, LED indoor surface-mounted ceiling light, 1m, BAP, white, 4000K | 440.84 |
| 1000689 | 4024163189811 | 264 | Q-LINE CL, LED indoor surface-mounted ceiling light, 1m, BAP, black, 4000K | 440.84 |
| 1000691 | 4024163189835 | 265 | Q-LINE CL, LED indoor surface-mounted ceiling light, 2m, BAP, white, 3000K | 662.33 |
| 1000692 | 4024163189842 | 265 | Q-LINE CL, LED indoor surface-mounted ceiling light, 2m, BAP, black, 3000K | 662.33 |
| 1000694 | 4024163189866 | 265 | Q-LINE CL, LED indoor surface-mounted ceiling light, 2m, BAP, white, 4000K | 662.33 |
| 1000695 | 4024163189873 | 265 | Q-LINE CL, LED indoor surface-mounted ceiling light, 2m, BAP, black, 4000K | 662.33 |
| 1000701 | 4024163189941 | 304 | KALU, wall and ceiling light, QPAR11, single-headed, black, max. 75W | 88.61 |
| 1000703 | 4024163189958 | 304 | KALU, wall and ceiling light, QPAR11, double-headed, black, max. 75W | 160.50 |
| 1000704 | 4024163189965 | 304 | KALU, wall and ceiling light, QPAR11, three-headed, black, max. 75W | 220.42 |
| 1000707 | 4024163189996 | 446 | LIGHT EYE 150, spot for 3-circuit high-voltage track, QPAR11, black/chrome, max. 75W, ind. 3-circuit adapter | 124.12 |
| 1000708 | 4024163190008 | 446 | LIGHT EYE 150, spot for 3-circuit high-voltage track, QPAR11, white/chrome, max. 75W, ind. 3-circuit adapter | 124.12 |
| 1000709 | 4024163190015 | 446 | LIGHT EYE 150, spot for 3-phase high-voltage track, QPAR11, black/chrome, max. 75W, ind. 3-phase adapter | 124.12 |
| 1000711 | 4024163190039 | 480 | ENOLA, C spot for 1-circuit high-voltage track, LED, 3000K, black 35°, ind. 1-circuit adapter | 189.39 |
| 1000712 | 4024163190046 | 480 | ENOLA, C spot for 1-circuit high-voltage track, LED, 3000K, black 55°, ind. 1-circuit adapter | 189.39 |
| 1000713 | 4024163190053 | 476 | LIGHT EYE 150, pendant for 1-circuit high-voltage track, QPAR11, black/chrome, max. 75W, ind. 1-circuit adapter | 124.12 |
| 1000714 | 4024163190060 | 395 | PIKA, recessed ceiling light, QPAR51, rigid, white, max. 50W | 11.77 |
| 1000715 | 4024163190077 | 395 | PIKA, recessed ceiling light, QPAR51, rigid, chrome, max. 50W | 11.77 |
| 1000716 | 4024163190084 | 395 | PIKA, recessed ceiling light, QPAR51, rigid, brass, max. 50W | 16.85 |
| 1000717 | 4024163190091 | 395 | PIKA, recessed ceiling light, QPAR51, rigid, silver-grey, max. 50W | 11.77 |
| 1000718 | 4024163190107 | 395 | PIKA, recessed ceiling light, QPAR51, swivelling, white, max. 50W | 16.85 |
| 1000719 | 4024163190114 | 395 | PIKA, recessed ceiling light, QPAR51, swivelling, chrome, max. 50W | 18.59 |
| 1000720 | 4024163190121 | 395 | PIKA, recessed ceiling light, QPAR51, swivelling, brass, max. 50W | 18.59 |
| 1000721 | 4024163190138 | 395 | PIKA, recessed ceiling light, QPAR51, swivelling, silver-grey, max. 50W | 16.85 |
| 1000725 | 4024163190176 | 132, 256 | MEDO 80, ceiling light, LED, 3000K, square, black, 1-10V | 533.93 |
| 1000726 | 4024163190183 | 132, 256 | MEDO 80, ceiling light, LED, 3000K, square, white, 1-10V | 533.93 |
| 1000727 | 4024163190190 | 132, 256 | MEDO 80, ceiling light, LED, 3000K, square, silver-grey, 1-10V | 533.93 |
| 1000729 | 4024163190213 | 217 | ENOLA, B, wall light, QPAR51, with switch, black, max. 50W | 86.67 |
| 1000730 | 4024163190220 | 217 | ENOLA, B, wall light, QPAR51, with switch, white, max. 50W | 86.67 |
| 1000731 | 4024163190237 | 217 | ENOLA, B, wall light, QPAR51, with switch, brass, max. 50W | 93.09 |
| 1000735 | 4024163190275 | 599 | HELLA, outdoor spot, LED, 3000K, 35°, anthracite, IP55 | 188.32 |
| 1000736 | 4024163190282 | 581, 599 | EARTH SPIKE for HELIA LED SPOT, stainless steel | 20.28 |
| 1000746 | 4024163190381 | 333 | BATO 35 CW, indoor surface-mounted wall and ceiling light, black, E27, max. 60W | 170.13 |
| 1000748 | 4024163190404 | 333 | BATO 35 CW, indoor surface-mounted wall and ceiling light, brass, E27, max. 60W | 180.83 |
| 1000763 | 4024163190558 | 106 | FENDA BOW BASIC, E27, chrome, max. 40W | 243.96 |
| 1000764 | 4024163190565 | 107, 154 | FENDA, globe, white, Ø400mm | 95.23 |
| 1000773 | 4024163190657 | 154 | FENDA, glass light shade, smoked glass | 60.99 |
| 1000777 | 4024163190695 | 238 | DORISA, mirror light, LED, 4000K, short, chrome, IP44 | 316.73 |
| 1000780 | 4024163190725 | 239 | DORISA, mirror light, LED, 4000K, long, chrome, IP44 | 317.70 |
| 1000783 | 4024163190756 | 262 | PANEL 60 round, LED indoor surface-mounted ceiling light, white, 3000K | 274.99 |
| 1000784 | 4024163190763 | 262 | PANEL 60 round, LED indoor surface-mounted ceiling light, white, 4000K | 274.99 |
| 1000785 | 4024163190770 | 262 | PANEL 60 round, LED indoor surface-mounted ceiling light, silver-grey, 3000K | 274.99 |
| 1000786 | 4024163190787 | 262 | PANEL 60 round, LED indoor surface-mounted ceiling light, silver-grey, 4000K | 274.99 |
| 1000797 | 4024163190893 | 661 | RASCAU WL, LED outdoor surface-mounted wall light, anthracite, 3000K | 123.05 |
| 1000799 | 4024163190916 | 579 | RASCAU 45 Pole, LED Outdoor floor stand, anthracite, 3000K | 171.20 |
| 1000801 | 4024163190930 | 579 | RASCAU 65 Pole, LED Outdoor floor stand, anthracite, 3000K | 192.60 |
| 1000807 | 4024163190989 | 287 | ANELA, ceiling light, LED, 3000K, black | 166.92 |
| 1000810 | 4024163191005 | 287 | ANELA, ceiling light, LED, 3000K, white | 166.92 |
| 1000809 | 4024163191012 | 164, 287 | REFLECTOR, for ANELA, 28°, gold | 18.14 |
| 1000810 | 4024163191029 | 164, 287 | REFLECTOR, for ANELA, 28°, silver | 18.14 |
| 1000811 | 4024163191036 | 164, 287 | REFLECTOR, for ANELA, 28°, black | 18.14 |
| 1000812 | 4024163191043 | 164, 287 | REFLECTOR, for ANELA, 28°, white | 18.14 |
| 1000813 | 4024163191050 | 164 | ANELA, pendant, LED, 3000K, black | 302.23 |
| 1000820 | 4024163191128 | 657 | MOLAT, outdoor wall light, E27, anthracite, max. 60W, IP44 | 300.58 |
| 1000821 | 4024163191135 | 552 | MOLAT, outdoor pendant, E27, anthracite, max. 60W, IP44 | 138.03 |
| 1000822 | 4024163191142 | 552 | MOLAT POLE, Outdoor standing light, IP44, E27, anthracite, max. 60W | 178.69 |
| 1000823 | 4024163191159 | 677 | MOLAT, outdoor ceiling light, E27, anthracite, max. 60W, IP44 | 123.05 |
| 1000824 | 4024163191166 | 186 | MANA, lamp shade W/H/D 13.5/10.9/9.5 cm, plaster, white | 33.71 |
| 1000825 | 4024163191173 | 187 | MANA, lamp shade W/H/D 30.9/9.5/7.4 cm, plaster, white | 31.57 |
| 1000827 | 4024163191197 | 179 | PARA FLAC, pendant, LED, 4000K, black, 100W, IP65 | 416.23 |
| 1000833 | 4024163191258 | 407, 709 | KINDI, outdoor recessed ceiling light, LED, 3000K, white, 60°, IP65 | 95.23 |
| 1000835 | 4024163191470 | 130, 254 | MEDO 30, ceiling light, LED, 3000K, black, 1-10V | 255.73 |
| 1000836 | 4024163191487 | 130, 254 | MEDO 30, ceiling light, LED, 3000K, white, 1-10V | 255.73 |
| 1000857 | 4024163191494 | 130, 254 | MEDO 30, ceiling light, LED, 3000K, silver-grey, 1-10V | 255.73 |
| 1000864 | 4024163191562 | 131, 255 | MEDO 40, ceiling light, LED, 3000K, black, 1-10V | 299.60 |
| 1000865 | 4024163191579 | 131, 255 | MEDO 40, ceiling light, LED, 3000K, white, 1-10V | 299.60 |
| 1000866 | 4024163191586 | 131, 255 | MEDO 40, ceiling light, LED, 3000K, silver-grey, 1-10V | 299.60 |
| 1000886 | 4024163192172 | 665 | TODAY, outdoor display fitting, LED, 4000K, black, long, IP65 | 212.93 |
| 1000881 | 4024163192139 | 665 | TODAY, outdoor display fitting, LED, 4000K, white, long, IP65 | 212.93 |
| 1000886 | 4024163191784 | 315 | AVO CW Single, indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W | 42.80 |
| 1000887 | 4024163191791 | 315 | AVO CW Single, indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W | 42.80 |
| 1000889 | 4024163191814 | 315 | AVO CW Double, indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W | 88.61 |
| 1000890 | 4024163191821 | 315 | AVO CW Double, indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W | 88.61 |
| 1000892 | 4024163191845 | 315 | AVO CW Triple, indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W | 110.21 |
| 1000893 | 4024163191852 | 315 | AVO CW Triple, indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W | 110.21 |
| 1000895 | 4024163191876 | 315 | AVO CW Quad, indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W | 132.68 |
| 1000896 | 4024163191883 | 315 | AVO CW Quad, indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W | 132.68 |
| 1000901 | 4024163192019 | 804 | QUICK CONNECTOR GUIDO | 7.22 |
| 1000910 | 4024163192026 | 216 | SOLID CUBE, wall light, QT14, grey, max. 25W | 89.88 |
| 1000911 | 4024163192033 | 216 | SOLID CUBE, wall light, QT14, black sandstone, max. 25W | 89.88 |
| 1000914 | 4024163192064 | 370 | HORN MINI, recessed ceiling light, LED, 3000K, white, 12" | 38.79 |
| 1000915 | 4024163192071 | 370 | HORN MINI, recessed ceiling light, LED, 3000K, black, 12" | 38.79 |
| 1000917 | 4024163192095 | 370 | HORN MINI, recessed ceiling light, LED, 3000K, black/gold, 12" | 42.27 |
| 1000918 | 4024163192101 | 179 | REFLECTOR, for PARA FLAC LED pendant | 48.69 |
| 1000926 | 4024163192163 | 144 | Q-LINE PD, LED indoor pendant, 1m, BAP, white, 3000K | 462.24 |
| 1000927 | 4024163192170 | 144 | Q-LINE PD, LED indoor pendant light, 1m, BAP, black, 3000K | 462.24 |
| 1000929 | 4024163192194 | 144 | Q-LINE PD, LED indoor pendant light, 2m, BAP, white, 3000K | 694.43 |
| 1000930 | 4024163192200 | 144 | Q-LINE PD, LED indoor pendant light, 2m, BAP, black, 3000K | 694.43 |
| 1000932 | 4024163192224 | 145 | Q-LINE PD, LED indoor pendant, 1m, BAP, white, 4000K | 462.24 |
| 1000933 | 4024163192231 | 145 | Q-LINE PD, LED indoor pendant light, 1m, BAP, black, 4000K | 462.24 |
| 1000935 | 4024163192255 | 145 | Q-LINE PD, LED indoor pendant, 2m, BAP, white, 4000K | 694.43 |
| 1000936 | 4024163192262 | 145 | Q-LINE PD, LED indoor pendant light, 2m, BAP, black, 4000K | 694.43 |
| 1000957 | 4024163192377 | 155, 277 | ARC'VE GLASS COVER, for FENDA, Ø70mm | 88.61 |
| 1001015 | 4024163194624 | 406, 710 | KAMUELA, fire protection recessed ceiling light, LED, 3000K, black, 38°, dimmable, IP65 | 33.71 |
| 1001016 | 4024163194696 | 406, 710 | KAMUELA, fire protection recessed ceiling light, LED, 3000K, white, 38°, dimmable, IP65 | 33.71 |
| 1001017 | 4024163193009 | 406, 710 | KAMUELA, fire protection recessed ceiling light, LED, 4000K, black, 38°, dimmable, IP65 | 33.71 |
| 1001018 | 4024163193016 | 406, 710 | KAMUELA, fire protection recessed ceiling light, LED, 4000K, white, 38°, dimmable, IP65 | 33.71 |
| 1001019 | 4024163193023 | 336 | LONG GRILL, wall and ceiling lights, LED, 3000K, white | 277.13 |
| 1001020 | 4024163193030 | 336 | LONG GRILL, wall and ceiling lights, LED, 3000K, black | 277.13 |
| 1001155 | 4024163194723 | 401 | LIGHTPOINT, recessed fitting, LED, round, chrome, 3000K | 33.71 |
| 1001156 | 4024163194730 | 401 | LIGHTPOINT, recessed fitting, LED, round, matt white, 3000K | 28.09 |
| 1001165 | 4024163194822 | 405, 713 | DOUX OUT QPAR51, round, white | 33.97 |
| 1001166 | 4024163194839 | 405, 713 | DOUX OUT QPAR51, round, chrome | 37.18 |
| 1001167 | 4024163194846 | 405, 713 | DOUX OUT QPAR51, round, silver-grey | 33.97 |
| 1001168 | 4024163194853 | 405, 713 | DOUX OUT QPAR51, round, matt chrome | 37.18 |
| 1001169 | 4024163194860 | 405, 713 | DOUX OUT QPAR51, square, white | 33.97 |
| 1001170 | 4024163194877 | 405, 713 | DOUX OUT QPAR51, square, chrome | 37.18 |
| 1001171 | 4024163194884 | 405, 713 | DOUX OUT QPAR51, square, silver-grey | 33.97 |
| 1001172 | 4024163194891 | 405, 713 | DOUX OUT QPAR51, square, matt chrome | 37.18 |
| 1001250 | 4024163195546 | 418, 784 | VALETO* LED PANEL, LED indoor recessed ceiling light, 600x600mm, UGR<19 | 199.02 |
| 1001251 | 4024163195553 | 418, 784 | VALETO* LED PANEL, LED indoor recessed ceiling light, 620x620mm, UGR<19 | 220.42 |
| 1001252 | 4024163195560 | 728 | BIG PLOT cover, 2 outlets, silver-grey | 51.36 |
| 1001253 | 4024163195577 | 728 | BIG PLOT cover, 4 outlets, silver-grey | 51.36 |
| 1001254 | 4024163195584 | 728 | BIG PLOT cover, 2 outlets, stainless steel 316 | 184.04 |
| 1001255 | 4024163195591 | 728 | BIG PLOT cover, 4 outlets, stainless steel 316 | 184.04 |
| 1001256 | 4024163195607 | 728 | BIG PLOT LED module, aluminium, 3000K | 85.60 |
| 1001262 | 4024163195669 | 728 | BIG PLOT cover, 2 outlets, anthracite | 51.36 |
| 1001263 | 4024163195676 | 728 | BIG PLOT cover, 4 outlets, anthracite | 51.36 |
| 1001264 | 4024163195683 | 407 | ARALO 83, DL, indoor recessed ceiling light, 3000K 4200K 5700K adjustable, white | 37.45 |

| | | | | |
|---------|---------------|-----------------------|---|---------|
| 1001267 | 4024163195867 | 799 | LED driver, 700mA, 40W, TRIAC dimmable | 62.06 |
| 1001272 | 4024163195751 | 218 | FENDA Basis, WL, indoor surface-mounted wall light, E27, max. 40W, white | 47.88 |
| 1001273 | 4024163195768 | 218 | FENDA half shade, black | 36.38 |
| 1001274 | 4024163195775 | 218 | FENDA half shade, black/copper | 42.53 |
| 1001275 | 4024163195782 | 218 | FENDA half shade, white | 36.38 |
| 1001276 | 4024163195789 | 218 | FENDA half shade, beige | 36.38 |
| 1001283 | 4024163195874 | 337 | SIGHT LED, wall and ceiling light, with switch, 600mm, black | 220.42 |
| 1001284 | 4024163195881 | 337 | SIGHT LED, wall and ceiling light, with switch, 600mm, white | 220.42 |
| 1001285 | 4024163195888 | 337 | SIGHT LED, wall and ceiling light, with switch, 600mm, silver | 220.42 |
| 1001286 | 4024163195904 | 337 | SIGHT LED, wall and ceiling light, 1150mm, black | 309.23 |
| 1001287 | 4024163195911 | 337 | SIGHT LED, wall and ceiling light, 1150mm, white | 309.23 |
| 1001288 | 4024163195928 | 337 | SIGHT LED, wall and ceiling light, 1150mm, silver-grey | 309.23 |
| 1001299 | 4024163196024 | 242 | L-LINE 60 LED, wall and ceiling light, IP44, 3000K, 1500mm, white | 235.40 |
| 1001300 | 4024163196031 | 242 | L-LINE 60 LED, wall and ceiling light, IP44, 3000K, 820mm, silver | 235.40 |
| 1001301 | 4024163196048 | 242 | L-LINE 60 LED, wall and ceiling light, IP44, 3000K, 700mm, grey | 235.40 |
| 1001303 | 4024163196055 | 242 | L-LINE 120 LED, wall and ceiling light, IP44, 3000K, 3000mm, white | 325.28 |
| 1001304 | 4024163196062 | 242 | L-LINE 120 LED, wall and ceiling light, IP44, 3000K, 3000mm, silver | 325.28 |
| 1001305 | 4024163196079 | 242 | L-LINE 120 LED, wall and ceiling light, IP44, 3000K, 3000mm, grey | 325.28 |
| 1001309 | 4024163196116 | 145, 775 | Q-LINE DALI SINGLE LED, pendant, dimmable, 1500mm, black | 551.05 |
| 1001310 | 4024163196123 | 145, 775 | Q-LINE DALI SINGLE LED, pendant, dimmable, 1500mm, white | 551.05 |
| 1001314 | 4024163196147 | 692 | IMPERVA 120 CW, LED Outdoor wall and ceiling light, IP66, grey, 300K | 96.23 |
| 1001315 | 4024163196154 | 692 | IMPERVA 120 CW, LED Outdoor wall and ceiling light, IP66, grey, 400K | 96.23 |
| 1001317 | 4024163196178 | 692 | IMPERVA 150 CW, LED Outdoor wall and ceiling light, IP66, grey, 400K | 116.63 |
| 1001359 | 4024163196567 | 728 | BIG PLOT LED module, stainless steel 316L, 3000K | 123.05 |
| 1001380 | 4024163196741 | 433 | END CAP, for S-TRACK 240V 3-circuit surface-mounted track, traffic white | 1.87 |
| 1001381 | 4024163196765 | 433 | END-TIM CONNECTOR, for S-TRACK 240V 3-circuit surface-mounted track, insulated, traffic white | 7.83 |
| 1001390 | 4024163196840 | 433 | PENDANT SUSPENSION, for S-TRACK 240V 3-circuit surface-mounted track, traffic white, with rod | 31.03 |
| 1001392 | 4024163196864 | 433 | JOINT CONNECTOR, for S-TRACK 240V 3-circuit surface-mounted track, traffic white | 11.24 |
| 1001395 | 4024163196895 | 433 | MECHANICAL ADAPTER, for S-TRACK 240V 3-circuit surface-mounted track, traffic white | 14.71 |
| 1001400 | 4024163196899 | 143 | GLENOS, professional pendant, LED, 400K, black, 1 m, 85W | 573.43 |
| 1001403 | 4024163196970 | 143 | GLENOS, professional pendant, LED, 400K, black, 1 m, 45W | 573.43 |
| 1001406 | 4024163197007 | 143 | GLENOS, professional pendant, LED, 300K, black, 2 m, 85W | 512.53 |
| 1001409 | 4024163197038 | 143 | GLENOS, profile pendant light, LED, 400K, black, 2 m, 85W | 512.53 |
| 1001419 | 4024163199032 | 459 | TEC KALU double, black, 60°, 3000K, incl. 3-circuit adapter | 252.52 |
| 1001420 | 4024163199049 | 459 | TEC KALU double white/black 60° 3000K, incl. 3-circuit adapter | 252.52 |
| 1001440 | 4024163199389 | 219 | FENDA Base, WL, indoor surface-mounted wall light, E27, max. 40W, chrome | 78.11 |
| 1001450 | 4024163199346 | 219 | FENDA Base, WL, indoor surface-mounted wall light, E27, max. 40W, black | 78.11 |
| 1001451 | 4024163199353 | 218 | FENDA shade Ø 20cm, round, black | 36.38 |
| 1001452 | 4024163199360 | 218 | FENDA shade Ø 20cm, round, black/copper | 42.53 |
| 1001453 | 4024163199377 | 218 | FENDA shade Ø 20cm, round, white | 36.38 |
| 1001454 | 4024163199384 | 218 | FENDA shade Ø 20cm, round, beige | 36.38 |
| 1001460 | 4024163199445 | 108 | KARPO TL, LED indoor table lamp, white, 3000K | 176.55 |
| 1001461 | 4024163199452 | 108 | KARPO TL, LED indoor table lamp, black, 3000K | 176.55 |
| 1001462 | 4024163199469 | 108 | KARPO TL, LED indoor floor stand, white, 3000K | 231.12 |
| 1001463 | 4024163199476 | 108 | KARPO TL, LED indoor floor stand, black, 3000K | 231.12 |
| 1001468 | 4024163199520 | 231 | MERADO FLOOD WL, LED indoor surface-mounted wall light, white, 3000K, 40° | 290.05 |
| 1001472 | 4024163199568 | 231 | MERADO FLOOD WL, LED indoor surface-mounted wall light, white, 4000K, 40° | 290.05 |
| 1001488 | 4024163199728 | 561 | ROX ACRYL 30 Pole, Outdoor floor stand, IP44, stainless steel 304, E27 max 20W | 155.15 |
| 1001489 | 4024163199735 | 561 | ROX ACRYL 60 Pole, Outdoor floor stand, IP44, stainless steel 304, E27 max 20W | 176.55 |
| 1001490 | 4024163199742 | 561 | ROX ACRYL 90 Pole, Outdoor floor stand, IP44, stainless steel 304, E27 max 20W | 199.02 |
| 1001494 | 4024163199780 | 561 | ROX ACRYL concrete anchor | 25.95 |
| 1001495 | 4024163199797 | 296 | KARPO 30 CW, LED indoor surface-mounted wall and ceiling light, single black 3000K dimmable | 143.38 |
| 1001496 | 4024163199803 | 296 | KARPO 30 CW, LED indoor surface-mounted wall and ceiling light, single white 3000K dimmable | 143.38 |
| 1001505 | 4024163199896 | 262 | PANEL 1200x300mm LED indoor surface-mounted ceiling light, 3000K, white | 274.99 |
| 1001506 | 4024163199902 | 262 | PANEL 1200x300mm LED indoor surface-mounted ceiling light, 400K, white | 274.99 |
| 1001509 | 4024163199925 | 262 | PANEL 1200x300mm LED indoor surface-mounted ceiling light, 200K, silver-grey | 274.99 |
| 1001509 | 4024163199933 | 262 | PANEL 1200x300mm LED indoor surface-mounted ceiling light, 400K, silver-grey | 274.99 |
| 1001510 | 4024163199940 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, white, 1 m | 42.80 |
| 1001511 | 4024163199957 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, white, 2 m | 85.60 |
| 1001512 | 4024163199964 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, white, 3 m | 128.40 |
| 1001513 | 4024163199971 | 437 | FEED-IN FOR EUTRAC 240V 3-phase surface-mounted track, earth electrode left, white | 18.73 |
| 1001514 | 4024163199988 | 437 | FEED-IN FOR EUTRAC 240V 3-phase surface-mounted track, earth electrode right, white | 18.73 |
| 1001515 | 4024163199995 | 437 | CENTRE FEED-IN FOR EUTRAC 240V 3-phase surface-mounted track, white | 42.80 |
| 1001516 | 402416320004 | 437 | LONG CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, electrical, white | 18.73 |
| 1001517 | 402416320011 | 437 | LONG CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, with feed-in capacity, white | 73.83 |
| 1001518 | 402416320028 | 437 | T-CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, earth electrode left, white | 62.06 |
| 1001519 | 402416320035 | 437 | T-CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, earth electrode right, white | 62.06 |
| 1001520 | 402416320042 | 437 | L-CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, earth electrode inside, white | 62.06 |
| 1001521 | 402416320059 | 437 | L-CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, earth electrode outside, white | 62.06 |
| 1001522 | 402416320066 | 437 | X-CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, with feed-in capacity, 2 power circuits, white | 124.12 |
| 1001523 | 402416320073 | 437 | JOINT CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, M13 thread, white | 26.87 |
| 1001524 | 402416320080 | 437 | FLEXIBLE CONNECTOR FOR EUTRAC 240V 3-phase surface-mounted track, white | 84.53 |
| 1001525 | 402416320097 | 437 | SOCKET FOR EUTRAC 240V 3-phase surface-mounted track, white | 89.88 |
| 1001526 | 402416320103 | 437 | POINT OUTLET FOR EUTRAC 240V 3-phase surface-mounted track, white | 99.51 |
| 1001527 | 402416320110 | 437 | END CAP FOR EUTRAC 240V 3-phase surface-mounted track, white | 3.75 |
| 1001528 | 402416320127 | 437 | PENDANT SUSPENSION FOR EUTRAC 240V 3-phase surface-mounted track, rigid, white, 120cm, M13 thread | 42.80 |
| 1001529 | 402416320134 | 437 | PENDANT SUSPENSION FOR EUTRAC 240V 3-phase surface-mounted track, rigid, white, 60cm, M13 thread | 37.18 |
| 1001530 | 402416320141 | 437 | PENDANT CLIP FOR EUTRAC 240V 3-phase surface-mounted track, white, M13 thread | 10.70 |
| 1001531 | 402416320158 | 439 | EUTRAC 3-PHASE RECESSED TRACK, high-voltage track, white, 2 m | 114.49 |
| 1001532 | 402416320165 | 439 | EUTRAC 3-PHASE RECESSED TRACK, high-voltage track, white, 3 m | 192.60 |
| 1001533 | 402416320172 | 439 | FEED-IN FOR EUTRAC 240V 3-phase recessed track, earth electrode left, white | 62.06 |
| 1001534 | 402416320189 | 439 | FEED-IN FOR EUTRAC 240V 3-phase recessed track, earth electrode right, white | 62.06 |
| 1001536 | 402416320202 | 439, 469 | L-CONNECTOR FOR EUTRAC 240V 3-phase recessed track, white, earth electrode outside | 73.83 |
| 1001537 | 402416320219 | 439 | L-CONNECTOR FOR EUTRAC 240V 3-phase recessed track, white, earth electrode inside | 73.83 |
| 1001538 | 402416320226 | 439 | END CAP FOR EUTRAC 240V 3-phase recessed track, white | 7.83 |
| 1001539 | 402416320233 | 439 | LONG CONNECTOR FOR EUTRAC 240V 3-phase recessed track, electrical / mechanical, white | 18.73 |
| 1001542 | 402416320257 | 151, 437, 439, 473 | PENDANT ADAPTER FOR 240V 3-circuit track, traffic white, incl. installation accessories | 18.73 |
| 1001574 | 871869670831 | 5, 502, 503, 506, 595 | Philips Master LED Spot MR16 5W, 2700K, 36°, dimmable | 35.31 |
| 1001575 | 8718696708255 | 5 | Philips Master LED MR16 5W, 3000K, 36° | 35.31 |
| 1001676 | 4024163201490 | 109 | FITU TL, indoor table lamp, black, E27, max. 10W | 58.85 |
| 1001691 | 4024163201629 | 179 | PARA FLA reflector | 62.06 |
| 1001692 | 4024163201636 | 179 | PARA FLA reflector cover | 31.03 |
| 1001701 | 4024163201674 | 170 | FORCHINI 70 PD, indoor pendant, black/gold, E27, max. 40W | 385.20 |
| 1001818 | 4024163220712 | 151, 473 | FITU triple ceiling plate, long, black | 90.95 |
| 1001819 | 4024163220729 | 151, 473 | FITU triple ceiling plate, long, white | 90.95 |
| 1001820 | 4024163220736 | 151 | FITU five-way ceiling plate, long, black | 117.70 |
| 1001821 | 4024163220743 | 151 | FITU five-way ceiling plate, long, white | 117.70 |
| 1001823 | 4024163220767 | 527 | PATHLIGHT 40, LED outdoor floor stand, rust coloured, IP55, 3000K | 330.63 |
| 1001824 | 4024163220774 | 527 | PATHLIGHT 70, LED outdoor floor stand, rust coloured, IP55, 3000K | 396.97 |
| 1001855 | 402416321054 | 690 | UPA CL, LED Outdoor surface-mounted ceiling light, IP54, white, 3000/4000K | 212.93 |
| 1001856 | 402416321061 | 690 | UPA CL, LED Outdoor surface-mounted ceiling light, IP54, anthracite, 3000/4000K | 212.93 |
| 1001861 | 402416321108 | 485 | EURO SPOT TRACK, black, QPAR51 25W, incl. 1-circuit adapter | 71.69 |
| 1001862 | 402416321115 | 483 | NOBLO SPOT, black, 2700K, 36°, incl. 1-circuit adapter | 64.20 |
| 1001863 | 402416321122 | 483 | NOBLO SPOT, white, 2700K, 36°, incl. 1-circuit adapter | 64.20 |
| 1001864 | 402416321139 | 483 | NOBLO SPOT, silver-grey, 2700K, 36°, incl. 1-circuit adapter | 64.20 |
| 1001865 | 402416321146 | 458 | NOBLO SPOT, black, 2700K, 36°, incl. 3-circuit adapter | 64.20 |
| 1001866 | 402416321153 | 458 | NOBLO SPOT, white, 2700K, 36°, incl. 3-circuit adapter | 64.20 |
| 1001868 | 402416321177 | 478 | PURI TRACK SPOT, QPAR51 glass, black 50W, incl. 1-circuit adapter | 42.80 |
| 1001869 | 402416321184 | 478 | PURI TRACK SPOT, QPAR51 glass, white 50W, incl. 1-circuit adapter | 42.80 |
| 1001870 | 402416321191 | 478 | PURI TRACK SPOT, QPAR51 glass, silver 50W, incl. 1-circuit adapter | 42.80 |
| 1001871 | 402416321207 | 453 | PURI TRACK QPAR51 glass, black 50W, incl. 3-circuit adapter | 42.80 |
| 1001872 | 402416321214 | 453 | PURI TRACK QPAR51 glass, white 50W, incl. 3-circuit adapter | 42.80 |
| 1001877 | 402416321269 | 134, 258 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, black, 3000/4000K | 277.13 |
| 1001878 | 4024163207720 | 135, 259 | MEDO 90 CL AMBIENT, LED indoor surface-mounted ceiling light, TRIAC, black, 3000/4000K | 1165.23 |
| 1001879 | 4024163207727 | 135, 259 | MEDO 90 CL AMBIENT, LED indoor surface-mounted ceiling light, TRIAC, white, 3000/4000K | 1165.23 |
| 1001880 | 4024163207744 | 135, 259 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, grey, 3000/4000K | 277.13 |
| 1001881 | 4024163212176 | 134, 258 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, white, 3000/4000K | 277.13 |
| 1001882 | 4024163212183 | 134, 258 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, silver-grey 3000/4000K | 277.13 |
| 1001883 | 4024163212190 | 134, 258 | MEDO 40 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, black, 3000/4000K | 311.37 |
| 1001884 | 402416321306 | 134, 258 | MEDO 40 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, white, 3000/4000K | 311.37 |
| 1001885 | 402416321311 | 134, 258 | MEDO 40 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, silver-grey 3000/4000K | 311.37 |
| 1001886 | 402416321320 | 134, 258 | MEDO 60 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, black, 3000/4000K | 391.71 |
| 1001887 | 402416321337 | 134, 258 | MEDO 60 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, white, 3000/4000K | 391.71 |
| 1001888 | 402416321344 | 134, 258 | MEDO 60 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, TRIAC, silver-grey 3000/4000K | 391.71 |
| 1001889 | 402416321351 | 136, 260 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, black, 3000/4000K | 311.37 |
| 1001890 | 4024163207843 | 137, 261 | MEDO 90 CL AMBIENT, LED indoor surface-mounted ceiling light, DALI, black, 3000/4000K | 1443.43 |
| 1001891 | 4024163207850 | 137, 261 | MEDO 90 CL AMBIENT, LED indoor surface-mounted ceiling light, DALI, white, 3000/4000K | 1443.43 |
| 1001892 | 4024163207867 | 137, 261 | MEDO 90 CL AMBIENT, LED indoor surface-mounted ceiling light, DALI, grey, 3000/4000K | 1443.43 |
| 1001893 | 402416321368 | 136, 260 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, white, 3000/4000K | 311.37 |
| 1001894 | 402416321375 | 136, 260 | MEDO 30 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, silver-grey, 3000/4000K | 311.37 |
| 1001895 | 402416321382 | 136, 260 | MEDO 40 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, black, 3000/4000K | 411.95 |
| 1001896 | 402416321399 | 136, 260 | MEDO 40 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, white, 3000/4000K | 411.95 |
| 1001897 | 402416321406 | 136, 260 | MEDO 40 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, silver-grey, 3000/4000K | 411.95 |
| 1001898 | 402416321412 | 136, 260 | MEDO 60 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, black, 3000/4000K | 633.44 |
| 1001899 | 402416321429 | 136, 260 | MEDO 60 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, silver-grey, 3000/4000K | 633.44 |
| 1001900 | 402416321436 | 136, 260 | MEDO 60 CW AMBIENT, LED Outdoor surface-mounted wall and ceiling light, DALI, white, 3000/4000K | 633.44 |
| 1001901 | 402416321443 | 414 | MEDO 30 EL, LED indoor recessed ceiling light, frameless version, white, 3000/4000K | 202.23 |

| | | | | |
|---------|---------------|--------------------------------------|--|---------|
| 1001902 | 402416321490 | 415 | MEDO 40 EL LED Indoor recessed ceiling light, frameless version, white, 3000/4000K | 234.70 |
| 1001903 | 402416321467 | 415 | MEDO 60 EL LED Indoor recessed ceiling light, frameless version, white, 3000/4000K | 478.29 |
| 1001904 | 4024163207980 | 415 | MEDO 90 DL LED Indoor recessed ceiling light, frameless version, white, 3000/4000K | 1058.23 |
| 1001905 | 4024163221474 | 416 | MEDO 30 EL LED Indoor recessed ceiling light, frame version, white, 3000/4000K | 212.93 |
| 1001906 | 4024163221481 | 416 | MEDO 40 EL LED Indoor recessed ceiling light, frame version, white, 3000/4000K | 236.47 |
| 1001907 | 402416321498 | 416 | MEDO 60 EL LED Indoor recessed ceiling light, frame version, white, 3000/4000K | 526.44 |
| 1001908 | 4024163208024 | 417 | MEDO 90 DL LED Indoor recessed ceiling light, framed version, white, 3000/4000K | 1058.23 |
| 1005089 | 4024163252157 | 690 | RUBA 27 CW, LED wall and ceiling-mounted light white CCT switch 3000/4000K | 107.00 |
| 1005090 | 4024163252164 | 690 | RUBA 42 CW, LED wall and ceiling-mounted light white CCT switch 3000/4000K | 214.00 |
| 1001930 | 4024163221889 | 404, 711 | VARU QPARS1 DL, outdoor recessed ceiling light, black, IP20/65 | 37.59 |
| 1001931 | 402416321696 | 404, 711 | VARU QPARS1 CL, outdoor recessed ceiling light, black/white, IP20/65 | 37.59 |
| 1001937 | 402416321733 | 597 | NAUTILUS 10 Spike, LED outdoor ground spike luminaire, rust coloured IP65, 3000K, 45° | 155.15 |
| 1001939 | 4024163221757 | 285 | FERA 25 CL LED Indoor surface-mounted ceiling light, black, 3000K, 100° | 196.88 |
| 1001950 | 4024163221825 | 136, 137, 138, 139, 254, 255, 256, 2 | MEDO 5m suspension, white | 96.30 |
| 1001951 | 4024163221832 | 136, 137, 138, 139, 254, 255, 256, 2 | MEDO 5m suspension, silver-grey | 96.30 |
| 1001952 | 402416321849 | 136, 137, 138, 139, 254, 255, 256, 2 | MEDO 5m suspension, black | 96.30 |
| 1001962 | 402416321931 | 595 | NAUTILUS SPIKE, LED outdoor ground spike luminaire, stainless steel 316, IP55, 3000K | 121.98 |
| 1001963 | 402416321948 | 595 | NAUTILUS SPIKE, mounting plate, stainless steel 316 | 8.51 |
| 1001964 | 402416321955 | 593 | BIG NAUTILUS QPARS1, outdoor ground spike luminaire, rust coloured IP65 max. 11W | 37.45 |
| 1001965 | 402416321962 | 593 | BIG NAUTILUS QPARS1, outdoor ground spike luminaire, green IP65 max. 11W | 37.45 |
| 1001968 | 402416321979 | 474 | PARA CONE 14 PD pendant, QPARS1, copper 30W, ind. 1-circuit adapter | 116.63 |
| 1001969 | 402416321986 | 642 | ANGOLUX SENSOR WL, LED Outdoor surface-mounted wall light, IP44, anthracite, 3000K | 171.20 |
| 1001970 | 402416321993 | 642 | LED SENSOR WL, LED Outdoor surface-mounted wall light, IP44, white, 3000K | 171.20 |
| 1001978 | 402416322068 | 361 | NEW TRIA round, LED indoor recessed ceiling light, black, 1800-3000K, 7.2W | 83.46 |
| 1001980 | 402416322075 | 350 | NEW TRIA 68 round, indoor recessed ceiling light, QPARS1, black, 50W | 27.82 |
| 1001981 | 402416322082 | 350 | NEW TRIA 68 round, indoor recessed ceiling light, QPARS1, white, 50W | 27.82 |
| 1001982 | 402416322099 | 350 | NEW TRIA 68 round, indoor recessed ceiling light, QPARS1 brushed aluminium 50W | 31.30 |
| 1001989 | 402416322105 | 361 | NEW TRIA round, LED indoor recessed ceiling light, white, 1800-3000K, 7.2W | 83.46 |
| 1001990 | 402416322112 | 361 | NEW TRIA round, LED indoor recessed ceiling light, brushed aluminium, 1800-3000K 7.2W | 89.88 |
| 1001991 | 402416322129 | 361 | NEW TRIA angular, LED indoor recessed ceiling light, black, 1800-3000K, 7.2W | 83.46 |
| 1001992 | 402416322136 | 361 | NEW TRIA angular, LED indoor recessed ceiling light, white, 1800-3000K, 7.2W | 83.46 |
| 1001993 | 402416322143 | 361 | NEW TRIA angular, LED indoor recessed ceiling light, brushed aluminium, 1800-3000K 7.2W | 89.88 |
| 1001994 | 402416322150 | 350 | NEW TRIA 68 square, indoor recessed ceiling light, QPARS1, black, 50W | 27.82 |
| 1001995 | 402416322167 | 350 | NEW TRIA 68 square, indoor recessed ceiling light, QPARS1, white, 50W | 27.82 |
| 1001996 | 402416322174 | 350 | NEW TRIA 68 square, indoor recessed ceiling light, QPARS1 brushed aluminium 50W | 31.30 |
| 1001999 | 402416322204 | 304 | GLOO 27 Pole, outdoor floor stand, E27, anthracite, IP44 | 114.49 |
| 1002000 | 402416322211 | 545 | GLOO PURE 44 Pole, outdoor floor stand, E27, anthracite, IP44 | 114.49 |
| 1002001 | 402416322228 | 545 | GLOO PURE 70 Pole, outdoor floor stand, E27, anthracite, IP44 | 126.26 |
| 1002002 | 402416322235 | 658 | GLOO PURE WL, Outdoor surface-mounted wall light, E27, anthracite, IP44 | 89.88 |
| 1002003 | 402416322242 | 269 | TRILEDO Double, LED indoor surface-mounted ceiling light, black, 3000K, 10W | 156.22 |
| 1002004 | 402416322250 | 266 | TRILEDO Single, indoor surface-mounted ceiling light, QPARS1, brushed aluminium, max 10W | 83.46 |
| 1002005 | 402416322266 | 266 | TRILEDO Double, indoor surface-mounted ceiling light, QPARS1, black, max 10W | 123.05 |
| 1002006 | 402416322273 | 266 | TRILEDO Double, indoor surface-mounted ceiling light, QPARS1, white, max 10W | 123.05 |
| 1002008 | 402416322280 | 269 | TRILEDO Double, LED indoor surface-mounted ceiling light, white, 3000K, 16W | 156.22 |
| 1002010 | 402416322297 | 266 | TRILEDO CL, indoor surface-mounted ceiling light, QPARS1, black, max 10W | 83.46 |
| 1002011 | 402416322303 | 266 | TRILEDO CL, indoor surface-mounted ceiling light, QPARS1, white, max 10W | 83.46 |
| 1002012 | 402416322310 | 266 | TRILEDO CL, indoor surface-mounted ceiling light, QPARS1 brushed aluminium, max 10W | 89.88 |
| 1002013 | 402416322327 | 266 | TRILEDO CL, indoor surface-mounted ceiling light, QPARS1, black, max 10W | 83.46 |
| 1002015 | 402416322334 | 266 | TRILEDO Single, indoor surface-mounted ceiling light, QPARS1, white, max 10W | 83.46 |
| 1002018 | 402416322365 | 644 | SITRA UP/Down WL, LED Outdoor surface-mounted wall light, anthracite, IP44, 3000K | 143.38 |
| 1002020 | 402416322389 | 326 | LIPSY 40 Dome, LED Outdoor surface-mounted wall and ceiling light, white, IP44, 3000/4000K | 83.46 |
| 1002021 | 402416322396 | 326 | LIPSY 40 Dome, LED Outdoor surface-mounted wall and ceiling light, white, IP44, 3000/4000K | 104.86 |
| 1002022 | 402416322402 | 326 | LIPSY 50 Dome, LED Outdoor surface-mounted wall and ceiling light, white, IP44, 3000/4000K | 116.63 |
| 1002023 | 402416322419 | 304 | KALU CW, indoor surface-mounted wall and ceiling light, quad, QPAR11 black 4x75W | 297.46 |
| 1002024 | 402416322426 | 304 | KALU CW, indoor surface-mounted wall and ceiling light, quad, QPAR11 white 4x75W | 297.46 |
| 1002025 | 402416322433 | 304 | KALU CW, indoor surface-mounted wall and ceiling light, quad, QPAR11 brushed aluminium 4x75W | 320.23 |
| 1002029 | 402416322471 | 312 | PURI CW, indoor surface-mounted wall and ceiling light, quad, QPARS1, black, 4x50W | 156.22 |
| 1002030 | 402416322488 | 312 | PURI CW, indoor surface-mounted wall and ceiling light, quad, QPARS1, white, 4x50W | 156.22 |
| 1002032 | 402416322501 | 622 | SITRA CUBE WL, LED outdoor surface-mounted wall and ceiling light, anthracite, IP44, 3000K, 10W | 107.00 |
| 1002033 | 402416322518 | 622 | SITRA CUBE WL, LED outdoor surface-mounted wall and ceiling light, white, IP44, 3000K, 10W | 107.00 |
| 1002034 | 402416322525 | 622 | SITRA CUBE WL, LED outdoor surface-mounted wall and ceiling light, rust coloured, IP44, 3000K, 10W | 107.00 |
| 1002035 | 402416322532 | 686 | BOX L, LED outdoor surface-mounted wall and ceiling light, anthracite, IP44, 3000K, 19W | 121.98 |
| 1002045 | 402416322570 | 173 | SUN 20 PD, indoor pendant, E27, white, max. 60W | 84.53 |
| 1002046 | 402416322587 | 173 | BIG SUN 30 PD, indoor pendant, E27, white, max. 60W | 159.43 |
| 1002047 | 402416322594 | 175 | PLASTRA 25 PD, indoor pendant, TCR-T5, white, 11W | 125.19 |
| 1002051 | 402416322631 | 289 | ROTBALL 25 CL, indoor surface-mounted ceiling light, E27, white, max. 24W | 83.46 |
| 1002052 | 402416322648 | 289 | ROTBALL 40 CL, indoor surface-mounted ceiling light, E27, white, max. 24W | 155.15 |
| 1002069 | 402416322754 | 639 | PEMA* WL, LED Outdoor surface-mounted wall light, IP54, anthracite, 3000K | 121.98 |
| 1002070 | 402416322761 | 639 | PEMA* WL, LED Outdoor surface-mounted wall light, IP54, white, 3000K | 121.98 |
| 1002075 | 402416322815 | 329 | LIPSY 30 Drum CW, LED Outdoor surface-mounted wall and ceiling light, white, IP44 3000/4000K | 95.23 |
| 1002076 | 402416322822 | 329 | LIPSY 30 Drum CW, LED Outdoor surface-mounted wall and ceiling light, white, IP44 3000/4000K | 116.63 |
| 1002077 | 402416322839 | 329 | LIPSY 50 Drum CW, LED Outdoor surface-mounted wall and ceiling light, white, IP44 3000/4000K | 116.63 |
| 1002098 | 402416322853 | 420, 706 | PATTA-1, LED outdoor recessed ceiling light, round DL IP65 black 1800-3000K | 82.39 |
| 1002099 | 402416322860 | 420, 706 | PATTA-1, LED outdoor recessed ceiling light, round DL IP65 white 1800-3000K | 82.39 |
| 1002100 | 402416322877 | 420, 706 | PATTA-1, LED outdoor recessed ceiling light, round DL IP65 silver 1800-3000K | 85.60 |
| 1002101 | 402416322884 | 420, 706 | PATTA-1, LED outdoor recessed ceiling light, angular DL IP65 black 1800-3000K | 82.39 |
| 1002102 | 402416322891 | 420, 706 | PATTA-1, LED outdoor recessed ceiling light, angular DL IP65 white 1800-3000K | 82.39 |
| 1002103 | 402416322907 | 420, 706 | PATTA-1, LED outdoor recessed ceiling light, angular DL IP65 silver 1800-3000K | 85.60 |
| 1002110 | 402416322976 | 480 | ENOLA B TRACK SPOT, QPARS1 black, 50W, ind. 1-circuit adapter | 74.50 |
| 1002111 | 402416322983 | 480 | ENOLA B TRACK SPOT, QPARS1 white, 50W, ind. 1-circuit adapter | 74.50 |
| 1002113 | 402416323003 | 480 | ENOLA B TRACK SPOT, QPARS1 silver grey 50W, ind. 1-circuit adapter | 74.50 |
| 1002116 | 402416323034 | 229 | DIO FLEX PLATE WL, LED indoor display fitting, chrome, 2700K | 100.58 |
| 1002117 | 402416323041 | 228 | DIO FLEX PLATE WL, LED indoor display fitting, white, 2700K | 95.23 |
| 1002118 | 402416323058 | 228 | DIO FLEX PLATE WL, LED indoor display fitting, white, 3000K | 95.23 |
| 1002119 | 402416323065 | 228 | DIO FLEX PLATE WL, LED indoor display fitting, white, 4000K | 95.23 |
| 1002146 | 402416323263 | 274 | KARRO Bedside, LED indoor surface-mounted wall light, white, 3000K | 237.64 |
| 1002146 | 402416323324 | 109 | FITU WL, indoor floor stand, E27, black, max. 24W | 220.42 |
| 1002147 | 402416323331 | 214 | FITU WL, indoor surface-mounted wall light, E27, white, max. 24W | 90.95 |
| 1002148 | 402416323348 | 214 | FITU WL, indoor surface-mounted wall light, E27, black, max. 24W | 90.95 |
| 1002149 | 402416323355 | 214 | FITU FL, indoor floor stand, E27, soft gold, max. 24W | 96.30 |
| 1002151 | 402416323379 | 468 | 1-circuit 240V track, surface-mounted, black, 3m | 97.37 |
| 1002152 | 402416323386 | 468 | 1-circuit 240V track, surface-mounted, white, 3m | 97.37 |
| 1002153 | 402416323393 | 468 | 1-circuit 240V track, surface-mounted, silver, 3m | 97.37 |
| 1002165 | 402416323492 | 151 | FITU single canopy, soft gold | 68.20 |
| 1002164 | 402416323508 | 151 | FITU triple canopy, soft gold | 24.75 |
| 1002165 | 402416323515 | 151 | FITU five-way canopy, soft gold | 85.60 |
| 1002168 | 402416323546 | 151 | FITU PD, indoor pendant, E27, soft gold, max. 60W, 5m | 69.55 |
| 1002169 | 402416323553 | 159 | HELIA 40 PD, LED indoor pendant, soft gold, 3000K, recessed version | 215.07 |
| 1002170 | 402416323560 | 158 | HELIA 30 PD, LED indoor pendant, soft gold, 3000K, recessed version | 193.67 |
| 1002171 | 402416323577 | 159 | HELIA 40 PD, LED indoor pendant, soft gold, 3000K, surface-mounted version | 274.99 |
| 1002172 | 402416323584 | 158 | HELIA 30 PD, LED indoor pendant, soft gold, 3000K, surface-mounted version | 237.64 |
| 1002188 | 402416323690 | 715 | DASAR* Flat, outdoor LED recessed floor light, stainless steel 304, 4000K, IP67, 4.3W | 121.98 |
| 1002190 | 402416323713 | 235 | MARYLIN, LED Outdoor surface-mounted wall light, chrome, IP44, 3000K, 10W | 212.93 |
| 1002191 | 402416323720 | 235 | MARYLIN, LED Outdoor surface-mounted wall light, chrome, IP44, 3000K, 15W | 266.43 |
| 1002192 | 402416323737 | 235 | MARYLIN, LED Outdoor surface-mounted wall light, chrome, IP44, 3000K, 21W | 319.93 |
| 1002198 | 402416323799 | 581 | HELIA Single Pole, LED outdoor floor stand, anthracite, IP55 3000K | 232.19 |
| 1002200 | 402416323812 | 581 | HELIA Double Pole, LED outdoor floor stand, anthracite, IP55 3000K | 364.73 |
| 1002201 | 402416323829 | 601 | LED SPIKE, LED outdoor ground spike luminaire, anthracite, IP55, 3000K, 40° | 66.34 |
| 1002203 | 402416323843 | 601 | LED SPIKE, LED outdoor ground spike luminaire, rust coloured, IP55, 3000K, 40° | 66.34 |
| 1002215 | 402416323966 | 274, 308 | ALTRA DICE CL, indoor surface-mounted wall and ceiling light, double, QPARS1, black | 117.70 |
| 1002216 | 402416323973 | 274 | ALTRA DICE CL, indoor surface-mounted wall and ceiling light, QPARS1, black | 64.20 |
| 1002217 | 402416323980 | 154 | FENDA glass shade, white | 30.50 |
| 1002218 | 402416323997 | 777, 794 | Dali interface 0-10V and on/off | 133.75 |
| 1002220 | 402416324017 | 777, 794 | DAU Universal Dimmer 3-25W | 116.63 |
| 1002221 | 402416324024 | 777, 794 | DAU Universal Dimmer 10-300W | 181.90 |
| 1002264 | 402416324185 | 151 | FITU triple canopy, long, soft gold | 197.03 |
| 1002265 | 402416324192 | 151 | FITU five-way canopy, long, soft gold | 128.40 |
| 1002402 | 402416326752 | 629 | QUADRULO SENSOR WL E27 outdoor surface-mounted wall light, anthracite, including sensor | 165.85 |
| 1002403 | 402416326769 | 629 | QUADRULO WL E27 outdoor surface-mounted wall light, anthracite | 143.38 |
| 1002404 | 402416326776 | 111 | MECANICA PLUS TL, indoor LED table lamp, 2700-6500K, black | 191.53 |
| 1002405 | 402416326783 | 111 | MECANICA PLUS FL, indoor LED floor lamp, 2700-6500K, black | 287.83 |
| 1002411 | 402416326820 | 782 | VALET0* Gateway, brushed metal/black | 426.93 |
| 1002420 | 402416326875 | 801 | LED driver MEDO 300, non-dimmable | 44.94 |
| 1002422 | 402416326899 | 802 | LED driver MEDO 600, non-dimmable | 80.25 |
| 1002424 | 402416326912 | 415, 416, 417, 800 | LED driver MEDO 400 dimmable DAU1-10V | 85.60 |
| 1002425 | 402416326920 | 420, 800 | LED driver MEDO 600 dimmable DAU1-10V | 90.95 |
| 1002430 | 402416326950 | 228 | DIO FLEX PLATE LED, LED indoor surface-mounted wall light, black, 2700K | 95.23 |
| 1002431 | 402416326967 | 228 | DIO FLEX PLATE LED, LED indoor surface-mounted wall light, black, 3000K | 95.23 |
| 1002432 | 402416326974 | 228 | DIO FLEX PLATE LED, LED indoor surface-mounted wall light, black, 4000K | 95.23 |
| 1002503 | 402416327490 | 643 | VILUA S WL, Outdoor recessed wall light, anthracite, 3000K IP54 100° 405mm | 146.52 |
| 1002504 | 402416327506 | 643 | VILUA L WL, Outdoor recessed wall light, anthracite, 3000K IP54 100° 810mm | 197.03 |
| 1002505 | 402416327513 | 643 | VILUA UP/DOWN WL, Outdoor recessed wall light, anthracite, IP54 100° | 191.53 |
| 1002558 | 402416327964 | 150 | FITU PD E27 indoor pendant, black, 5m cable with open cable end | 112.35 |
| 1002562 | 402416327971 | 150 | FITU PD E27 indoor pendant, white, 5m cable with open cable end | 112.35 |
| 1002563 | 402416327988 | 150 | FITU PD E27 indoor pendant, brushed aluminium, 5m cable with open cable end | 123.05 |
| 1002564 | 402416327995 | 150 | FITU PD E27 indoor pendant, brass, 5m cable with open cable end | 123.05 |
| 1002583 | 402416328121 | 112 | TONILIA mobile rechargeable battery powered light, black, dimmable in 3 stages, 2700K | 109.14 |

| | | | | | |
|---------|---------------|-------------------------|---|-----------|--------|
| 1002584 | 402416328138 | 318 | FITLU, indoor wall and ceiling recessed light, E27, white | PHASE-OUT | 69.55 |
| 1002585 | 402416328145 | 318 | FITLU, indoor wall and ceiling recessed light, E27, black | | 69.55 |
| 1002591 | 402416328169 | 375 | HORN MAGNA LED outdoor recessed ceiling light, white, 3000K, 25' | | 71.69 |
| 1002592 | 402416328176 | 375 | HORN MAGNA LED outdoor recessed ceiling light, black, 3000K, 25' | | 71.69 |
| 1002594 | 402416328190 | 375 | HORN MAGNA LED outdoor recessed ceiling light, black/gold, 3000K, 25' | | 74.50 |
| 1002596 | 402416328206 | 375 | HORN MAGNA COMB anti-glare protection honeycomb | | 3.75 |
| 1002602 | 402416328268 | 500 | TENSEO low-voltage cable system, black, 4mm ² , 10m | | 23.54 |
| 1002603 | 402416328282 | 500 | TENSEO low-voltage cable system, white, 4mm ² , 10m | | 23.54 |
| 1002604 | 402416328275 | 500 | TENSEO low-voltage cable system, chrome, 4mm ² , 10m | | 23.54 |
| 1002605 | 402416328299 | 655 | LED SALI WL, LED outdoor surface-mounted wall light, 3000K, anthracite, IP54 | | 178.69 |
| 1002606 | 402416328305 | 655 | LED SALI WL, LED outdoor surface-mounted wall light, 3000K, white, IP54 | | 178.69 |
| 1002607 | 402416328312 | 228 | DIO FLEX PLATE QPARS1 WL indoor surface-mounted wall light, white | | 53.50 |
| 1002608 | 402416328329 | 228 | DIO FLEX PLATE QPARS1 WL indoor surface-mounted wall light, black | | 53.50 |
| 1002631 | 402416328473 | 431 | S-TRACK DALI track 2m black | | 80.25 |
| 1002632 | 402416328480 | 431 | S-TRACK DALI track 2m white | | 80.25 |
| 1002633 | 402416328497 | 431 | S-TRACK DALI track 3m black | | 117.70 |
| 1002634 | 402416328503 | 431 | S-TRACK DALI track 3m white | | 117.70 |
| 1002637 | 402416328534 | 433 | S-TRACK DALI feed-in, left, black | | 18.14 |
| 1002638 | 402416328541 | 433 | S-TRACK DALI feed-in, right, black | | 18.14 |
| 1002639 | 402416328558 | 433 | S-TRACK DALI feed-in, left, white | | 18.14 |
| 1002640 | 402416328565 | 433 | S-TRACK DALI feed-in, right, white | | 18.14 |
| 1002641 | 402416328572 | 433 | S-TRACK DALI connector, black | | 9.58 |
| 1002642 | 402416328589 | 433 | S-TRACK DALI connector, white | | 9.58 |
| 1002643 | 402416328596 | 433 | S-TRACK DALI connector with feed-in facility, black | | 31.57 |
| 1002644 | 402416328602 | 433 | S-TRACK DALI connector with feed-in facility, white | | 31.57 |
| 1002645 | 402416328619 | 433 | S-TRACK DALI flexible connector, black | | 50.83 |
| 1002646 | 402416328626 | 433 | S-TRACK DALI flexible connector, white | | 50.83 |
| 1002647 | 402416328633 | 433 | S-TRACK DALI L-connector with internal earth electrode, black | | 31.57 |
| 1002648 | 402416328640 | 433 | S-TRACK DALI L-connector with external earth electrode, black | | 31.57 |
| 1002649 | 402416328657 | 433 | S-TRACK DALI L-connector with internal earth electrode, white | | 31.57 |
| 1002650 | 402416328664 | 433 | S-TRACK DALI L-connector with external earth electrode, white | | 31.57 |
| 1002651 | 402416328671 | 433 | S-TRACK DALI L-connector with right-hand earth electrode, black | | 37.18 |
| 1002652 | 402416328688 | 433 | S-TRACK DALI L-connector with left-hand earth electrode, black | | 37.18 |
| 1002653 | 402416328695 | 433 | S-TRACK DALI L-connector with right-hand earth electrode, white | | 37.18 |
| 1002654 | 402416328701 | 433 | S-TRACK DALI L-connector with left-hand earth electrode, white | | 37.18 |
| 1002655 | 402416328718 | 433 | S-TRACK DALI X-connector, black | | 59.92 |
| 1002656 | 402416328725 | 433 | S-TRACK DALI X-connector, white | | 59.92 |
| 1002657 | 402416328732 | 433 | S-TRACK DALI pendant clip, black | | 7.33 |
| 1002658 | 402416328749 | 433 | S-TRACK DALI pendant clip, white | | 7.33 |
| 1002659 | 402416328756 | 433 | S-TRACK DALI luminaire adapter, white | | 17.92 |
| 1002660 | 402416328763 | 433 | S-TRACK DALI luminaire adapter, black | | 17.92 |
| 1002691 | 402416329043 | 501 | TENSEO TRANSFORMER for low-voltage cable system, black, 50VA | | 106.93 |
| 1002692 | 402416329050 | 501, 793 | TENSEO TRANSFORMER for low-voltage cable system, white, 50VA | | 106.93 |
| 1002693 | 402416329067 | 501 | TENSEO TRANSFORMER for low-voltage cable system, chrome, 50VA | | 110.21 |
| 1002694 | 402416329074 | 506 | TENSEO NOBLO cable luminaire for low voltage cable system 2700K black | | 84.53 |
| 1002695 | 402416329081 | 506 | TENSEO NOBLO cable luminaire for low voltage cable system 2700K white | | 84.53 |
| 1002696 | 402416329098 | 506 | TENSEO NOBLO cable luminaire for low voltage cable system 2700K chrome | | 89.88 |
| 1002697 | 402416329104 | 501 | TENSEO steel wire suspension, black | | 39.06 |
| 1002698 | 402416329111 | 501 | TENSEO steel wire suspension, white | | 39.06 |
| 1002699 | 402416329128 | 501 | TENSEO steel wire suspension, chrome | | 41.20 |
| 1002700 | 402416329135 | 501 | TENSEO spacer set, mechanical, black | | 44.94 |
| 1002701 | 402416329142 | 501 | TENSEO spacer set, mechanical, white | | 44.94 |
| 1002702 | 402416329159 | 501 | TENSEO spacer set, mechanical, chrome | | 52.97 |
| 1002703 | 402416329166 | 501 | TENSEO spacer set, electric, black | | 52.97 |
| 1002704 | 402416329173 | 501 | TENSEO spacer set, electric, white | | 52.97 |
| 1002705 | 402416329180 | 501 | TENSEO spacer set, electric, chrome | | 58.85 |
| 111262 | 402416311262 | 409 | FRAME BASIC, recessed fitting, LED, 3000K, square, silver-grey, incl. leaf springs | | 37.45 |
| 111292 | 402416311519 | 408 | FRAME CURVE, recessed fitting, LED, 3000K, square, silver-grey, incl. leaf springs | | 49.76 |
| 111360 | 402416311553 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, round, brushed aluminium, max. 50W, incl. clip springs | | 31.30 |
| 111361 | 402416311560 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, brushed aluminium, max. 50W, incl. clip springs | | 31.30 |
| 111362 | 402416311567 | 354 | NEW TRIA 2 recessed fitting, double-headed, QPARS1, round, white, max. 50W, incl. clip springs | | 31.30 |
| 111363 | 402416311574 | 354 | NEW TRIA 2 recessed fitting, double-headed, QPARS1, square, white, max. 50W, incl. clip springs | | 31.30 |
| 111380 | 402416311560 | 355 | NEW TRIA 1 recessed fitting, single-headed, QPAR11, round, brushed aluminium, max. 75W, incl. leaf springs | | 62.06 |
| 111381 | 402416311567 | 355 | NEW TRIA 1 recessed fitting, single-headed, QPAR11, square, brushed aluminium, max. 75W, incl. leaf springs | | 62.06 |
| 111382 | 402416311574 | 355 | NEW TRIA 2 recessed fitting, double-headed, QPAR11, rectangular, brushed aluminium, max. 150W, incl. clip springs | | 123.05 |
| 111710 | 402416311858 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, round, black, max. 50W, incl. leaf springs | | 31.30 |
| 111711 | 402416311865 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, white, max. 50W, incl. leaf springs | | 31.30 |
| 111716 | 402416311861 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, round, brushed aluminium, max. 50W, incl. leaf springs | | 33.44 |
| 111720 | 402416311862 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, black, max. 50W, incl. leaf springs | | 31.30 |
| 111721 | 402416311863 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, white, max. 50W, incl. leaf springs | | 31.30 |
| 111726 | 402416311864 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, brushed aluminium, max. 50W, incl. leaf springs | | 33.44 |
| 111850 | 402416310561 | 370, 401, 408, 409, 804 | FLUSH-MOUNTED CONNECTOR, 3 outputs with two bridges, black, max. 350mA | | 12.31 |
| 111861 | 402416311508 | 408, 409, 804 | CABLE EXTENSION, for items with a 350mA plug, 1m | | 7.22 |
| 11161 | 402416316894 | 394 | DL 126, recessed fitting, LED, 2700K, round, white, 2.8W | | 33.71 |
| 112162 | 402416316870 | 394 | DL 126, recessed fitting, LED, 2700K, round, chrome, 2.8W | | 33.71 |
| 112165 | 402416316877 | 394 | DL 126, recessed fitting, LED, 2700K, round, brushed metal, 2.8W | | 33.71 |
| 112221 | 402416313801 | 394 | DL 126, recessed fitting, LED SMD, 3000K, round, white, max. 3W, incl. leaf springs | | 39.32 |
| 112222 | 402416313802 | 394 | DL 126, recessed fitting, LED SMD, 3000K, round, chrome, max. 3W, incl. leaf springs | | 39.32 |
| 112225 | 402416316880 | 394 | DL 126, recessed fitting, LED, 3000K, round, brushed metal, 2.8 W, incl. leaf springs | | 33.71 |
| 112242 | 402416313625 | 404 | DEKLED, recessed fitting, LED, 3000K, round, silver metallic, 1W | | 28.89 |
| 112682 | 402416314306 | 393 | VERLUX, recessed fitting, LED, 3000K, matt white, L/8/T 8.5/8.5/4.5 cm, 10W | | 63.46 |
| 112692 | 402416314313 | 393 | VERLUX, recessed fitting, LED, 3000K, matt white, L/8/T 13.5/13.5/7.5 cm, 20W | | 66.81 |
| 112702 | 402416314320 | 393 | VERLUX, recessed fitting, LED, 3000K, matt white, L/8/T 19/19/10 cm, 28W | | 156.22 |
| 112720 | 402416315813 | 408 | FRAME BASIC recessed fitting, LED, 3000K, matt black, SET, 9.4W, incl. driver | | 49.76 |
| 112721 | 402416315814 | 408 | FRAME BASIC recessed fitting, LED, 3000K, matt white, SET, 9.4W, incl. driver | | 49.76 |
| 112780 | 402416308696 | 408, 409, 410 | FLUSH-MOUNTED FRAME, for FRAME BASIC, FLAT FRAME BASIC, FLAT FRAME CURVE and FRAME CURVE | | 5.89 |
| 112781 | 402416308697 | 408, 409, 410 | FLUSH-MOUNTED FRAME, for FRAME BASIC, FLAT FRAME BASIC, FLAT FRAME CURVE and FRAME CURVE | | 5.89 |
| 112910 | 4024163139649 | 372 | HORN 1 recessed fitting, QPARS1, single-headed, round, matt black, max. 50W, incl. clip springs | | 27.55 |
| 112911 | 4024163139215 | 372 | HORN 1 recessed fitting, QPARS1, single-headed, round, matt white, max. 50W, incl. clip springs | | 27.55 |
| 113140 | 4024163150101 | 370 | HORN-T, recessed fitting, QPARS1, round, matt black, tiltable, max. 50W, incl. clip springs | | 49.76 |
| 113141 | 4024163150118 | 370 | HORN-T, recessed fitting, QPARS1, round, matt white, tiltable, max. 50W, incl. clip springs | | 49.76 |
| 113150 | 4024163150132 | 371 | HORN-A, recessed fitting, QPARS1, round, matt black, max. 50W, incl. clip springs | | 54.57 |
| 113151 | 4024163150149 | 371 | HORN-A, recessed fitting, QPARS1, round, matt white, max. 50W, incl. clip springs | | 54.57 |
| 113160 | 4024163150163 | 372 | HORN-O, recessed fitting, QPARS1, round, matt black, max. 50W, incl. clip springs | | 49.76 |
| 113161 | 4024163150170 | 372 | HORN-O, recessed fitting, QPARS1, round, matt white, max. 50W, incl. clip springs | | 49.76 |
| 113170 | 4024163168724 | 374 | HORN-T, recessed fitting, QPAR11, round, black, max. 75W | | 66.34 |
| 113171 | 4024163168748 | 374 | HORN-T, recessed fitting, QPAR11, round, white, max. 75W | | 66.34 |
| 113262 | 4024163138109 | 409 | FRAME BASIC, recessed fitting, LED, 3000K, square, matt white, incl. leaf springs | | 37.45 |
| 113292 | 4024163138123 | 408 | FRAME CURVE, recessed fitting, LED, 3000K, square, matt white, incl. leaf springs | | 49.76 |
| 113440 | 402416317637 | 351 | NEW TRIA XL recessed fitting, QPARS1, round, matt black, max. 50W, incl. clip springs | | 33.44 |
| 113441 | 402416317644 | 351 | NEW TRIA XL recessed fitting, QPARS1, round, matt white, max. 50W, incl. clip springs | | 33.44 |
| 113446 | 402416317651 | 351 | NEW TRIA XL recessed fitting, QPARS1, round, brushed aluminium, max. 50W, incl. clip springs | | 36.52 |
| 113450 | 402416317668 | 351 | NEW TRIA XL recessed fitting, QPARS1, square, matt black, max. 50W, incl. clip springs | | 33.44 |
| 113451 | 402416317675 | 351 | NEW TRIA XL recessed fitting, QPARS1, square, matt white, max. 50W, incl. clip springs | | 33.44 |
| 113456 | 402416317682 | 351 | NEW TRIA XL recessed fitting, QPARS1, square, brushed aluminium, max. 50W, incl. clip springs | | 36.52 |
| 113490 | 402416317089 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, round, black, max. 50W, incl. clip springs | | 27.82 |
| 113491 | 402416317096 | 353 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, black, max. 50W, incl. clip springs | | 27.82 |
| 113492 | 402416317102 | 354 | NEW TRIA 2 recessed fitting, double-headed, QPARS1, rectangular, black, max. 100W, incl. clip springs | | 50.29 |
| 113510 | 4024163101356 | 352 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, round, white, max. 50W, incl. clip springs | | 27.82 |
| 113511 | 4024163101387 | 353 | NEW TRIA 1 recessed fitting, single-headed, QPARS1, square, white, max. 50W, incl. clip springs | | 27.82 |
| 113512 | 402416317126 | 354 | NEW TRIA 2 recessed fitting, double-headed, QPARS1, rectangular, white, max. 100W, incl. clip springs | | 50.29 |
| 113540 | 4024163101769 | 355 | NEW TRIA 1 recessed fitting, single-headed, QPAR11, round, matt white, max. 75W, incl. leaf springs | | 55.64 |
| 113541 | 4024163101806 | 355 | NEW TRIA 1 recessed fitting, single-headed, QPAR11, square, matt white, max. 75W, incl. leaf springs | | 55.64 |
| 113550 | 4024163150293 | 355 | NEW TRIA 1 recessed fitting, single-headed, QPAR11, round, matt black, max. 75W, incl. leaf springs | | 55.64 |
| 113551 | 4024163150354 | 355 | NEW TRIA 1 recessed fitting, single-headed, QPAR11, square, matt black, max. 75W, incl. leaf springs | | 55.64 |
| 113840 | 402416310361 | 355 | NEW TRIA 2 SET recessed fitting, double-headed, QPAR11, rectangular, matt black, max. 150W, incl. clip springs | | 111.28 |
| 113841 | 402416310378 | 355 | NEW TRIA 2 SET recessed fitting, double-headed, QPAR11, rectangular, matt white, max. 150W, incl. clip springs | | 111.28 |
| 113870 | 4024163150538 | 362 | NEW TRIA 1 SET recessed fitting, LED, 2700K, round, matt black, 38', incl. driver, clip springs | | 62.06 |
| 113871 | 4024163144315 | 362 | NEW TRIA 1 SET recessed fitting, LED, 2700K, round, white, 38', incl. driver, clip springs | | 62.06 |
| 113876 | 4024163144339 | 362 | NEW TRIA 1 SET recessed fitting, single-headed LED, 2700K, round, brushed aluminium, 38', 9.1W, incl. driver, clip springs | | 67.41 |
| 113880 | 4024163150552 | 362 | NEW TRIA 1 SET recessed fitting, single-headed LED, 2700K, square, matt black, 38', 9.1W, incl. driver, clip springs | | 62.06 |
| 113881 | 402416314360 | 362 | NEW TRIA 1 SET recessed fitting, single-headed LED, 2700K, square, white, 38', 9.1W, incl. driver, clip springs | | 67.41 |
| 113886 | 4024163144377 | 362 | NEW TRIA 1 SET recessed fitting, single-headed LED, 2700K, square, brushed aluminium, 38', 9.1W, incl. driver, clip springs | | 67.41 |
| 113890 | 4024163150576 | 364 | NEW TRIA 2 SET recessed fitting, double-headed LED, 2700K, rectangular, matt black, 38', 14.7W, incl. driver, clip springs | | 123.05 |
| 113891 | 4024163144292 | 364 | NEW TRIA 2 SET recessed fitting, double-headed LED, 2700K, rectangular, white, 38', 14.7W, incl. driver, clip springs | | 123.05 |
| 113896 | 402416314308 | 364 | NEW TRIA 2 SET recessed fitting, double-headed LED, 2700K, rectangular, brushed aluminium, 38', 14.7W, incl. driver, clip springs | | 128.40 |
| 113900 | 4024163150545 | 362 | NEW TRIA 1 SET recessed fitting, LED, 3000K, round, matt black, 38', incl. driver, clip springs | | 62.06 |
| 113901 | 4024163139052 | 362 | NEW TRIA 1 SET recessed fitting, LED, 3000K, round, white, 38', 9.1W, incl. driver, clip springs | | 62.06 |
| 113906 | 4024163139069 | 362 | NEW TRIA 1 SET recessed fitting, single-headed LED, 3000K, round, brushed aluminium, 38', 9.1W, incl. driver, clip springs | | 67.41 |
| 113910 | 4024163150569 | 363 | NEW TRIA 1 SET recessed fitting, single-headed LED, 3000K, square, matt black, 38', 9.1W, incl. driver, clip springs | | 62.06 |
| 113911 | 4024163139083 | 363 | NEW TRIA 1 SET recessed fitting, single-headed LED, 3000K, square, white, 38', 9.1W, incl. driver, clip springs | | 67.41 |
| 113916 | 4024163139078 | 363 | NEW TRIA 1 SET recessed fitting, single-headed LED, 3000K, square, brushed aluminium, 38', 9.1W, incl. driver, clip springs | | 67.41 |
| 113920 | 4024163150583 | 365 | NEW TRIA 2 SET recessed fitting, double-headed LED, 3000K, rectangular, matt black, 38', 15W, incl. driver, clip springs | | 123.05 |
| 113921 | 4024163141949 | 365 | NEW TRIA 2 SET recessed fitting, double-headed LED, 3000K, rectangular, white, 38', 14.7W, incl. driver, clip springs | | 123.05 |
| 113926 | 4024163141956 | 365 | NEW TRIA 2 SET recessed fitting, double-headed LED, 3000K, rectangular, brushed aluminium, 38', 14.7W, incl. driver, clip springs | | 128.40 |
| 113930 | 4024163160261 | 269 | TRILED ROUND CL ceiling light, LED, 3000K, round, matt black, 38', 6.2W, incl. driver | | 111.28 |
| 113931 | 4024163160221 | 269 | TRILED ROUND CL ceiling light, LED, 3000K, round, white, 38', 6.2W, incl. driver | | 111.28 |
| 113940 | 4024163160278 | 269 | TRILED SQUARE CL ceiling light, LED, 3000K, square, matt black, 38', 6.2W, incl. driver | | 111.28 |

| | | | | |
|--------|---------------|-----------------------------------|--|---------|
| 113941 | 4024163142052 | 269 | TRILEDO SQUARE CL ceiling light, LED, 3000k, square, white, 38", 8.2W, incl. driver | 111.38 |
| 113951 | 4024163141970 | 357 | NEW TRIA 681 CS, Indoor LED recessed ceiling light white round 300K 38" incl. driver clip springs | 50.29 |
| 113956 | 4024163141994 | 357 | NEW TRIA 681 CS, Indoor LED recessed ceiling light alu round 300K 38" incl. driver, clip springs | 53.50 |
| 113961 | 4024163142007 | 357 | NEW TRIA 1 SET recessed fitting, LED, 3000k, square, white, 38", incl. driver, clip springs | 50.29 |
| 113966 | 4024163142014 | 357 | NEW TRIA 1 SET recessed fitting, LED, 3000k, square, brushed aluminium, 38", incl. driver, clip springs | 53.50 |
| 113970 | 4024163142072 | 356 | NEW TRIA MINI SET recessed fitting, LED, 3000k, round, black, 30", incl. driver, clip springs | 53.50 |
| 113971 | 4024163142959 | 356 | NEW TRIA MINI SET recessed fitting, LED, 3000k, round, matt white, 30", incl. driver, clip springs | 53.50 |
| 113976 | 4024163142973 | 356 | NEW TRIA MINI SET recessed fitting, LED, 3000k, round, brushed aluminium, 30", incl. driver, clip springs | 62.06 |
| 114102 | 4024163145053 | 148, 149, 270, 384, 385, 386, 387 | REFLECTOR, for SUPROS, 20", incl. glass and fixing ring | 12.04 |
| 114104 | 4024163145060 | 148, 149, 270, 384, 385, 386, 387 | REFLECTOR, for SUPROS, 40", incl. glass and fixing ring | 12.04 |
| 114106 | 4024163151610 | 366 | NEW TRIA 1 SET recessed fitting, LED, 2700K, round, black, 38", 14W, incl. driver, clip springs | 189.39 |
| 114211 | 4024163151627 | 366 | NEW TRIA 1 SET recessed fitting, LED, 2700K, round, white, 38", 16W incl. driver, clip springs | 189.39 |
| 114230 | 4024163151641 | 366 | NEW TRIA 1 SET recessed fitting, LED, 3000k, round, black, 38", 15W, incl. driver, clip springs | 189.39 |
| 114231 | 4024163151658 | 366 | NEW TRIA 1 SET recessed fitting, LED, 3000k, round, white, 38", 16W incl. driver, clip springs | 189.39 |
| 114240 | 4024163151672 | 366 | NEW TRIA 1 SET recessed fitting, LED, 2700k, square, black, 38", 15W, incl. driver, clip springs | 189.39 |
| 114241 | 4024163151689 | 366 | NEW TRIA 1 SET recessed fitting, single-headed LED, 2700k, square, white, 38", 15W, incl. driver, clip springs | 189.39 |
| 114250 | 4024163151702 | 367 | NEW TRIA 1 SET recessed fitting, LED, 3000k, square, black, 38", 16W, incl. driver, clip springs | 189.39 |
| 114251 | 4024163151719 | 367 | NEW TRIA 1 SET recessed fitting, single-headed LED, 3000k, square, white, 38", 16W, incl. driver, clip springs | 189.39 |
| 114260 | 4024163151733 | 368 | NEW TRIA 1 SET recessed fitting, LED, 2700k, round, black, 30", 29W, incl. driver, clip springs | 255.73 |
| 114261 | 4024163151740 | 368 | NEW TRIA 1 SET recessed fitting, LED, 2700k, round, white, 30", 29W incl. driver, clip springs | 255.73 |
| 114270 | 4024163151764 | 368 | NEW TRIA 1 SET recessed fitting, LED, 3000k, round, black, 30", 29W, incl. driver, clip springs | 255.73 |
| 114271 | 4024163151771 | 368 | NEW TRIA 1 SET recessed fitting, LED, 3000k, round, white, 30", 29W incl. driver, clip springs | 255.73 |
| 114280 | 4024163151795 | 369 | NEW TRIA 1 SET recessed fitting, LED, 2700k, square, black, 30", 29W, incl. driver, clip springs | 255.73 |
| 114281 | 4024163151801 | 369 | NEW TRIA 1 SET recessed fitting, single-headed LED, 2700k, square, white, 30", 29W, incl. driver, clip springs | 255.73 |
| 114290 | 4024163151825 | 369 | NEW TRIA 1 SET recessed fitting, LED, 3000k, square, black, 30", 29W, incl. driver, clip springs | 255.73 |
| 114291 | 4024163151832 | 369 | NEW TRIA 1 SET recessed fitting, single-headed LED, 3000k, square, white, 30", 29W, incl. driver, clip springs | 255.73 |
| 114380 | 4024163153805 | 360 | NEW TRIA 68 recessed fitting, LED, 3000k, round, matt black, 38", 12W, incl. driver, clip springs | 83.46 |
| 114381 | 4024163153812 | 360 | NEW TRIA 68 recessed fitting, LED, 3000k, round, matt white, 38", 12W, incl. driver, clip springs | 83.46 |
| 114386 | 4024163153829 | 360 | NEW TRIA 68, recessed fitting, LED, 3000k, round, brushed aluminium, 38", 12W, incl. driver, clip springs | 83.88 |
| 114390 | 4024163153751 | 361 | NEW TRIA 68 recessed fitting, LED, 3000k, square, matt black, 38", 12W, incl. driver, clip springs | 83.46 |
| 114391 | 4024163153782 | 361 | NEW TRIA 68 recessed fitting, LED, 3000k, square, matt white, 38", 12W, incl. driver, clip springs | 83.46 |
| 114396 | 4024163153799 | 361 | NEW TRIA 68 recessed fitting, LED, 3000k, square, brushed aluminium, 38", 12W, incl. driver, clip springs | 83.88 |
| 114400 | 4024163150996 | 356 | NEW TRIA MINI SET recessed fitting, Power LED, 3000k, square, matt black, 30", incl. driver, clip springs | 53.50 |
| 114401 | 4024163151009 | 356 | NEW TRIA MINI SET recessed fitting, Power LED, 3000k, square, matt white, 30", incl. driver, clip springs | 53.50 |
| 114406 | 4024163151016 | 356 | NEW TRIA MINI SET recessed fitting, Power LED, 3000k, square, brushed aluminium, 30", incl. driver, clip springs | 62.06 |
| 114420 | 4024163151368 | 421, 707 | PATTA-I, recessed fitting, LED, 3000k, round, matt black, 38", incl. driver | 93.09 |
| 114421 | 4024163151375 | 421, 707 | PATTA-I, recessed fitting, LED, 3000k, round, matt white, 38", incl. driver | 93.09 |
| 114426 | 4024163151382 | 421, 707 | PATTA-I, recessed fitting, LED, 3000k, round, brushed aluminium, 38", incl. driver | 98.44 |
| 114430 | 4024163151399 | 421, 707 | PATTA-I recessed fitting, LED, 3000k, square, matt black, 38", incl. driver | 93.09 |
| 114431 | 4024163151405 | 421, 707 | PATTA-I recessed fitting, LED, 3000k, square, matt white, 38", incl. driver | 93.09 |
| 114436 | 4024163151412 | 421, 707 | PATTA-I, recessed fitting, LED, 3000k, square, brushed aluminium, 38", incl. driver | 98.44 |
| 114440 | 4024163151429 | 422, 708 | PATTA-F, recessed fitting, LED, 3000k, round, black, 38", incl. driver | 93.09 |
| 114441 | 4024163151436 | 422, 708 | PATTA-F, recessed fitting, LED, 3000k, round, white, 38", incl. driver | 93.09 |
| 114450 | 4024163151443 | 422, 708 | PATTA-F, recessed fitting, LED, 3000k, square, matt black, 38", incl. driver | 93.09 |
| 114451 | 4024163151450 | 422, 708 | PATTA-F, recessed fitting, LED, 3000k, square, matt white, 38", incl. driver | 93.09 |
| 114461 | 4024163137026 | 423, 708 | OUT 65, outdoor recessed ceiling light, LED, 3000k, round, black, 38", 12W, incl. driver | 86.44 |
| 114461 | 4024163136552 | 423, 708 | OUT 65, outdoor recessed ceiling light, LED, 3000k, round, white, 38", 12W, incl. driver | 86.44 |
| 114480 | 4024163163675 | 399 | H-LIGHT 1, recessed fitting, LED, 2700k, round, black, 20", 11.5W, incl. driver, clip spring | 84.53 |
| 114481 | 4024163163682 | 399 | H-LIGHT 1, recessed fitting, LED, 2700k, round, white, 20", 11.5W, incl. driver, clip spring | 84.53 |
| 114490 | 4024163163699 | 399 | H-LIGHT 2, recessed fitting, LED, 2700k, oval, black, 20", 11.5W, incl. driver, clip spring | 84.53 |
| 114491 | 4024163163705 | 399 | H-LIGHT 2, recessed fitting, LED, 2700k, oval, white, 20", 11.5W, incl. driver, clip spring | 84.53 |
| 115510 | 4024163151467 | 376 | KADUX, recessed fitting, single-headed, QPAR51, square, matt black, max. 50W, incl. clip springs | 31.57 |
| 115511 | 4024163151474 | 376 | KADUX 1 recessed fitting, single-headed, QPAR51, square, matt white, max. 50W, incl. clip springs | 31.57 |
| 115520 | 4024163151481 | 376 | KADUX 2 recessed fitting, double-headed, QPAR51, rectangular, matt black, max. 100W, incl. clip springs | 57.78 |
| 115521 | 4024163151498 | 376 | KADUX 2 recessed fitting, double-headed, QPAR51, rectangular, matt white, max. 100W, incl. clip springs | 57.78 |
| 115530 | 4024163151509 | 376 | KADUX 3 recessed fitting, triple-headed, QPAR51, rectangular, matt black, max. 150W, incl. clip springs | 79.18 |
| 115531 | 4024163151511 | 376 | KADUX 3 recessed fitting, triple-headed, QPAR51, rectangular, matt white, max. 150W, incl. clip springs | 79.18 |
| 115540 | 4024163151535 | 378 | KADUX 1 recessed fitting, single-headed, QPAR111, square, matt black, max. 75W | 101.65 |
| 115541 | 4024163151542 | 378 | KADUX 1 recessed fitting, single-headed, QPAR111, square, matt white, max. 75W | 101.65 |
| 115550 | 4024163151566 | 378 | KADUX 1 recessed fitting, double-headed, QPAR111, rectangular, matt black, max. 150W | 157.29 |
| 115551 | 4024163151603 | 378 | KADUX 2 recessed fitting, double-headed, QPAR111, rectangular, matt white, max. 150W | 157.29 |
| 115700 | 4024163157988 | 379 | KADUX 1 SET recessed fitting, single-headed LED, 3000k, square, matt black, 38", 9W, incl. driver | 89.88 |
| 115701 | 4024163157995 | 379 | KADUX 1 SET recessed fitting, single-headed LED, 3000k, square, matt white, 38", 9W, incl. driver | 89.88 |
| 115710 | 4024163158015 | 379 | KADUX 2 SET recessed fitting, double-headed LED, 3000k, rectangular, matt black, 38", 15W, incl. driver | 170.13 |
| 115711 | 4024163158022 | 379 | KADUX 2 SET recessed fitting, double-headed LED, 3000k, rectangular, matt white, 38", 15W, incl. driver | 170.13 |
| 115720 | 4024163158023 | 379 | KADUX 3 SET recessed fitting, triple-headed LED, 3000k, rectangular, matt black, 38", 29W, incl. driver | 224.70 |
| 115721 | 4024163158046 | 379 | KADUX 3 SET recessed fitting, triple-headed LED, 3000k, rectangular, matt white, 38", 29W, incl. driver | 224.70 |
| 115730 | 4024163180777 | 380 | KADUX 1 SET recessed fitting, single-headed LED, 3000k ex, square, matt black, 30", 29W, incl. driver, clip springs | 250.38 |
| 115731 | 4024163180804 | 380 | KADUX 1 SET recessed fitting, single-headed LED, 3000k ex, square, matt white, 30", 29W, incl. driver, clip springs | 250.38 |
| 115740 | 4024163181141 | 380 | KADUX 2 SET recessed fitting, double-headed LED, 3000k ex, rectangular, matt black, 30", 54W, incl. driver, clip springs | 426.93 |
| 115741 | 4024163181221 | 380 | KADUX 2 SET recessed fitting, double-headed LED, 3000k ex, rectangular, matt white, 30", 54W, incl. driver, clip springs | 426.93 |
| 116302 | 4024163165815 | 148, 189, 271, 382, 383 | LENS, for SUPROS 78, 20" | 3.75 |
| 116304 | 4024163165822 | 148, 189, 271, 382, 383 | LENS, for SUPROS 78, 40" | 3.75 |
| 116310 | 4024163165839 | 382 | SUPROS 78, recessed fitting, LED, 3000k, round, black, 60° lens, 9W | 107.00 |
| 116311 | 4024163165846 | 382 | SUPROS 78, recessed fitting, LED, 3000k, round, white, 60° lens, 9W | 107.00 |
| 116320 | 4024163165853 | 383 | SUPROS 78, recessed fitting, LED, 3000k, round, titable, black, 60° lens, 9W | 139.10 |
| 116321 | 4024163165860 | 383 | SUPROS 78, recessed fitting, LED, 3000k, round, titable, white, 60° lens, 9W | 139.10 |
| 116330 | 4024163165877 | 271 | SUPROS 78, ceiling light, LED, 3000k, round, black, 60° lens | 160.50 |
| 116331 | 4024163165884 | 271 | SUPROS 78, ceiling light, LED, 3000k, round, white, 60° lens | 160.50 |
| 116340 | 4024163165938 | 189 | SUPROS 78, wall light, LED, 3000k, round, black, 60° lens, 9W | 214.00 |
| 116341 | 4024163165945 | 189 | SUPROS 78, wall light, LED, 3000k, round, white, 60° lens, 9W | 214.00 |
| 117100 | 4024163149754 | 275 | KARDAMOD ceiling light, single-headed, QPAR111, square, matt black, max. 75W | 134.82 |
| 117101 | 4024163151681 | 275 | KARDAMOD ceiling light, single-headed, QPAR111, square, white, max. 75W | 134.82 |
| 117110 | 4024163149761 | 275 | KARDAMOD ceiling light, double-headed, QPAR111, rectangular, matt black, max. 150W | 246.10 |
| 117111 | 4024163149788 | 275 | KARDAMOD ceiling light, double-headed, QPAR111, rectangular, white, max. 150W | 246.10 |
| 117321 | 4024163178528 | 397 | OCCLUDAS 23, recessed fitting, LED, 3000k, round, white, 25W | 85.60 |
| 117321 | 402416317865 | 273 | OCCLUDAS 23 ceiling light, LED, 3000k, round, white, 25W | 315.65 |
| 117331 | 4024163168649 | 397 | OCCLUDAS 14, recessed fitting, LED, 3000k, indirect, white, 15W | 157.29 |
| 117351 | 4024163168670 | 273 | OCCLUDAS 13, wall and ceiling light, LED, 3000k, indirect, white, 15W | 191.53 |
| 120200 | 402416313404 | 308 | SPOT 79, wall and ceiling light, QPAR51, round, black, max. 230W, max. 50W | 32.10 |
| 120211 | 4024163134111 | 308 | SPOT 79, wall and ceiling light, QPAR51, round, white, max. 230W, max. 50W | 32.10 |
| 12024 | 4024163130428 | 308 | SPOT 79 wall and ceiling light, QPAR51, round, silver-grey, max. 230W, max. 50W | 32.10 |
| 12600 | 4024163156776 | 151, 473 | CEILING PLATE FITU single ceiling plate, round, black, incl. strain-relief | 24.61 |
| 12601 | 4024163156783 | 151, 473 | CEILING PLATE FITU single ceiling plate, round, white, incl. strain-relief | 24.61 |
| 12605 | 402416317056 | 151, 473 | CEILING PLATE FITU single ceiling plate, round, chrome, incl. strain-relief | 26.75 |
| 12610 | 4024163168877 | 151, 473 | CEILING PLATE FITU triple ceiling plate, round, black, incl. strain-relief | 58.85 |
| 12611 | 4024163168844 | 151, 473 | CEILING PLATE FITU triple ceiling plate, round, white, incl. strain-relief | 58.85 |
| 12615 | 4024163157087 | 151, 473 | CEILING PLATE FITU triple ceiling plate, round, chrome, incl. strain-relief | 64.20 |
| 12620 | 4024163156868 | 151 | CEILING PLATE FITU 5-way ceiling plate, round, black, incl. strain-relief | 80.25 |
| 12621 | 4024163156882 | 151 | CEILING PLATE FITU 5-way ceiling plate, round, white, incl. strain-relief | 80.25 |
| 12625 | 402416317117 | 151 | CEILING PLATE FITU 5-way ceiling plate, round, chrome, incl. strain-relief | 85.60 |
| 12660 | 4024163166492 | 154 | FENDA suspension, A60, black, without shade, without canopy, open cable, max. 60W | 27.55 |
| 12661 | 4024163166508 | 154 | FENDA suspension, A60, white, without shade, without canopy, open cable, max. 60W | 27.55 |
| 12662 | 4024163166515 | 154 | FENDA suspension, A60, chrome, without shade, without canopy, open cable, max. 60W | 31.03 |
| 12670 | 4024163170963 | 151, 803 | Ceiling hook, for FTU pendant, black, ceiling mounting | 18.19 |
| 12671 | 4024163170970 | 151, 803 | Ceiling hook, for FTU pendant, white, ceiling mounting | 18.19 |
| 12680 | 4024163170994 | 151, 803 | Ceiling hook, for FTU pendant, black, cable terminal | 11.77 |
| 12681 | 4024163171007 | 151, 803 | Ceiling hook, for FTU pendant, white, cable terminal | 11.77 |
| 12690 | 4024163173841 | 150 | FITU, pendant, A60, round, black, 5m cable with open cable end, max. 60W | 53.50 |
| 12691 | 4024163173858 | 150 | FITU, pendant, A60, round, white, 5m cable with open cable end, max. 60W | 53.50 |
| 13035 | 4024163128614 | 151 | CURB outdoor floor stand, single-headed, QPAR51, 194, square, anthracite, energy saving lamp, max. 25W | 117.70 |
| 13019 | 4024163145138 | 167 | PARA CONE 30, pendant, TC-(D,H,T,Q)SE, round, brushed copper, Ø 30 cm, max. 60W | 209.72 |
| 13060 | 4024163148771 | 167 | PARA CONE 30, pendant, A60, round, black / gold, Ø 30 cm, max. 60W | 188.32 |
| 131120 | 4024163165891 | 148 | SUPROS 78, pendant, LED, 3000k, round, black, 60° lens, 9W | 160.50 |
| 131121 | 4024163165907 | 148 | SUPROS 78, pendant, LED, 3000k, round, white, 60° lens, 9W | 160.50 |
| 131310 | 402416317919 | 169 | PHIELA pendant, TC-(D,H,T,Q)SE, black, diameter/Ø 37.5/22 cm, max. 23W | 153.01 |
| 131320 | 402416317926 | 169 | PHIELA pendant, TC-(D,H,T,Q)SE, black, Ø/18/28/42 cm, max. 23W | 180.83 |
| 13144 | 4024163090959 | 165 | TONGA, pendant, A60, round, white, ceramic shade, silver-grey ceiling plate, max. 60W | 123.05 |
| 13148 | 4024163109376 | 172 | LIGHT EYE, pendant, QPAR111, white/chrome, clear cable, white/chrome ceiling plate, max. 75W | 112.35 |
| 131482 | 4024163099332 | 172 | LIGHT EYE, pendant, QPAR111, chrome/black textile cable, chrome ceiling plate, max. 75W | 119.84 |
| 131489 | 4024163151883 | 172 | LIGHT EYE, pendant, QPAR111, brushed copper, black textile cable, brushed copper ceiling plate, max. 75W | 124.59 |
| 131490 | 4024163151191 | 172 | LIGHT EYE BALL, pendant, LED GU10, black/chrome, black textile cable, black/chrome ceiling plate, 5W | 79.18 |
| 131491 | 4024163151207 | 172 | LIGHT EYE BALL, pendant, LED GU10, white/chrome, clear cable, white/chrome ceiling plate, 5W | 79.18 |
| 131841 | 4024163148399 | 128 | MEDO RING 60, pendant, LED, white, Ø 60 cm, incl. LED driver | 666.61 |
| 131850 | 4024163148416 | 128 | MEDO RING 90, pendant, LED, black, Ø 90 cm, incl. LED driver | 666.61 |
| 131851 | 4024163148405 | 128 | MEDO RING 90, pendant, LED, white, Ø 90 cm, incl. LED driver | 666.61 |
| 13020 | 4024163165587 | 133, 257 | MEDO 30 ceiling light, LED, 3000k, round, black, Ø 28 cm, can be converted to a pendant, 12W | 255.73 |
| 13021 | 4024163165594 | 133, 257 | MEDO 30 ceiling light, LED, 3000k, round, white, Ø 28 cm, can be converted to a pendant, 12W | 255.73 |
| 13024 | 4024163165600 | 133, 257 | MEDO 30 ceiling light, LED, 3000k, round, silver-gre, Ø 28 cm, can be converted to a pendant, 12W | 255.73 |
| 13070 | 4024163163829 | 133, 257 | MEDO 40 ceiling light, LED, 3000k, round, black, Ø 38 cm, can be converted to a pendant, 31 W | 299.60 |
| 13071 | 4024163158336 | 133, 257 | MEDO 40 ceiling light, LED, 3000k, round, white, Ø 38 cm, can be converted to a pendant, 31 W | 299.60 |
| 13074 | 4024163158343 | 133, 257 | MEDO 40 ceiling light, LED, 3000k, round, silver-gre, Ø 38 cm, can be converted to a pendant, 31 W | 299.60 |
| 131210 | 402416318398 | 131, 255 | MEDO 60 ceiling light, LED, 3000k, round, black, Ø 60 cm, can be converted to a pendant, 40 W | 533.93 |
| 131211 | 4024163183881 | 131, 255 | MEDO 60 ceiling light, LED, 3000k, round, white, Ø 60 cm, can be converted to a pendant, 40 W | 533.93 |
| 131214 | 4024163183714 | 131, 255 | MEDO 60 ceiling light, LED, 3000k, round, silver-gre, Ø 60 cm, can be converted to a pendant, 40 W | 533.93 |
| 131370 | 4024163165679 | 131, 255 | MEDO 90 ceiling light, LED, 3000k, round, black, Ø 90 cm, can be converted to a pendant, 120W | 1111.73 |

| | | | | |
|--------|---------------|--------------------------------------|--|---------|
| 135171 | 4024163165686 | 131, 255 | MEDO 90 ceiling light, LED, 3000K, round, white, Ø 90 cm, can be converted to a pendant, 120W | 1111.73 |
| 135174 | 4024163165693 | 131, 255 | MEDO 90 ceiling light, LED, 3000K, round, silver-grey, Ø 90 cm, can be converted to a pendant, 120W | 1111.73 |
| 135250 | 4024163186664 | 136, 137, 138, 139, 254, 255, 256, 2 | SUSPENSION SET, for MEDO round pendant, round, black, 5-wire | 42.80 |
| 135251 | 4024163186671 | 136, 137, 138, 139, 254, 255, 256, 2 | SUSPENSION SET, for MEDO round pendant, round, white, 5-wire | 42.80 |
| 135254 | 4024163186888 | 136, 137, 138, 139, 254, 255, 256, 2 | SUSPENSION SET, for MEDO round pendant, round, silver-grey, 5-wire | 42.80 |
| 135281 | 4024163174251 | 501, 793 | TRANSFORMER, for TENSEO low-voltage cable system, white, 105VA | 141.24 |
| 138982 | 4024163176064 | 501 | TRANSFORMER, for TENSEO low-voltage cable system, chrome, 105VA | 141.24 |
| 138991 | 4024163174275 | 501, 793 | TRANSFORMER, for TENSEO low-voltage cable system, white, 210VA | 197.95 |
| 138992 | 4024163176071 | 501 | TRANSFORMER, for TENSEO low-voltage cable system, chrome, 210VA | 205.44 |
| 139004 | 4024163023801 | 500 | LOW-VOLTAGE CABLE, insulated, 4mm ² , 20m | 235.40 |
| 139006 | 4024163023818 | 500 | LOW-VOLTAGE CABLE, insulated, 6mm ² , 100m | 278.20 |
| 139024 | 4024163126977 | 500 | LOW-VOLTAGE CABLE, insulated, 4mm ² , 20m | 47.08 |
| 139026 | 4024163126984 | 500 | LOW-VOLTAGE CABLE, insulated, 6mm ² , 20m | 55.64 |
| 139030 | 4024163174015 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, black, 4mm ² , 20m | 47.08 |
| 139031 | 4024163174022 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, white, 4mm ² , 20m | 47.08 |
| 139040 | 4024163174029 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, black, 4mm ² , 100m | 235.40 |
| 139041 | 4024163174046 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, white, 4mm ² , 100m | 235.40 |
| 139050 | 4024163174053 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, black, 6mm ² , 20m | 55.64 |
| 139051 | 4024163174060 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, white, 6mm ² , 20m | 55.64 |
| 139060 | 4024163174077 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, black, 6mm ² , 100m | 278.20 |
| 139061 | 4024163174084 | 500 | LOW-VOLTAGE CABLE, for TENSEO low-voltage cable system, white, 6mm ² , 100m | 278.20 |
| 139070 | 4024163174299 | 502 | ASMARA, for TENSEO low-voltage cable system, QR-CS1, black, 1 pc | 26.48 |
| 139071 | 4024163174305 | 502 | ASMARA, for TENSEO low-voltage cable system, QR-CS1, white, 1 pc | 26.48 |
| 139072 | 4024163176088 | 502 | ASMARA, for TENSEO low-voltage cable system, QR-CS1, chrome, 1 pc | 28.89 |
| 139080 | 4024163174312 | 502 | TELESCOPIC cable luminaire for TENSEO low-voltage cable system, QR-CS1, black, B/MT 4.5/21-52/1 cm | 31.83 |
| 139081 | 4024163174329 | 502 | TELESCOPIC cable luminaire for TENSEO low-voltage cable system, QR-CS1, white, B/MT 4.5/21-52/1 cm | 31.83 |
| 139082 | 4024163176156 | 502 | TELESCOPIC cable luminaire for TENSEO low-voltage cable system, QR-CS1, chrome, B/MT 4.5/21-52/1 cm | 34.78 |
| 139090 | 4024163174336 | 503 | COSMIC lamp holder for TENSEO low-voltage cable system, QR-CS1, black, tiltable, 2 pcs | 37.99 |
| 139091 | 4024163174343 | 503 | COSMIC lamp holder for TENSEO low-voltage cable system, QR-CS1, white, tiltable, 2 pcs | 37.99 |
| 139092 | 4024163176101 | 503 | COSMIC lamp holder for TENSEO low-voltage cable system, QR-CS1, chrome, tiltable, 2 pcs | 40.29 |
| 139100 | 4024163174350 | 503 | SYROS cable luminaire for TENSEO low-voltage cable system, QR-CS1, black | 51.90 |
| 139101 | 4024163174367 | 503 | SYROS cable luminaire for TENSEO low-voltage cable system, QR-CS1, white | 51.90 |
| 139102 | 4024163176118 | 503 | SYROS cable luminaire for TENSEO low-voltage cable system, QR-CS1, chrome | 57.78 |
| 139110 | 4024163174374 | 504 | QR8 cable luminaire for TENSEO low-voltage cable system, QR111, tiltable, black | 49.22 |
| 139111 | 4024163174381 | 504 | QR8 cable luminaire for TENSEO low-voltage cable system, QR111, tiltable, white | 49.22 |
| 139112 | 4024163176215 | 504 | QR8 cable luminaire for TENSEO low-voltage cable system, QR111, tiltable, chrome | 51.83 |
| 139120 | 4024163174398 | 506 | COMET cable luminaire for TENSEO low-voltage cable system, QR-CS1, black, semi-frosted glass | 51.90 |
| 139121 | 4024163174404 | 506 | COMET cable luminaire for TENSEO low-voltage cable system, QR-CS1, white, semi-frosted glass | 51.90 |
| 139122 | 4024163176132 | 506 | COMET cable luminaire for TENSEO low-voltage cable system, QR-CS1, chrome, semi-frosted glass | 57.78 |
| 139130 | 4024163174411 | 503 | SALINA cable luminaire for TENSEO low-voltage cable system, QR-CS1, black | 67.41 |
| 139131 | 4024163174428 | 503 | SALINA cable luminaire for TENSEO low-voltage cable system, QR-CS1, white | 67.41 |
| 139132 | 4024163176149 | 503 | SALINA cable luminaire for TENSEO low-voltage cable system, QR-CS1, chrome | 73.83 |
| 143010 | 4024163142571 | 465 | 1-CIRCUIT SURFACE-MOUNTED TRACK, 240V track, matt black, 1 m | 31.03 |
| 143011 | 4024163135085 | 465 | 1-CIRCUIT SURFACE-MOUNTED TRACK, 240V track, white, 1 m | 31.03 |
| 143012 | 4024163135092 | 465 | 1-CIRCUIT SURFACE-MOUNTED TRACK, 240V track, silver-grey, 1 m | 31.03 |
| 143020 | 402416312588 | 465 | 1-CIRCUIT SURFACE-MOUNTED TRACK, 240V track, matt black, 2 m | 63.13 |
| 143021 | 4024163092821 | 465 | 1-CIRCUIT SURFACE-MOUNTED TRACK, 240V track, white, 2 m | 63.13 |
| 143022 | 4024163092838 | 465 | 1-CIRCUIT SURFACE-MOUNTED TRACK, 240V track, silver-grey, 2 m | 63.13 |
| 143030 | 4024163142595 | 467 | FEED-IN for 1-phase high-voltage surface-mounted track, black, earth electrode left | 8.83 |
| 143031 | 4024163092845 | 467 | FEED-IN for 1-phase high-voltage surface-mounted track, white, earth electrode left | 8.83 |
| 143032 | 4024163092852 | 467 | FEED-IN for 1-phase high-voltage surface-mounted track, silver-grey, earth electrode left | 8.83 |
| 143040 | 4024163142601 | 467 | FEED-IN for 1-phase high-voltage surface-mounted track, black, earth electrode right | 8.83 |
| 143041 | 4024163092869 | 467 | FEED-IN for 1-phase high-voltage surface-mounted track, white, earth electrode right | 8.83 |
| 143042 | 4024163092876 | 467 | FEED-IN for 1-phase high-voltage surface-mounted track, silver-grey, earth electrode right | 8.83 |
| 143050 | 4024163142618 | 467 | CORNER CONNECTOR for 1-phase high-voltage surface-mounted track, black, earth electrode outside | 15.52 |
| 143051 | 4024163092883 | 467 | CORNER CONNECTOR for 1-phase high-voltage surface-mounted track, white, earth electrode outside | 15.52 |
| 143052 | 4024163092890 | 467 | CORNER CONNECTOR for 1-phase high-voltage surface-mounted track, silver-grey, earth electrode outside | 15.52 |
| 143060 | 4024163142625 | 467 | CORNER CONNECTOR for 1-phase high-voltage surface-mounted track, black, earth electrode inside | 15.52 |
| 143061 | 4024163092906 | 467 | CORNER CONNECTOR for 1-phase high-voltage surface-mounted track, white, earth electrode inside | 15.52 |
| 143062 | 4024163092913 | 467 | CORNER CONNECTOR for 1-phase high-voltage surface-mounted track, silver-grey, earth electrode inside | 15.52 |
| 143070 | 4024163142633 | 467 | T-CONNECTOR for 1-phase high-voltage surface-mounted track, black, earth electrode left | 19.53 |
| 143071 | 4024163092920 | 467 | T-CONNECTOR for 1-phase high-voltage surface-mounted track, white, earth electrode left | 19.53 |
| 143072 | 4024163092937 | 467 | T-CONNECTOR for 1-phase high-voltage surface-mounted track, silver-grey, earth electrode left | 19.53 |
| 143080 | 4024163142649 | 467 | T-CONNECTOR for 1-phase high-voltage surface-mounted track, black, earth electrode right | 19.53 |
| 143081 | 4024163092944 | 467 | T-CONNECTOR for 1-phase high-voltage surface-mounted track, white, earth electrode right | 19.53 |
| 143082 | 4024163092951 | 467 | T-CONNECTOR for 1-phase high-voltage surface-mounted track, silver-grey, earth electrode right | 19.53 |
| 143090 | 4024163142656 | 467 | LONG CONNECTOR for 1-phase high-voltage surface-mounted track, black, electrical | 6.69 |
| 143091 | 4024163092968 | 467 | LONG CONNECTOR for 1-phase high-voltage surface-mounted track, white, electrical | 6.69 |
| 143092 | 4024163092975 | 467 | LONG CONNECTOR for 1-phase high-voltage surface-mounted track, silver-grey, electrical | 6.69 |
| 143100 | 4024163142663 | 467 | LONG CONNECTOR for 1-phase high-voltage surface-mounted track, black, with feed-in capability | 16.59 |
| 143101 | 4024163092982 | 467 | LONG CONNECTOR for 1-phase high-voltage surface-mounted track, white, with feed-in capability | 16.59 |
| 143102 | 4024163092999 | 467 | LONG CONNECTOR for 1-phase high-voltage surface-mounted track, silver-grey, with feed-in capability | 16.59 |
| 143110 | 4024163142670 | 467 | FLEXIBLE CONNECTOR, for 1-phase high-voltage surface-mounted track, black | 16.59 |
| 143111 | 4024163093002 | 467 | FLEXIBLE CONNECTOR, for 1-phase high-voltage surface-mounted track, white | 16.59 |
| 143112 | 4024163093019 | 467 | FLEXIBLE CONNECTOR, for 1-phase high-voltage surface-mounted track, silver-grey | 16.59 |
| 143120 | 402416312687 | 151, 467, 469, 473 | PENDANT ADAPTER for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece | 14.18 |
| 143121 | 4024163126496 | 151, 467, 469, 473 | PENDANT ADAPTER for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece | 14.18 |
| 143124 | 402416316502 | 151, 467, 469, 473 | PENDANT ADAPTER for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain relief and threaded piece | 14.18 |
| 143130 | 4024163142694 | 467 | END CAPS for 1-phase high-voltage surface-mounted track, black, 2 pieces | 4.12 |
| 143131 | 4024163092940 | 467 | END CAPS for 1-phase high-voltage surface-mounted track, white, 2 pieces | 4.12 |
| 143132 | 4024163092957 | 467 | END CAPS for 1-phase high-voltage surface-mounted track, silver-grey, 2 pieces | 4.12 |
| 143151 | 402416312875 | 467 | STABILISER LONG CONNECTOR for 1-phase high-voltage surface-mounted track, matt nickel | 6.69 |
| 143152 | 4024163127424 | 467 | STABILISER CORNER CONNECTOR for 240V 1-phase recessed track, matt nickel | 7.76 |
| 143160 | 4024163142724 | 467 | X-CONNECTOR, for 1-phase high-voltage surface-mounted track, black | 29.43 |
| 143161 | 4024163142665 | 467 | X-CONNECTOR, for 1-phase high-voltage surface-mounted track, white | 29.43 |
| 143162 | 4024163142712 | 467 | X-CONNECTOR, for 1-phase high-voltage surface-mounted track, silver-grey | 29.43 |
| 143169 | 4024163142489 | 467 | STABILISER X-CONNECTOR for 1-phase high-voltage surface-mounted track, matt nickel | 11.77 |
| 143170 | 4024163142731 | 467, 469 | ADAPTER for high-voltage track, 1-circuit, black, electrical, incl. hooks | 14.18 |
| 143171 | 4024163142496 | 467, 469 | ADAPTER for high-voltage track, 1-circuit, white, electrical, incl. hooks | 14.18 |
| 143172 | 4024163142502 | 467, 469 | ADAPTER for high-voltage track, 1-phase, silver, electrical, incl. hooks | 14.18 |
| 143180 | 402416313286 | 470 | 1-PHASE HIGH-VOLTAGE SET, triple-headed, LED GU10/S 1 mm, black, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp | 202.23 |
| 143191 | 402416314154 | 470 | 1-PHASE HIGH-VOLTAGE SET, triple-headed, white, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp | 202.23 |
| 143194 | 4024163141185 | 470 | 1-PHASE HIGH-VOLTAGE SET, triple-headed, silver-grey, incl. 2x1 m 240V track, 3x Puri lamp heads, long connectors, 2 end caps, 3x deco ring, 3x LED GU10 lamp | 202.23 |
| 143221 | 4024163127448 | 469 | 1-PHASE RECESSED TRACK, high-voltage track, white, 2 m | 69.55 |
| 143230 | 402416317455 | 469 | RETAINING BRACKET for 240V 1-phase recessed track, matt nickel, 1 piece | 3.53 |
| 143231 | 4024163127462 | 469 | FEED-IN for 240V 1-phase recessed track, white, earth electrode left | 13.11 |
| 143241 | 4024163127486 | 469 | FEED-IN for 240V 1-phase recessed track, white, earth electrode right | 13.11 |
| 143251 | 4024163127509 | 469 | CORNER CONNECTOR for 240V 1-phase recessed track, white, earth electrode outside | 19.53 |
| 143261 | 4024163127523 | 469 | CORNER CONNECTOR for 240V 1-phase recessed track, white, earth electrode inside | 19.53 |
| 143271 | 4024163128582 | 469 | LONG CONNECTOR for 240V 1-phase recessed track, matt white/nickel | 13.11 |
| 143281 | 4024163138599 | 469 | END CAP for 240V 1-phase recessed track, white, 2 pieces | 6.69 |
| 143350 | 4024163143806 | 485 | ALTRA DICE, spot for 240V 1-phase track, QPARS1, square, black, max. 50W, incl. 1-phase adapter | 90.95 |
| 143351 | 402416317621 | 485 | ALTRA DICE, spot for 240V 1-phase track, LED GU10/S 1 mm, square, white, 50W, incl. 1-phase adapter | 90.95 |
| 143354 | 4024163176338 | 485 | ALTRA DICE, spot for 240V 1-phase track, QPARS1, square, silver-grey/black, max. 50W, incl. 1-phase adapter | 90.95 |
| 143380 | 4024163142830 | 487 | CEILING PLATE for 1-phase high-voltage surface-mounted track, black | 19.53 |
| 143381 | 4024163084986 | 467 | CEILING PLATE for 1-phase high-voltage surface-mounted track, white | 19.53 |
| 143382 | 4024163085502 | 467 | CEILING PLATE for 1-phase high-voltage surface-mounted track, silver-grey | 19.53 |
| 143390 | 4024163144698 | 478 | PURI, spot for 240V 1-phase track, QPARS1, matt black, max. 50W, incl. 1-phase adapter | 33.71 |
| 143391 | 4024163126434 | 478 | PURI spot for 240V 1-phase track, QPARS1, white, max. 50W, incl. 1-phase adapter | 33.71 |
| 143392 | 4024163086202 | 478 | PURI spot for 240V 1-phase track, QPARS1, silver-grey, max. 50W, incl. 1-phase adapter | 33.71 |
| 143430 | 402416314759 | 482 | BIMA 1, spot for 240V 1-phase track, double-headed, QPARS1, matt black, max. 50W, incl. 1-phase adapter | 74.90 |
| 143431 | 4024163127561 | 482 | BIMA 2, spot for 240V 1-phase track, double-headed, QPARS1, matt white, max. 50W, incl. 1-phase adapter | 74.90 |
| 143432 | 4024163092111 | 482 | BIMA 2, spot for 240V 1-phase track, double-headed, QPARS1, silver-grey, max. 50W, incl. 1-phase adapter | 74.90 |
| 143440 | 4024163144742 | 482 | BIMA 1, spot for 240V 1-phase track, single-headed, QPARS1, matt black, max. 50W, incl. 1-phase adapter | 49.76 |
| 143441 | 402416317837 | 482 | BIMA 1, spot for 240V 1-phase track, single-headed, QPARS1, matt white, max. 50W, incl. 1-phase adapter | 49.76 |
| 143442 | 4024163092166 | 482 | BIMA 1, spot for 240V 1-phase track, single-headed, QPARS1, silver-grey, max. 50W, incl. 1-phase adapter | 49.76 |
| 143450 | 4024163144704 | 478 | PURIA spot for high-voltage 1-circuit track, QPARS1, matt black, frosted glass, max. 50W, incl. 1-phase adapter | 39.86 |
| 143451 | 402416313979 | 478 | PURIA spot for high-voltage 1-circuit track, QPARS1, white, frosted glass, max. 50W, incl. 1-phase adapter | 39.86 |
| 143454 | 4024163139886 | 478 | PURIA spot for high-voltage 1-circuit track, QPARS1, silver-grey, frosted glass, max. 50W, incl. 1-phase adapter | 39.86 |
| 143450 | 4024163142748 | 484 | KALU TRACK, spot for 240V 1-phase track, QPAR111, matt black, incl. 1-phase adapter | 88.81 |
| 143451 | 4024163143238 | 484 | KALU TRACK, spot for 240V 1-phase track, QPAR111, white, incl. 1-phase adapter | 88.81 |
| 143454 | 4024163142335 | 484 | KALU TRACK, spot for 240V 1-phase track, QPAR111, silver-grey, incl. 1-phase adapter | 88.81 |
| 143580 | 4024163169356 | 483 | HELIA 50, spot for 1-circuit high-voltage track, LED, 3000K, black, 35°, incl. 1-circuit adapter | 121.98 |
| 143581 | 4024163169363 | 483 | HELIA 50, spot for 1-circuit high-voltage track, LED, 3000K, white, 35°, incl. 1-circuit adapter | 121.98 |
| 143594 | 4024163098073 | 476 | TONGA 4 pendant for 240V 1-phase track, A60, white ceramic shade, max. 60W, incl. 1-phase adapter | 123.05 |
| 143620 | 402416314544 | 476 | LIGHT EYE, pendant for 240V 1-phase track, QPAR111, chrome, max. 75W, incl. 1-phase adapter | 134.62 |
| 143621 | 4024163144605 | 476 | LIGHT EYE, pendant for 240V 1-phase track, QPAR111, white/nickel, max. 75W, incl. 1-phase adapter | 134.62 |
| 143731 | 4024163138390 | 484 | KALU TRACK, spot for 240V 1-phase track, LED, 3000K, white, incl. 1-phase adapter | 220.42 |
| 143811 | 4024163128827 | 485 | EURO SPOT spot for 1-phase high-voltage bus bar, QPARS1, white, max. 25W, incl. 1-phase adapter | 71.69 |
| 143930 | 402416317744 | 477 | FORCHINI M pendant for 240V 1-phase track, TC (D,H,T) QISE, round, black/gold, Ø 40 cm, incl. 1-phase adapter, silver-grey | 220.42 |
| 143932 | 402416314323 | 477 | FORCHINI M pendant for 240V 1-phase track, TC (D,H,T) QISE, round, black/gold, Ø 40 cm, incl. 1-phase adapter, black | 220.42 |
| 143941 | 402416317423 | 480 | ENOLA C spot for 240V 1-phase track, LED, 3000K, round, matt white, 35°, 11.2W, incl. 1-phase adapter | 189.39 |
| 143951 | 402416317447 | 480 | ENOLA C spot for 240V 1-phase track, LED, 3000K, round, matt white, 55°, 11.2W, incl. 1-phase adapter | 189.39 |
| 143960 | 4024163149877 | 481 | ENOLA B spot for 240V 1-phase track, QPARS1, black, max. 50W, incl. 1-phase adapter | 133.75 |
| 143961 | 402416314840 | 481 | ENOLA B pendant for 240V 1-phase track, QPARS1, black, max. 50W, incl. 1-phase adapter, white | 133.75 |
| 143964 | 402416314857 | 481 | ENOLA B pendant for 240V 1-phase track, QPARS1, silver-grey/black, max. 50W, incl. 1-phase adapter, silver-grey | 133.75 |
| 143990 | 4024163148481 | 474 | PARA CONE 14 pendant, LED GU10/S 1 mm, round, black/gold, Ø/H 13.3/14, incl. 1-phase adapter, black | 110.21 |

| | | | | |
|---------|----------------|---------------|--|---------------------------------|
| 143991 | 402416318498 | 474 | PARA CONE 14 pendant, OPAR51, round, white/gold, Ø/H 13 3/4, incl. 1-phase adapter, white | 110.21 |
| 144010 | 402416311238 | 476 | LIGHT EYE spot for 240V 1-phase track, QPAR51, black / chrome, max. 50W, incl. 1-phase adapter, black | 79.18 |
| 144011 | 402416311245 | 476 | LIGHT EYE spot for 240V 1-phase track, QPAR51, white / chrome, max. 50W, incl. 1-phase adapter, white | 79.18 |
| 144019 | 40241631193135 | 476 | LIGHT EYE spot for 240V 1-phase track, QPAR51, copper color, max. 50W, incl. 1-phase adapter, black | 89.88 |
| 144200 | 4024163167758 | 479 | AVO spot for 240V 1-phase track, QPAR51, black, max. 50W | 86.58 |
| 144201 | 4024163167918 | 479 | AVO spot for 240V 1-phase track, QPAR51, white, max. 50W | 86.58 |
| 144204 | 4024163167925 | 479 | AVO spot for 240V 1-phase track, QPAR51, silver, max. 50W | 86.58 |
| 145100 | 402416312399 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, black, 1 m | 42.80 |
| 145102 | 402416312405 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, silver-grey, 1 m | 42.80 |
| 145200 | 402416312429 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, black, 2 m | 85.60 |
| 145202 | 402416312573 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, silver-grey, 2 m | 85.60 |
| 145300 | 402416312450 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, black, 3 m | 139.10 |
| 145302 | 402416312467 | 435 | EUTRAC 3-PHASE SURFACE-MOUNTED TRACK, high-voltage track, silver-grey, 3 m | 139.10 |
| 145510 | 402416312504 | 437 | FEED-IN for EUTRAC 240V 3-phase surface-mounted track, earth electrode left, black | 18.73 |
| 145514 | 402416312511 | 437 | FEED-IN for EUTRAC 240V 3-phase surface-mounted track, earth electrode left, silver-grey | 18.73 |
| 145520 | 402416312535 | 437 | FEED-IN for EUTRAC 240V 3-phase surface-mounted track, earth electrode right, black | 18.73 |
| 145524 | 402416312542 | 437 | FEED-IN for EUTRAC 240V 3-phase surface-mounted track, earth electrode right, silver-grey | 18.73 |
| 145530 | 402416312832 | 437 | CENTRE FEED-IN for EUTRAC 240V 3-phase surface-mounted track, black | 42.80 |
| 145534 | 402416312856 | 437 | CENTRE FEED-IN for EUTRAC 240V 3-phase surface-mounted track, silver-grey | 42.80 |
| 145551 | 4024163099776 | 439 | SPRING CLIP for EUTRAC 240V 3-phase surface-mounted track, electrical, black | 12.57 |
| 145560 | 402416312757 | 437 | LONG CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, electrical, black | 18.73 |
| 145564 | 402416312764 | 437 | LONG CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, electrical, silver-grey | 18.73 |
| 145580 | 402416312696 | 437 | FLEXIBLE CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, black | 84.53 |
| 145584 | 4024163129749 | 437 | FLEXIBLE CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, silver-grey | 84.53 |
| 145590 | 402416304753 | 437 | END CAP for EUTRAC 240V 3-phase surface-mounted track, black | 3.75 |
| 145594 | 402416312733 | 437 | END CAP for EUTRAC 240V 3-phase surface-mounted track, silver-grey | 3.75 |
| 145600 | 402416312863 | 437 | JOINT CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, M3 thread, black | 20.87 |
| 145604 | 402416312887 | 437 | JOINT CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, M3 thread, silver-grey | 20.87 |
| 145630 | 402416312634 | 437 | T-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode left, black | 84.53 |
| 145634 | 402416312641 | 437 | T-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode left, silver-grey | 84.53 |
| 145640 | 402416312620 | 437 | T-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode right, black | 84.53 |
| 145644 | 402416312630 | 437 | T-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode right, silver-grey | 84.53 |
| 145660 | 402416312788 | 437 | LONG CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, with feed-in capacity, black | 73.83 |
| 145664 | 402416312795 | 437 | LONG CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, with feed-in capacity, silver-grey | 73.83 |
| 145670 | 402416312818 | 437 | L-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode outside, black | 62.06 |
| 145674 | 402416312845 | 437 | L-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode outside, silver-grey | 62.06 |
| 145680 | 402416312566 | 437 | L-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode inside, black | 62.06 |
| 145684 | 402416312580 | 437 | L-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, earth electrode inside, silver-grey | 62.06 |
| 145690 | 402416312665 | 437 | X-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, with feed-in capacity, 2 power circuits, black | 124.12 |
| 145694 | 402416312672 | 437 | X-CONNECTOR for EUTRAC 240V 3-phase surface-mounted track, with feed-in capacity, 2 power circuits, silver-grey | 124.12 |
| 145700 | 402416312632 | 437 | SCOTCH for EUTRAC 240V 3-phase surface-mounted track, black | 85.88 |
| 145710 | 402416312931 | 437 | PENDANT SUSPENSION for EUTRAC 240V 3-phase surface-mounted track, rigid, black, 120 cm, M3 thread | 42.80 |
| 145714 | 402416312948 | 437 | PENDANT SUSPENSION for EUTRAC 240V 3-phase surface-mounted track, rigid, silver-grey, 120 cm, M3 thread | 42.80 |
| 145720 | 402416312962 | 437 | PENDANT SUSPENSION for EUTRAC 240V 3-phase surface-mounted track, rigid, black, 60 cm, M3 thread | 37.18 |
| 145724 | 402416312979 | 437 | PENDANT SUSPENSION for EUTRAC 240V 3-phase surface-mounted track, rigid, silver-grey, 60 cm, M3 thread | 37.18 |
| 145730 | 402416312020 | 437 | PENDANT for EUTRAC 240V 3-phase surface-mounted track, black, M3 thread | 10.70 |
| 145734 | 402416312037 | 437 | PENDANT CLIP for EUTRAC 240V 3-phase surface-mounted track, silver-grey, M3 thread | 10.70 |
| 145830 | 4024163149723 | 437 | POINT OUTLET for EUTRAC 240V 3-phase surface-mounted track, black | 99.51 |
| 145834 | 4024163149747 | 437 | POINT OUTLET for EUTRAC 240V 3-phase surface-mounted track, silver-grey | 99.51 |
| 145990 | 4024163100188 | 151, 437, 473 | PENDANT ADAPTER for 240V 3-phase track, black, incl. installation accessories | 18.73 |
| 145994 | 4024163100182 | 151, 437, 473 | PENDANT ADAPTER for 240V 3-phase track, grey, incl. installation accessories | 18.73 |
| 146000 | 4024163158756 | 110 | PHELIA, table lamp, QPAR51, black, max. 35W | 180.83 |
| 146010 | 4024163158749 | 110 | PHELIA, floor stand, A60, black, max. 23W | 235.40 |
| 146332 | 4024163100076 | 245 | DISPLAY ADL QPAR51, chrome, max. 50W, incl. connection box | 56.71 |
| 146472 | 4024163084868 | 245 | NEPRO DISPLAY, wall light, QT-DE12, silver-grey/chrome, max. 300W | 95.23 |
| 146682 | 4024163118637 | 229 | INDA wall and ceiling light, Power LED W, 3000K, chrome, PHASE-OUT | 65.65 |
| 146692 | 4024163130008 | 228 | DIO FLEX PLATE, wall light, QPAR51, chrome, max. 50W | 62.06 |
| 1003506 | 4024163236584 | 241 | GLENOS® 60, indoor LED mirror light black CCT switch 3000/4000K | old material no.: 146800 171.20 |
| 1003507 | 4024163236591 | 241 | GLENOS® 60, indoor LED mirror light white CCT switch 3000/4000K | old material no.: 146801 171.20 |
| 1003508 | 4024163228607 | 241 | GLENOS® 60, indoor LED mirror light grey CCT switch 3000/4000K | old material no.: 146804 171.20 |
| 147101 | 4024163134033 | 304 | ASTO 1 wall and ceiling light, single-headed, QPAR11, round, matt white, max. 75 W | 19.63 |
| 147306 | 4024163142410 | 304 | KALU, wall and ceiling light, single-headed, QPAR11, round, brushed aluminium, max. 75 W | 95.23 |
| 147311 | 4024163142427 | 304 | KALU, wall and ceiling light, double-headed, QPAR11, round, matt white, max. 150 W | 160.50 |
| 147316 | 4024163142434 | 304 | KALU, wall and ceiling light, double-headed, QPAR11, round, brushed aluminium, max. 150 W | 171.20 |
| 147321 | 4024163142458 | 304 | KALU, wall and ceiling light, triple-headed, QPAR11, round, matt white, max. 225 W | 204.02 |
| 147326 | 4024163142441 | 304 | KALU, wall and ceiling light, triple-headed, QPAR11, round, brushed aluminium, max. 225 W | 232.19 |
| 147360 | 4024163144551 | 312 | PURI 1 wall and ceiling light, single-headed, QPAR51, matt black, max. 50W, with deco ring | 39.06 |
| 147361 | 4024163144568 | 312 | PURI 1 wall and ceiling light, single-headed, QPAR51, matt white, max. 50W, with deco ring | 39.06 |
| 147370 | 4024163144582 | 312 | PURI 2 wall and ceiling light, double-headed, QPAR51, matt black, max. 100 W, with deco ring | 78.11 |
| 147371 | 4024163144520 | 312 | PURI 2 wall and ceiling light, double-headed, QPAR51, matt white, max. 100 W, with deco ring | 78.11 |
| 147376 | 4024163144599 | 312 | PURI 3 wall and ceiling light, triple-headed, QPAR51, matt black, max. 150 W, with deco ring | 112.66 |
| 147381 | 4024163144629 | 312 | PURI 3 wall and ceiling light, triple-headed, QPAR51, matt white, max. 150 W, with deco ring | 112.66 |
| 147411 | 4024163111179 | 311 | ASTO TUBE 1, wall and ceiling light, single-headed, PAR 20, round, white, max. 75 W | PHASE-OUT 60.06 |
| 147412 | 4024163111186 | 311 | ASTO TUBE 2 wall and ceiling light, double-headed, PAR 20, round, white, max. 150 W | PHASE-OUT 132.68 |
| 147444 | 402416311209 | 311 | ASTO TUBE 3 wall and ceiling light, triple-headed, QPAR51, round canopy, white, max. 225 W | PHASE-OUT 191.53 |
| 147441 | 4024163104625 | 316 | ASTO 1 wall and ceiling light, single-headed, QPAR51, brushed aluminium, max. 75 W | 33.71 |
| 147442 | 4024163104432 | 316 | ASTO 2 wall and ceiling light, double-headed, QPAR51, brushed aluminium, max. 150 W | 67.41 |
| 147443 | 4024163104449 | 316 | ASTO 3 wall and ceiling light, triple-headed, QPAR51, brushed aluminium, max. 225 W | 89.88 |
| 147444 | 4024163104456 | 316 | ASTO 4 wall and ceiling light, four-headed, QPAR51, brushed aluminium, max. 300 W | 112.35 |
| 147429 | 4024163105767 | 211 | DENA 2 wall light, double-headed, A60, brushed aluminium, L/W/H 10/9/30, glass partially frosted, max. 80W | 95.23 |
| 147520 | 4024163109559 | 308 | INDA, wall and ceiling light, spot, QPAR51, matt black, max. 50 W | 65.65 |
| 147551 | 4024163127394 | 308 | INDA, wall and ceiling light, spot, QPAR51, matt white, max. 50 W | 65.65 |
| 147559 | 4024163109055 | 308 | INDA, wall and ceiling light, spot, QPAR51, brushed aluminium, max. 50 W | 75.97 |
| 148001 | 4024163093354 | 282 | PLASTRA 105, ceiling light, TC-DSE, round, white plaster, max. 50 W | 85.60 |
| 148002 | 4024163093408 | 282 | PLASTRA 104, ceiling light, TC-DSE, square, white plaster, max. 50 W | 80.25 |
| 148004 | 4024163127449 | 282 | PLASTRA, ceiling light, QPAR51, square, white plaster, max. 35 W | 63.13 |
| 148005 | 4024163155960 | 282 | PLASTRA, ceiling light, LED, white, plaster, 3000K | 125.19 |
| 148010 | 4024163093415 | 191 | PLASTRA wall light, square, 100 Slot, white plaster, E14, max. 40 W | 48.69 |
| 148012 | 4024163093514 | 194 | PLASTRA 102 CURVE, wall light, white plaster, QT-DE12, max. 100 W | 68.48 |
| 148013 | 4024163093521 | 194 | PLASTRA 101, wall light, C85, half-round, white plaster, max. 40 W | 50.83 |
| 148016 | 4024163117270 | 194 | PLASTRA 104, wall light, QT14, round, white plaster, QT14, max. 42 W | 50.83 |
| 148018 | 4024163143516 | 190 | PLASTRA wall light, QPAR51, square, cube, white plaster, max. 42 W | 50.83 |
| 148019 | 4024163145725 | 223 | PLASTRA SQUARE, wall light, LED strip, 3000K, square, white plaster max. 10.8 W | 204.37 |
| 148060 | 4024163155991 | 193 | PLASTRA wall light, QPAR51, round, tube, white plaster, max. 70 W | 63.13 |
| 148070 | 4024163100612 | 402 | PLASTRA, recessed fitting, QPAR51, round, white plaster, max. 35W | 40.13 |
| 148071 | 4024163106229 | 402 | PLASTRA, recessed fitting, QPAR51, square, white plaster, max. 35W | 40.13 |
| 148091 | 4024163176514 | 193 | PLASTRA, wall light, LED, 3000K, round, white plaster, Ø 30cm | 159.43 |
| 148450 | 4024163165341 | 230 | PHELIA, wall light, QPAR51, black, max. 35W, incl. switch | 126.26 |
| 149381 | 4024163121620 | 161 | ENOLA, pendant, A60, round, white, max. 60W, incl. white canopy | 86.67 |
| 149387 | 4024163142281 | 161 | ENOLA pendant, TC-ID/H, QJSE, round, gold, max. 60W, incl. gold canopy | 100.58 |
| 149388 | 402416312267 | 161 | ENOLA pendant, A60, round, matt black, £27, max. 60W, incl. black canopy | 86.67 |
| 149452 | 4024163091657 | 222 | COUPA FLEX wall light, QT14, 3000K, chrome, frosted glass, 49W | 191.53 |
| 149471 | 4024163127400 | 205 | WL 149 R75 wall light, QT-DE12, rectangular, up/down, matt white, max. 60W | 73.83 |
| 149511 | 4024163172141 | 205 | WL 149, wall light, LED, 3000K, white, 16W | 145.52 |
| 149762 | 4024163116033 | 234 | TRUKKO 60 wall light, LED, 3000K, chrome/white, H 60 cm, incl. LED driver | 149.80 |
| 149772 | 4024163156240 | 234 | TRUKKO 90 wall light, LED, 3000K, chrome/white, H 90 cm, incl. LED driver | 176.55 |
| 151040 | 4024163145435 | 172, 228, 476 | DECO RING for LIGHT EYE, 51 mm, black | 4.87 |
| 151041 | 4024163145442 | 172, 245, 476 | DECO RING for LIGHT EYE, 51 mm, white | 4.87 |
| 151049 | 4024163118026 | 172, 245, 476 | DECO RING for LIGHT EYE, 51 mm, chrome | 7.22 |
| 151271 | 4024163142236 | 201 | ASSO 300 wall light, LED, 3000K, oval, white, L/W/H 30/9/5/7 cm | 207.58 |
| 151275 | 4024163132423 | 201 | ASSO 300 wall light, LED, 3000K, oval, brushed aluminium/white, L/W/H 30/9/5/7 cm | 218.28 |
| 151282 | 4024163089241 | 237 | MBO WALL UP-DOWN wall light, QT14, IP21, up/down, chrome, max. 50 W | 90.95 |
| 151311 | 4024163136389 | 200 | ASSO 70 wall light, LED, 3000K, oval, white, L/W/H 18/9/5/7/1 cm | 161.57 |
| 151315 | 4024163136396 | 200 | ASSO 70 wall light, LED, 3000K, oval, brushed aluminium/white, L/W/H 18/9/5/7/1 cm | 172.27 |
| 151320 | 4024163150903 | 196 | LOGS IN wall light, LED, 3000K, square, black/brass, incl. LED driver | 128.40 |
| 151321 | 4024163184577 | 196 | LOGS IN wall light, LED, 3000K, square, white, incl. LED driver | 117.70 |
| 151325 | 4024163134644 | 196 | LOGS IN wall light, LED, 3000K, square, brushed aluminium/white, incl. LED driver | 128.40 |
| 151410 | 4024163142205 | 202 | OSSA 300 wall light, QT-DE12, oval, up/down, black, L/W/H 30/8/6/5 cm, max. 120W | 111.28 |
| 151411 | 4024163142212 | 202 | OSSA 300 wall light, QT-DE12, oval, up/down, white, L/W/H 30/8/6/5 cm, max. 120W | 111.28 |
| 151416 | 4024163142229 | 202 | OSSA 300 wall light, QT-DE12, oval, up/down, brushed aluminium, L/W/H 30/8/6/5 cm, max. 120W | 123.05 |
| 151450 | 4024163142189 | 202 | OSSA 180 wall light, QT-DE12, oval, up/down, black, L/W/H 18/8/7 cm, max. 100W | 85.88 |
| 151451 | 4024163128667 | 202 | OSSA 180 wall light, QT-DE12, oval, up/down, white, L/W/H 18/8/7 cm, max. 100W | 85.88 |
| 151456 | 4024163128650 | 202 | OSSA 180 wall light, QT-DE12, oval, up/down, brushed aluminium, L/W/H 18/8/7 cm, max. 100W | 95.23 |
| 151511 | 4024163129787 | 274 | ALTRA DICE, ceiling light, QPAR51, square, white, max. 35W | 64.20 |
| 151514 | 4024163138649 | 274 | ALTRA DICE, ceiling light, QPAR51, square, silver-grey/black, max. 35W | 64.20 |
| 151521 | 4024163138763 | 274, 308 | ALTRA DICE, ceiling light, double-headed, QPAR51, white, max. 100W | 117.70 |
| 151534 | 4024163138670 | 274, 308 | ALTRA DICE, ceiling light, double-headed, QPAR51, silver-grey/black, max. 100 W | 117.70 |
| 151591 | 4024163136884 | 211 | BASKET, wall light, A60, frosted glass, max. 60W | 89.88 |
| 151710 | 4024163153478 | 203 | CARISO 2 WL Indoor LED surface-mounted wall light black/gold 2700K | 176.55 |
| 151711 | 4024163153485 | 203 | CARISO WL-2, wall light, LED, 3000K, white, 11 W | 171.20 |
| 151740 | 4024163164252 | 203 | CARISO WL-4, wall light, LED, 2700K, black/brass, 2x9W | 294.25 |
| 151741 | 4024163164269 | 203 | CARISO WL-4, wall light, LED, 2700K, white, 2x9W | 297.83 |
| 151781 | 4024163156738 | 207 | SEDO 14, wall light, LED, 3000K, square, white, frosted glass, L/W/H 59.5/8.5/4 cm, 17W | 231.12 |
| 151786 | 4024163156745 | 207 | SEDO 14, wall light, LED, 3000K, square, brushed aluminium, frosted glass, L/W/H 59.5/8.5/4 cm, 17W | 241.82 |
| 151791 | 4024163156752 | 207 | SEDO 21, wall light, LED, 3000K, square, white, frosted glass, energy saving lamp, L/W/H 89.5/8.5/4 cm, 33 W | 285.69 |
| 151796 | 4024163156769 | 207 | SEDO 21, wall light, LED, 3000K, square, brushed aluminium, frosted glass, L/W/H 89.5/8.5/4 cm, energy saving lamp, 33 W | 297.46 |
| 151800 | 4024163149860 | 217 | ENOLA B, wall light, QPAR51, round, up/down, black, max. 50W, incl. deco ring black | 100.58 |

| | | | | |
|---------|----------------|---------------|--|--------|
| 151801 | 4024163125864 | 217 | ENOLA B, wall light, OPAR51, round, up/down, white, max. 50 W, incl. white deco ring | 100.58 |
| 151803 | 4024163149532 | 217 | ENOLA B, wall light, OPAR51, round, up/down, brass, max. 50 W, incl. brass deco ring | 111.28 |
| 151804 | 4024163125871 | 217 | ENOLA B, wall light, OPAR51, round, up/down, silver-grey/black, max. 50 W, incl. silver-grey/black deco ring | 100.58 |
| 151810 | 4024163149583 | 281 | ENOLA B CL-1, ceiling light, OPAR51, round, black, max. 35 W | 62.06 |
| 151811 | 4024163125888 | 281 | ENOLA B CL-1, ceiling light, OPAR51, round, white, max. 35 W | 62.06 |
| 151813 | 4024163149501 | 281 | ENOLA B CL-1, ceiling light, OPAR51, round, brass, max. 35 W | 73.83 |
| 151830 | 4024163149907 | 307 | ENOLA B, wall and ceiling light, double-headed, OPAR51, black, max. 100 W | 166.92 |
| 151831 | 4024163125925 | 307 | ENOLA B, wall and ceiling light, double-headed, OPAR51, white, max. 100 W | 166.92 |
| 151840 | 4024163125949 | 217, 281, 307 | ZIERRING, for ENOLA B, black | 8.51 |
| 151850 | 4024163149884 | 161 | ENOLA B PD-1, pendant, OPAR51, black, max. 50W | 117.70 |
| 151851 | 4024163141598 | 161 | ENOLA B PD-1, pendant, OPAR51, white, max. 50W | 117.70 |
| 151853 | 4024163149549 | 161 | ENOLA B PD-1, pendant, OPAR51, brass, max. 50W | 123.05 |
| 151950 | 4024163134804 | 412 | DOWUNDER PUR 80, recessed fitting, LED, 3000K, square, white, L/W/H 8/3/2.8 cm, incl. leaf springs | 55.64 |
| 151952 | 4024163134866 | 412 | DOWUNDER PUR 155, recessed fitting, LED, 3000K, square, white, L/W/H 12/3/3/15 cm, incl. leaf springs | 80.25 |
| 151960 | 40241631254835 | 412 | FLUSH-MOUNTED FRAME, for DOWUNDER PUR 80, L/H 14/14 cm | 13.51 |
| 151962 | 4024163134859 | 412 | FLUSH-MOUNTED FRAME, for DOWUNDER PUR 155, L/H 18/20 cm | 12.04 |
| 152010 | 4024163149952 | 307 | ENOLA B, wall and ceiling light, spot, single-headed, OPAR51, black, max. 50W | 78.11 |
| 152011 | 4024163149969 | 307 | ENOLA B, wall and ceiling light, spot, single-headed, OPAR51, white, max. 50W | 78.11 |
| 152013 | 4024163149976 | 307 | ENOLA B, wall and ceiling light, spot, single-headed, OPAR51, brass, max. 50W | 83.46 |
| 152020 | 4024163149990 | 307 | ENOLA B, wall and ceiling light, spot, double-headed, OPAR51, black, max. 100W | 133.75 |
| 152021 | 4024163120002 | 307 | ENOLA B, wall and ceiling light, spot, double-headed, OPAR51, white, max. 100W | 133.75 |
| 152023 | 4024163150019 | 307 | ENOLA B, wall and ceiling light, spot, double-headed, OPAR51, brass, max. 100W | 145.52 |
| 152101 | 4024163137409 | 281 | ENOLA C, ceiling light, LED, 3000K, round, white, 35° | 211.86 |
| 152230 | 4024163144728 | 456 | BIMA 2, spot for 240V 3-phase track, double-headed, OPAR51, round, matt black, max. 100W, incl. 3-phase adapter | 88.81 |
| 152231 | 4024163127578 | 456 | BIMA 2, spot for 240V 3-phase track, double-headed, OPAR51, round, matt white, max. 100W, incl. 3-phase adapter | 88.81 |
| 152232 | 4024163202135 | 456 | BIMA 2, spot for 240V 3-phase track, double-headed, OPAR51, round, silver-grey, max. 100W, incl. 3-phase adapter | 88.81 |
| 152240 | 4024163144735 | 456 | BIMA 1, spot for 240V 3-phase track, single-headed, OPAR51, round, matt black, max. 50W, incl. 3-phase adapter | 60.99 |
| 152241 | 4024163127585 | 456 | BIMA 1, spot for 240V 3-phase track, single-headed, OPAR51, round, matt white, max. 50W, incl. 3-phase adapter | 60.99 |
| 152242 | 4024163092180 | 456 | BIMA 1, spot for 240V 3-phase track, single-headed, OPAR51, round, silver-grey, max. 50W, incl. 3-phase adapter | 60.99 |
| 152243 | 4024163127645 | 453 | ALTRA DICE, spot for 240V 3-phase track, OPAR51, square, black, max. 50W, incl. 3-phase adapter | 96.50 |
| 152321 | 4024163127652 | 453 | ALTRA DICE, spot for 240V 3-phase track, OPAR11, square, white, max. 50W, incl. 3-phase adapter | 96.50 |
| 152330 | 4024163166720 | 296 | KARPO, wall and ceiling light, single-headed, LED, 3000K, round, black, 7.5W | 121.98 |
| 152331 | 4024163166744 | 296 | KARPO, wall and ceiling light, single-headed, LED, 3000K, round, white, 7.5W | 121.98 |
| 152340 | 4024163166751 | 225 | KARPO, wall and ceiling light, single-headed, LED, 3000K, round, black, with switch, 7.5W | 117.70 |
| 152341 | 4024163166775 | 225 | KARPO, wall and ceiling light, single-headed, LED, 3000K, round, black, with switch, 7.5W | 117.70 |
| 152360 | 4024163166836 | 158 | HELIA 30, pendant, LED, 3000K, round, black, 7.5W | 232.12 |
| 152361 | 4024163166850 | 158 | HELIA 30, pendant, LED, 3000K, round, white, 7.5W | 231.12 |
| 152370 | 4024163166911 | 159 | HELIA 40, pendant, LED, 3000K, round, black, 9W | 253.59 |
| 152371 | 4024163166942 | 159 | HELIA 40, pendant, LED, 3000K, round, white, 9W | 253.59 |
| 152380 | 4024163170666 | 400 | KARPO, recessed fitting, single-headed, LED, 3000K, black, flat canopy, 7.5W | 117.70 |
| 152381 | 4024163170673 | 400 | KARPO, recessed fitting, single-headed, LED, 3000K, white, flat canopy, 7.5W | 117.70 |
| 152430 | 4024163137492 | 459 | ENOLA C, spot for 240V 3-phase track, LED, 3000K, round, black, 55°, 11.2 W, incl. 3-phase adapter | 189.39 |
| 152431 | 4024163137508 | 459 | ENOLA C, spot for 240V 3-phase track, LED, 3000K, round, white, 55°, 11.2 W, incl. 3-phase adapter | 189.39 |
| 152600 | 4024163138437 | 454 | KALU TRACK, spot for 240V 3-phase track, LED, 3000K, round, black, incl. 3-phase adapter | 241.82 |
| 152601 | 4024163138901 | 454 | KALU TRACK, spot for 240V 3-phase track, LED, 3000K, round, white, incl. 3-phase adapter | 241.82 |
| 152610 | 4024163123432 | 454 | KALU TRACK, spot for 240V 3-phase track, OPAR11, black, max. 75 W, incl. 3-phase adapter | 107.00 |
| 152611 | 4024163142359 | 454 | KALU TRACK, spot for 240V 3-phase track, OPAR11, white, max. 75 W, incl. 3-phase adapter | 107.00 |
| 152640 | 4024163167932 | 459 | AVO, spot for high-voltage 3-phase track, OPAR51, black, max. 50W, incl. 3-phase adapter | 42.27 |
| 152641 | 4024163167949 | 459 | AVO, spot for high-voltage 3-phase track, OPAR51, white, max. 50W, incl. 3-phase adapter | 42.27 |
| 152750 | 4024163152525 | 451 | EURO CUBE, spot for 240V 3-phase track, LED, 3000K, black, 60°, incl. 3-phase adapter | 257.87 |
| 152751 | 4024163152512 | 451 | EURO CUBE, spot for 240V 3-phase track, LED, 3000K, white, 60°, incl. 3-phase adapter | 257.87 |
| 152780 | 4024163152617 | 451 | EURO CUBE, spot for 240V 3-phase track, LED, 4000K, black, 60°, incl. 3-phase adapter | 257.87 |
| 152781 | 4024163152624 | 451 | EURO CUBE, spot for 240V 3-phase track, LED, 4000K, white, 60°, incl. 3-phase adapter | 257.87 |
| 152960 | 4024163169370 | 457 | HELIA 50, spot for 3-circuit high-voltage track, LED, 3000K, black, 35°, incl. 3-circuit adapter | 121.98 |
| 152961 | 4024163169387 | 457 | HELIA 50, spot for 3-circuit high-voltage track, LED, 3000K, white, 35°, incl. 3-circuit adapter | 121.98 |
| 153112 | 4024163092986 | 448 | ALTRA DICE, pendant for high-voltage 3-phase track, OPAR11, chrome, max. 75W, incl. 3-phase adapter | 134.62 |
| 153130 | 4024163137966 | 447 | FORCHINI M pendant for 240V 3-phase track, TC-(D,H,T,Q)SE, round, black/gold, Ø 40mm, incl. 3-phase adapter, black | 210.42 |
| 153140 | 4024163148504 | 445 | PARA CONE 14, pendant for 240V 3-phase track, OPAR51, round, black/gold, Ø 13.3 cm, incl. 3-phase adapter, black | 120.21 |
| 153141 | 4024163148511 | 445 | PARA CONE 14, pendant for 240V 3-phase track, OPAR51, round, white/gold, Ø 13.3 cm, incl. 3-phase adapter, white | 110.21 |
| 153420 | 4024163135344 | 452 | EURO SPOT, spot for 240V 3-phase track, OPAR11, round, black, max. 75W, incl. 3-phase adapter | 99.51 |
| 153421 | 4024163135007 | 452 | EURO SPOT, spot for 240V 3-phase track, OPAR11, round, white, max. 75W, incl. 3-phase adapter | 99.51 |
| 153560 | 4024163144940 | 453 | PURI, spot for 240V 3-phase track, OPAR51, matt black, max. 50W, incl. 3-phase adapter | 37.45 |
| 153561 | 4024163127417 | 453 | PURI, spot for 240V 3-phase track, OPAR51, white, max. 50W, incl. 3-phase adapter | 37.45 |
| 153564 | 4024163127226 | 453 | PURI, spot for 240V 3-phase track, OPAR51, silver-grey, max. 50W, incl. 3-phase adapter | 37.45 |
| 153580 | 4024163138013 | 454 | KALU TRACK, spot for 240V 3-phase track, OP111, black, max. 50W, incl. 3-phase adapter | 143.38 |
| 153581 | 4024163138020 | 454 | KALU TRACK, spot for 240V 3-phase track, OP111, white, max. 50W, incl. 3-phase adapter | 143.38 |
| 153850 | 4024163128858 | 452 | EURO SPOT, spot for 240V 3-phase track, OPAR51, black, max. 25W, incl. 3-phase adapter | 78.11 |
| 153851 | 4024163128841 | 452 | EURO SPOT, spot for 240V 3-phase track, OPAR51, white, max. 25W, incl. 3-phase adapter | 78.11 |
| 153916 | 4024163170727 | 288 | MARONA, ceiling light, LED, 3000K, round, brushed aluminium, 4x3W | 105.93 |
| 153918 | 4024163111132 | 332 | GLASSA, ceiling light, A60, square, frosted glass, max. 60W | 127.53 |
| 153936 | 4024163127319 | 332 | GLASSA, ceiling light, A60, round, brushed aluminium, frosted glass, max. 60W | 127.53 |
| 153973 | 4024163097529 | 278 | SOPRANA CL-1, ceiling light, TC-DSE, round, beige shade Ø/H 50/26 cm, max. 3x60W | 191.53 |
| 154940 | 4024163167666 | 105 | FENDA, floor stand, A60, black, without shade, max. 40W | 123.05 |
| 154942 | 4024163167659 | 105 | FENDA, floor stand, A60, chrome, without shade, max. 40W | 133.75 |
| 155530 | 4024163094382 | 170 | FORCHINI PD-1, pendant, A60, round, matt black/gold, Ø 50 cm, max. 40W | 215.07 |
| 155540 | 4024163167642 | 104 | FENDA, table lamp, lamp base, A60, black, without shade, max. 60W, incl. switch in the power cable | 73.83 |
| 155550 | 4024163166454 | 276 | FENDA, ceiling light, ceiling plate, A60, black, without shade, max. 60W | 44.41 |
| 155551 | 4024163166461 | 276 | FENDA, ceiling light, ceiling plate, A60, white, without shade, max. 60W | 44.41 |
| 155552 | 4024163152082 | 276 | FENDA, ceiling light, ceiling plate, A60, chrome, without shade, max. 60W | 49.76 |
| 155582 | 4024163121229 | 107, 155, 277 | FENDA, lamp shade, round, white, Ø/H 30/20 cm | 49.76 |
| 155583 | 4024163121236 | 107, 155, 277 | FENDA, lamp shade, round, beige, Ø/H 30/20 cm | 49.76 |
| 155592 | 4024163167741 | 107, 155, 277 | FENDA, lamp shade, round, black/copper, Ø/H 30/20 cm | 66.34 |
| 155714 | 4024163158473 | 164 | LISENNE, pendant, TC-(D,H,T,Q)SE, stone-grey, max. 23W | 223.63 |
| 155752 | 4024163158480 | 213 | LISENNE, wall light, TC-(D,H,T,Q)SE, stone-grey, max. 23W | 223.63 |
| 155780 | 4024163167740 | 104 | FENDA, table lamp, lamp base, A60, black, without shade, max. 60W | 73.83 |
| 155785 | 4024163167697 | 104 | FENDA, table lamp, lamp base, A60, brushed metal, without shade, max. 60W | 83.46 |
| 155790 | 4024163167703 | 104 | FENDA, floor stand, lamp base, TC-(D,H,T,Q)SE, black, without shade, max. 60W | 133.75 |
| 155795 | 4024163167680 | 104 | FENDA, floor stand, lamp base, TC-(D,H,T,Q)SE, brushed metal, without shade, max. 60W | 145.52 |
| 155870 | 4024163179277 | 156 | TRIADEM, pendant, triple-headed, A60, black shade, max. 180W | 446.19 |
| 155871 | 402416317934 | 156 | TRIADEM, pendant, triple-headed, A60, white shade, max. 180W | 446.19 |
| 155910 | 4024163149969 | 171 | FORCHINI PD-2, pendant, TC-(D,H,T,Q)SE, round, black/gold, Ø 40mm, max. 40W | 107.00 |
| 155930 | 4024163136976 | 171 | FORCHINI PD-1, pendant, A60, round, black/gold, Ø 50cm, max. 40W | 237.54 |
| 156050 | 4024163148269 | 278 | TENORA CL-1, ceiling light, TC-(D,H,T,Q)SE, round, black shade Ø/H 50/15 cm, max. 60W | 174.41 |
| 156051 | 4024163148276 | 278 | TENORA CL-1, ceiling light, TC-(D,H,T,Q)SE, round, white shade Ø/H 50/15 cm, max. 3x23W | 174.41 |
| 156100 | 4024163168366 | 155, 277 | FENDA, cover, white acrylic glass, Ø 45.5 cm | 42.27 |
| 156111 | 4024163168267 | 107, 155, 277 | FENDA, lamp shade, round, white, Ø/H 45.5/28 cm | 78.11 |
| 156113 | 4024163168274 | 107, 155, 277 | FENDA, lamp shade, round, beige, Ø/H 45.5/28 cm | 78.11 |
| 156122 | 4024163168359 | 107, 155, 277 | FENDA, lamp shade, round, black/copper, Ø/H 45.5/28 cm | 83.46 |
| 156141 | 4024163168380 | 107, 155 | FENDA, lamp shade, round, white, Ø/H 15/40 cm | 42.53 |
| 156143 | 4024163168397 | 107, 155 | FENDA, lamp shade, round, beige, Ø/H 15/40 cm | 42.53 |
| 156152 | 4024163171878 | 299 | FENDA, lamp shade, round, black/copper, Ø/H 15/40 cm | 49.76 |
| 156500 | 4024163169417 | 299 | HELIA, wall and ceiling light, single-headed, LED, 3000K, 35° black | 132.68 |
| 156501 | 4024163169424 | 299 | HELIA, wall and ceiling light, single-headed, LED, 3000K, 35° white | 132.68 |
| 156510 | 4024163169431 | 299 | HELIA, wall and ceiling light, double-headed, LED, 3000K, 35° black | 188.32 |
| 156511 | 4024163169448 | 299 | HELIA, wall and ceiling light, double-headed, LED, 3000K, 35° white | 188.32 |
| 156530 | 4024163169479 | 400 | HELIA EL, LED indoor recessed ceiling light, black, 3000K, 35° | 121.98 |
| 156531 | 4024163169486 | 400 | HELIA EL, LED indoor recessed ceiling light, white, 3000K, 35° | 121.98 |
| 158400 | 4024163177290 | 158 | HELIA 30, pendant, LED, 3000K, round, black, flat canopy for recessed installation, 7.5W | 188.32 |
| 158401 | 4024163172806 | 158 | HELIA 60, pendant, LED, 3000K, round, white, flat canopy for recessed installation, 7.5W | 188.32 |
| 158410 | 4024163172820 | 159 | HELIA 40, pendant, LED, 3000K, round, black, flat canopy for recessed installation, 7.5W | 209.72 |
| 158411 | 4024163172817 | 159 | HELIA 45, pendant, LED, 3000K, round, white, flat canopy, 9W | 209.72 |
| 161271 | 4024163149563 | 398 | CONTONE, recessed fitting, LED, 2000-3000K, round, white, tiltable, 13W, including leaf springs | 95.23 |
| 161291 | 4024163149587 | 398 | CONTONE, recessed fitting, LED, 2000-3000K, round, white, rigid, 13W, including leaf springs | 95.23 |
| 161461 | 4024163137928 | 285 | FERA 25, ceiling light, LED, 3000K, round, white, 1800lm, max. 21W, including LED driver | 196.88 |
| 1605085 | 4024163252119 | 322 | SIMA SENSOR, indoor LED wall and ceiling-mounted light 3000K round dimmable | 141.24 |
| 1605086 | 4024163252126 | 322 | SIMA SENSOR, indoor LED wall and ceiling-mounted light 3000K round | 163.71 |
| 1605087 | 4024163252133 | 323 | SIMA SENSOR, indoor LED wall and ceiling-mounted light 3000K square dimmable | 141.24 |
| 1605088 | 4024163252140 | 323 | SIMA SENSOR, indoor LED wall and ceiling-mounted light 3000K square | 163.71 |
| 160358 | 4024163051033 | 179 | PARA 380, pendant, A60, natural aluminium, max. 160W | 156.22 |
| 160359 | 4024163126266 | 179 | PARA 380, pendant, A60, black, max. 160W | 153.01 |
| 160360 | 4024163126273 | 174 | ROTBALL 25, pendant, TC-(D,H,T,Q)SE, silver-grey/white, Ø 25 cm, max. 24W | 155.15 |
| 160400 | 4024163096218 | 174 | ROTBALL 50, pendant, TC-SE, silver-grey/white, Ø 50 cm, max. 24W | 209.72 |
| 160410 | 4024163143110 | 174 | ROTBALL 40, pendant, TC-(D,H,T,Q)SE, silver-grey/white, Ø 40 cm, max. 24W | 176.55 |
| 175060 | 4024163161305 | 433 | FEED-IN, for S-TRACK 240V 3-phase surface-mounted track, black | 1.87 |
| 175061 | 4024163161307 | 433 | INSULATING CONNECTOR, for S-TRACK 240V 3-phase surface-mounted track, insulated, black | 7.33 |
| 175100 | 4024163161626 | 433 | PENDANT SUSPENSION, for S-TRACK 240V 3-phase surface-mounted track, black, with rod | 31.49 |
| 175180 | 4024163161688 | 433 | JOINT CONNECTOR, for S-TRACK 240V 3-phase surface-mounted track, black | 11.24 |
| 175190 | 4024163161718 | 433 | HOOK, for S-TRACK 240V 3-phase surface-mounted track, black | 2.51 |
| 175210 | 4024163161720 | 433 | MECHANICAL ADAPTER, for S-TRACK 240V 3-phase surface-mounted track, black | 14.71 |
| 181530 | 4024163174237 | 501 | CABLE TENSIONER, for TENSEO low-voltage cable system, black, 2.5kN | 27.29 |
| 181531 | 4024163174244 | 501 | CABLE TENSIONER, for TENSEO low-voltage cable system, white, 2 pieces | 27.29 |
| 181532 | 4024163005925 | 501 | CABLE TENSIONER, for low-voltage cable system, chrome, 2 pieces | 29.43 |
| 184000 | 4024163087803 | 491 | BENDING MACHINE, for 240V track EASYTEC II | 299.60 |
| 184002 | 4024163087810 | 491 | FEED-IN, for 240V track EASYTEC II, silver-grey, cable length: 40cm | 62.06 |
| 184004 | 4024163165143 | 491 | FEED-IN, for 240V track EASYTEC II, black, cable length: 40cm | 62.06 |
| 184010 | 4024163165150 | 491 | SHORTBOX, for 240V track EASYTEC II, black | 100.58 |
| 184012 | 4024163144520 | 491 | SHORTBOX, for 240V track EASYTEC II, silver-grey | 100.58 |

| | | | | |
|--------|----------------|---------------------------------|---|--------|
| 184020 | 4024163165112 | 491 | TRACK, for EASYTEC II, black, 2 m, incl. 2 end caps | 78.11 |
| 184022 | 4024163087933 | 491 | TRACK, for EASYTEC II, silver-grey, 2 m, incl. 2 end caps | 78.11 |
| 184030 | 4024163165174 | 491 | LONG CONNECTOR, for 240V track EASYTEC II, black | 30.76 |
| 184032 | 4024163087827 | 491 | LONG CONNECTOR, for 240V track EASYTEC II, silver-grey | 30.76 |
| 184060 | 4024163165259 | 491 | CEILING SUSPENSION, for 240V track EASYTEC II, black, flexible, 18-26cm | 30.76 |
| 184062 | 4024163087858 | 491 | CEILING SUSPENSION, for 240V track EASYTEC II, silver-grey, flexible, 18-26cm | 30.76 |
| 184071 | 4024163087940 | 492 | KANO, spot for 240V track EASYTEC II, QPAR51, silver-grey, max. 50W | 80.25 |
| 184140 | 4024163165273 | 491 | END CAPS, for 240V track EASYTEC II, 2 pieces, black | 6.15 |
| 184142 | 4024163088152 | 491 | END CAPS, for 240V track EASYTEC II, 2 pieces, silver-grey | 6.15 |
| 184170 | 4024163165198 | 491 | INSULATING CONNECTOR, for 240V track EASYTEC II, black | 30.76 |
| 184172 | 4024163087865 | 491 | INSULATING CONNECTOR, for 240V track EASYTEC II, silver-grey | 30.76 |
| 184290 | 4024163165297 | 491 | PENDANT ADAPTER, for 240V track EASYTEC II, black | 39.06 |
| 184292 | 4024163088183 | 491 | PENDANT ADAPTER, for 240V track EASYTEC II, silver-grey | 39.06 |
| 184300 | 4024163165211 | 491 | FLEXIBLE CONNECTOR, for 240V track EASYTEC II, black | 73.83 |
| 184302 | 4024163088206 | 491 | FLEXIBLE CONNECTOR, for 240V track EASYTEC II, silver-grey | 73.83 |
| 184330 | 4024163165310 | 492 | FLEXIBLE CEILING BRACKET, for 240V track EASYTEC II, for sloping ceilings, black | 36.02 |
| 184332 | 4024163087919 | 491 | FLEXIBLE CEILING BRACKET, for 240V track EASYTEC II, for sloping ceilings, silver-grey | 36.02 |
| 184440 | 4024163165365 | 492 | BIMA 2, spot for 240V track EASYTEC II, QPAR51, double-headed, black, 2x50W max. | 123.05 |
| 184450 | 4024163165334 | 492 | BIMA 1, spot for 240V track EASYTEC II, QPAR51, single-headed, black, 50W max. | 83.46 |
| 184452 | 4024163087203 | 492 | BIMA 1, spot for 240V track EASYTEC II, QPAR51, single-headed, silver-grey, max. 50W | 83.46 |
| 184530 | 4024163165671 | 494 | TONGA 4, pendant for 240V track EASYTEC II, C35, black, white ceramic, max. 60W | 123.05 |
| 184534 | 4024163099042 | 494 | TONGA 4, pendant for 240V track EASYTEC II, C35, silver-grey, white ceramic, max. 60W | 123.05 |
| 184590 | 4024163165660 | 495 | LIGHT EYE, pendant for 240V track EASYTEC II, QPAR111, black, max. 75W | 123.05 |
| 184630 | 4024163165419 | 494 | ANILA, spot for 240V track EASYTEC II, QPAR51, black, max. 50W | 74.90 |
| 184634 | 4024163165244 | 494 | ANILA, spot for 240V track EASYTEC II, QPAR51, silver-grey, max. 50W | 74.90 |
| 184801 | 4024163165383 | 496 | LIGHT EYE, spot for 240V track EASYTEC II, QPAR111, chrome/black, max. 75W | 133.75 |
| 185590 | 4024163165369 | 495 | LIGHT EYE, pendant for 240V track EASYTEC II, QPAR111, chrome/black, max. 75W | 133.75 |
| 186300 | 4024163174138 | 501 | WALL BRACKET, for TENSEO low-voltage cable system, short, black, 2 pieces | 27.29 |
| 186301 | 4024163174145 | 501 | WALL BRACKET, for TENSEO low-voltage cable system, short, white, 2 pieces | 27.29 |
| 186302 | 4024163054645 | 501 | WALL BRACKET, for low-voltage cable system, chrome, 2 pieces, 3cm | 29.43 |
| 186310 | 4024163174152 | 501 | WALL BRACKET, for TENSEO low-voltage cable system, long, black, 2 pieces | 39.06 |
| 186311 | 4024163174169 | 501 | WALL BRACKET, for TENSEO low-voltage cable system, long, white, 2 pieces | 39.06 |
| 186312 | 4024163054652 | 501 | WALL BRACKET, for low-voltage cable system, chrome, 2 pieces, 10cm | 41.20 |
| 186330 | 4024163174176 | 501 | DEFLECTOR, for TENSEO low-voltage cable system, short, black, 2 pieces | 23.54 |
| 186331 | 4024163174183 | 501 | DEFLECTOR, for TENSEO low-voltage cable system, short, white, 2 pieces | 23.54 |
| 186340 | 4024163054676 | 501 | DEFLECTOR, for low-voltage cable system, chrome, 2 pieces, 6cm | 26.02 |
| 186340 | 4024163174190 | 501 | DEFLECTOR, for TENSEO low-voltage cable system, long, black, 2 pieces | 27.29 |
| 186341 | 4024163174206 | 501 | DEFLECTOR, for TENSEO low-voltage cable system, long, white, 2 pieces | 27.29 |
| 186342 | 4024163054683 | 501 | DEFLECTOR, for low-voltage cable system, chrome, 2 pieces, 16cm | 29.43 |
| 186350 | 4024163174091 | 501 | FEED-IN, for TENSEO low-voltage cable system, black, 2 pieces | 11.77 |
| 186351 | 4024163174107 | 501 | FEED-IN, for TENSEO low-voltage cable system, white, 2 pieces | 11.77 |
| 186352 | 4024163054690 | 501 | FEED-IN, for low-voltage cable system, chrome, 2 pieces, max. 25A | 13.11 |
| 186360 | 4024163174114 | 501 | INSULATING CONNECTOR, for TENSEO low-voltage cable system, black, 2 pieces | 21.94 |
| 186361 | 4024163174121 | 501 | INSULATING CONNECTOR, for TENSEO low-voltage cable system, white, 2 pieces | 21.94 |
| 186362 | 4024163054799 | 501 | INSULATING CONNECTOR, for low-voltage cable system, chrome, 2 pieces, 5cm | 28.24 |
| 186460 | 4024163174213 | 493 | CEILING DEFLECTOR, for TENSEO low-voltage cable system, black, 2 pieces | 88.81 |
| 186461 | 4024163174220 | 501 | CEILING DEFLECTOR, for TENSEO low-voltage cable system, white, 2 pieces | 88.81 |
| 186642 | 4024163094122 | 501 | CEILING DEFLECTOR, for low-voltage cable system, chrome, 2 pieces, 16.2cm, with pulley | 95.23 |
| 210060 | 4024163160186 | 803 | CEILING PLATE, for GLENOS, matt black, with strain relief | 29.56 |
| 210061 | 4024163160193 | 803 | CEILING PLATE, for GLENOS, matt white, with strain relief | 29.56 |
| 210064 | 4024163160209 | 803 | CEILING PLATE, for GLENOS, silver, with strain relief | 29.56 |
| 220000 | 4024163096119 | 804 | DOUBLE-SIDED ADHESIVE TAPE, 9mm, transparent, 3 m | 43.91 |
| 227140 | 4024163149648 | 724, 792 | TRANSFORMER, 10VA, 12V, IP44 | 12.53 |
| 227160 | 4024163001533 | 595, 792 | TRANSFORMER, 60VA, 12V, IP44 | 47.62 |
| 227176 | 4024163114080 | 661 | KERAS E1, outdoor wall and ceiling light, TC-TSE, IP54, anthracite, energy-saving lamp, max. 24W | 150.87 |
| 227194 | 4024163113288 | 661 | WALLYN, outdoor wall light, QPAR51, IP44, silver-grey, max. 50W | 111.28 |
| 227195 | 4024163113304 | 647 | WALLYV, outdoor wall light, QPAR51, IP44, anthracite, max. 50W | 111.28 |
| 227219 | 4024163157414 | 546 | ROTBALL FLOOR 25, outdoor floor stand, TC-(D,H,T,Q)SE, IP44, ball, white, Ø 25 cm, max. 24W | 155.15 |
| 227220 | 4024163140669 | 546 | ROTBALL FLOOR 40, outdoor floor stand, TC-(D,H,T,Q)SE, IP44, ball, white, Ø 40 cm, max. 24W | 176.55 |
| 227221 | 4024163140686 | 546 | ROTBALL FLOOR 50, outdoor floor stand, TC-(D,H,T,Q)SE, IP44, ball, white, Ø 50 cm, max. 24W | 231.12 |
| 227420 | 4024163174143 | 593 | NAUTILUS SPIKE, outdoor spike luminaire, QPAR51, IP65, black, 11W, incl. 1.5m cable with plug | 33.17 |
| 227418 | 4024163096836 | 593 | NAUTILUS SPIKE, outdoor spike luminaire, QPAR51, IP65, silver-grey, max. 35W, incl. 1.5m cable with plug | 33.17 |
| 227462 | 4024163119290 | 724 | TRAIL-LITE 60, outdoor inground fitting, LED, 3000K, IP65, stainless steel 316, frosted glass insert | 64.20 |
| 227504 | 4024163163750 | 601 | SYNA, outdoor spike luminaire, LED, 3000K, IP55, silver-grey, 230V, 8.6W | 78.11 |
| 227505 | 4024163163767 | 601 | SYNA, outdoor spike luminaire, LED, 3000K, IP55, anthracite, 230V, 8.6W | 78.11 |
| 227507 | 4024163163774 | 601 | SYNA, outdoor spike luminaire, LED, 3000K, IP55, rust, 230V, 8.6W | 78.11 |
| 227600 | 4024163142106 | 730 | ROCCI 125, outdoor inground fitting, LED, 3000K, IP67, round, stainless steel 316, max. 6W | 155.15 |
| 227604 | 4024163142137 | 730 | ROCCI 125, outdoor inground fitting, LED, 3000K, IP67, square, stainless steel 316, max. 6W | 155.15 |
| 227680 | 4024163179303 | 731 | SOLASTO 120, outdoor inground fitting, LED GU10 51mm, IP67, round, stainless steel, max. 6W | 71.69 |
| 227684 | 4024163179710 | 731 | SOLASTO 120, outdoor inground fitting, LED GU10 51mm, IP67, square, stainless steel, max. 6W | 71.69 |
| 228027 | 4024163065211 | 559, 590 | EARTH SPIKE or TRUST, NAILS, BIG NAILS, BIG NAILS PLUS and ENERGY SPOKE, length 50cm | 48.69 |
| 228100 | 4024163167543 | 559 | TRUST 30, outdoor floor stand, LED, 3000K, IP65, stainless steel 316, Ø/H 6/30 cm, 8.6W | 240.75 |
| 228110 | 4024163167550 | 559 | TRUST 60, outdoor floor stand, LED, 3000K, IP65, stainless steel 316, Ø/H 6/60 cm, 8.6W | 309.23 |
| 228130 | 4024163172363 | 724 | GRID 316, for TRUST outdoor floor stand, stainless steel 316 | 89.88 |
| 228332 | 4024163112093 | 734 | POWER TRAIL-LITE 42, outdoor inground fitting, LED, 3000K, IP67, round, stainless steel 316 | 73.83 |
| 228342 | 4024163112660 | 724 | POWER TRAIL-LITE 47, outdoor inground fitting, LED, 3000K, IP67, square, stainless steel 316 | 73.83 |
| 228370 | 4024163117706 | 722 | DASAR 218 BULLSEYE, outdoor inground fitting, LED OR111, IP67, round, stainless steel 316, max. 50W | 309.23 |
| 228412 | 40241631138048 | 716 | DASAR FLAT 80, outdoor inground fitting, LED, 3000K, IP67, round, brushed stainless steel, 4.3W | 121.38 |
| 228430 | 4024163124751 | 721 | DASAR EXACT 116, outdoor inground fitting, QPAR51, IP67, round, stainless steel 316, max. 35W | 132.68 |
| 228434 | 4024163113748 | 721 | DASAR EXACT 136, outdoor inground fitting, QPAR51, IP67, square, stainless steel 316, max. 35W | 132.68 |
| 228546 | 4024163117193 | 580 | ENOLA C POLE, outdoor floor stand, LED, 3000K, IP55, anthracite, 35 | 241.82 |
| 228555 | 4024163172905 | 599 | HELIA, outdoor pathway and floor stand, LED, 3000K, round, anthracite, 15W, can be converted to a spike luminaire | 241.82 |
| 228712 | 4024163071925 | 542, 557, 582, 583 | CONCRETE ANCHOR, for garden lights | 58.85 |
| 228722 | 4024163071932 | 542, 557, 582 | EARTH SPIKE, for garden luminaires, galvanised steel | 53.50 |
| 228725 | 4024163168627 | 805 | CONNECTION BOX, 5-pin, IP68 | 16.59 |
| 228726 | 4024163168627 | 561, 571, 805 | CONNECTION BOX, 3-pin, IP68 | 16.59 |
| 228730 | 4024163086417 | 539,540,542,545,549,550,557,558 | CONNECTION BOX, 3-pin, IP68 | 16.59 |
| 228752 | 4024163071963 | 582, 583 | SCREW SET, stainless steel, M6, incl. cap nuts, plugs and washers | 6.15 |
| 228753 | 4024163116398 | 550, 570, 571 | SCREW SET, stainless steel, M8, incl. cap nuts, plugs and washers | 8.29 |
| 228754 | 4024163113784 | 517, 521 | SCREW SET, stainless steel, M6, incl. cap nuts, plugs and washers | 3.69 |
| 228756 | 4024163113042 | 641 | ASTINA, outdoor wall light, TC-R50-SE, IP44, round, up/down, white, max. 44W | 78.11 |
| 228775 | 4024163111898 | 641 | ASTINA, outdoor wall light, TC-R50-SE, IP44, round, up/down, anthracite, max. 44W | 78.11 |
| 228776 | 4024163111997 | 641 | ASTINA, outdoor wall light, TC-R50-SE, IP44, round, up/down, brushed aluminium, max. 44W | 83.46 |
| 228925 | 4024163178884 | 557 | ALPA CONE 100, outdoor bollard light, TC-(D,H,T,Q)SE, IP55, anthracite, Ø/H 7/140 cm, max. 24W | 181.90 |
| 228935 | 4024163113944 | 557 | ALPA MUSHROOM 45, outdoor floor stand, TC-(D,H,T,Q)SE, IP55, square, stainless steel 316, max. 24W | 123.05 |
| 228945 | 4024163098212 | 557 | ALPA MUSHROOM 75, outdoor floor stand, TC-(D,H,T,Q)SE, IP55, stone grey, Ø/H 15/75 cm, max. 24W | 123.05 |
| 228965 | 4024163120449 | 555 | ADEGAN, outdoor floor stand, TC-(D,H,T,Q)SE, IP54, anthracite, max. 24W | 319.93 |
| 229000 | 4024163090155 | 533 | RUSTY 40, outdoor floor stand, TC-DSE, IP55, round, rusted steel, Ø/H 19/40 cm, max. 11W | 306.02 |
| 229001 | 4024163090162 | 533 | RUSTY 70, outdoor floor stand, TC-DSE, IP55, round, rusted steel, Ø/H 19/70 cm, max. 11W | 374.50 |
| 229022 | 4024163090179 | 532, 533 | EARTH SPIKE, for RUSTY, galvanised steel, length 50cm | 48.69 |
| 229050 | 4024163114392 | 562 | VAP 200, outdoor floor stand, TC-HSE, IP44, round, stainless steel 304, Ø/H 16/200 cm, max. 23W | 551.05 |
| 229054 | 4024163134293 | 562 | VAP 40, outdoor floor stand, TC-HSE, IP44, round, stainless steel 304, Ø/H 16/40 cm, max. 23W | 330.63 |
| 229057 | 4024163134385 | 562 | VAP 70, outdoor floor stand, TC-HSE, IP44, round, stainless steel 304, Ø/H 16/70 cm, max. 23W | 440.84 |
| 229059 | 4024163114774 | 562 | CONCRETE ANCHOR, for VAP, stainless steel 304 | 36.11 |
| 229062 | 4024163090445 | 703 | BRICK DOWNWINDER, outdoor recessed wall light, C35, IP44, silver-grey, max. 40W | 39.06 |
| 229071 | 4024163102690 | 691 | BULAN, outdoor wall and ceiling light, C35, IP44, round, white, frosted glass, max. 60W | 60.99 |
| 229072 | 4024163090933 | 691 | BULAN, outdoor wall and ceiling light, C35, IP44, round, silver-grey, frosted glass, max. 60W | 60.99 |
| 229075 | 4024163140188 | 691 | BULAN, outdoor wall and ceiling light, C35, IP44, round, anthracite, frosted glass, max. 60W | 60.99 |
| 229081 | 4024163110945 | 691 | BULAN GRID, outdoor wall and ceiling light, TC-TSE, IP55, round, white, max. 50W | 64.20 |
| 229085 | 4024163110938 | 691 | BULAN GRID, outdoor wall and ceiling light, A60 IP55, round, anthracite, max. 50W, PC cover | 64.20 |
| 229090 | 4024163090421 | 595 | NAUTILUS, outdoor spot, QPAR51, IP67, stainless steel 304, max. 35W | 39.51 |
| 229110 | 4024163141932 | 702 | BRICK MESH, outdoor recessed wall light, LED, 3000K, IP54, stainless steel, 4W | 233.26 |
| 229162 | 4024163019373 | 560 | BIG NAILS 50, outdoor floor stand, TC-(D,H,T,Q)SE, IP44, stainless steel 304, Ø/H 6.5/51 cm, max. 15W | 150.87 |
| 229172 | 4024163090880 | 560 | BIG NAILS 80, outdoor floor stand, TC-(D,H,T,Q)SE, IP44, stainless steel 304, Ø/H 6.5/81 cm, max. 15W | 173.34 |
| 229182 | 4024163115919 | 660 | BIG NAILS, outdoor wall light, TC-(D,H,T,Q)SE, IP44, stainless steel 304, max. 15W | 161.57 |
| 229200 | 4024163094896 | 712 | DASAR 215, outdoor inground fitting, TC-(D,H,T,Q)SE, IP67, round, stainless steel 316, max. 80W | 245.03 |
| 229230 | 4024163094795 | 722 | DASAR 215, outdoor inground fitting, QPAR111, IP67, round, stainless steel 316, max. 75W | 255.73 |
| 229234 | 4024163094801 | 722 | DASAR 215, outdoor inground fitting, QPAR111, IP67, square, stainless steel 316, max. 75W | 255.73 |
| 229230 | 4024163113366 | 721 | DASAR 80, outdoor inground fitting, QPAR51, IP67, round, stainless steel 316, max. 35W | 121.98 |
| 229234 | 4024163113373 | 721 | DASAR 80, outdoor inground fitting, QPAR51, IP67, square, stainless steel 316, max. 35W | 121.98 |
| 229274 | 4024163113380 | 721 | DASAR 70, outdoor inground fitting, QPAR51, IP67, square, stainless steel 304, max. 35W | 121.98 |
| 229381 | 4024163159197 | 718 | DASAR 225, outdoor inground fitting, LED, 4000K, IP67, stainless steel 316, asymmetrical, 34W | 384.13 |
| 229383 | 4024163141642 | 718 | DASAR 225, outdoor inground fitting, LED, 3000K, IP67, stainless steel 316, asymmetrical, 34W | 384.13 |
| 229410 | 4024163107653 | 524 | RUSTY SLOT 50, outdoor floor stand, TC-DSE, IP44, rusted steel, L/W/H 12/12/50 cm, max. 11W | 306.02 |
| 229411 | 4024163107656 | 525 | RUSTY SLOT 70, outdoor floor stand, TC-DSE, IP44, rusted steel, L/W/H 12/12/80 cm, max. 11W | 374.50 |
| 229420 | 4024163104610 | 529 | RUSTY SQUARE 40, outdoor floor stand, TC-DSE, IP55, square, rusted steel, L/W/H 12/12/40 cm, max. 11W | 306.02 |
| 229421 | 4024163104147 | 529 | RUSTY SQUARE 70, outdoor floor stand, TC-DSE, IP55, square, rusted steel, L/W/H 12/12/71 cm, max. 11W | 374.50 |
| 229422 | 4024163101448 | 527, 528, 529, 534, 535, 530 | Earth spike, galvanised steel, 50 cm | 42.80 |
| 229423 | 4024163117609 | 530 | EARTH SPIKE, for RUSTY CONE 40 and RUSTY CONE 70, galvanised steel, 50 cm | 46.69 |
| 229430 | 4024163110846 | 530 | RUSTY CONE, outdoor floor stand, C35, round, rusted steel, Ø/H 15/34 cm, max. 40W, IP54 | 281.08 |
| 229431 | 4024163116251 | 530 | RUSTY CONE 40, outdoor floor stand, TC-DSE, IP54, round, rusted steel, Ø/H 15/34 cm, max. 11W | 454.75 |
| 229432 | 4024163116268 | 530 | RUSTY CONE 70, outdoor floor stand, TC-DSE, IP54, round, rusted steel, Ø/H 15/70 cm, max. 11W | 544.63 |
| 229524 | 4024163151924 | 620 | THEO WALL, outdoor wall light, QPAR51, square, silver-grey, max. 35W | 84.53 |
| 229525 | 4024163151931 | 620 | THEO WALL, outdoor wall light, QPAR51, square, anthracite, max. 35W | 84.53 |
| 229531 | 4024163128797 | 618 | THEO, outdoor wall light, QPAR51, IP44, square, up/down, white, max. 70W | 101.65 |
| 229532 | 4024163077208 | 618 | THEO, outdoor wall light, QPAR51, IP44, square, up/down, silver-grey, max. 70W | 101.65 |
| 229535 | 4024163141789 | 618 | THEO, outdoor wall light, QPAR51, IP44, square, up/down, anthracite, max. 70W | 101.65 |

| | | | | | |
|---------|---------------|--------------------|---|--------------------------|--------|
| 229551 | 402416312697 | 674 | BIG THEO, outdoor ceiling light, QPAR111, IP44, square, white, max. 75W | | 321.98 |
| 229554 | 402416312567 | 674 | BIG THEO, outdoor ceiling light, QPAR111, IP44, square, silver-grey, max. 75W | | 321.98 |
| 229555 | 402416311900 | 674 | BIG THEO, outdoor ceiling light, QPAR111, IP44, square, anthracite, max. 75W | | 321.98 |
| 229564 | 4024163100458 | 621 | BIG THEO WALL, outdoor wall light, QPAR111, IP44, square, silver-grey, max. 75W | | 310.21 |
| 229565 | 4024163151894 | 621 | BIG THEO WALL, outdoor wall light, QPAR111, IP44, square, anthracite, max. 75W | | 310.21 |
| 229574 | 4024163100472 | 619 | BIG THEO, outdoor wall light, QPAR111, IP44, square, up/down, silver-grey, max. 150W | | 378.69 |
| 229575 | 4024163151887 | 619 | BIG THEO, outdoor wall light, QPAR111, IP44, square, up/down, anthracite, max. 150W | | 378.69 |
| 229664 | 4024163149600 | 655 | OUT BEAM, outdoor wall light, LED, 3000K, beam up/floor down, silver-grey, IP44 | | 270.71 |
| 229665 | 4024163149617 | 655 | OUT BEAM, outdoor wall light, LED, 3000K, beam up/floor down, anthracite | | 270.71 |
| 229702 | 4024163102957 | 703 | BRICK DOWN/RODR, outdoor recessed wall light, LED, 3000K, IP54, rectangular, silver-grey | | 62.06 |
| 229740 | 4024163171935 | 594 | NAUTILUS SPIKE, outdoor spike luminaire, QPAR51, IP55, stainless steel, max. 35W, incl. 1.5m cable and plug | | 178.69 |
| 229741 | 4024163174435 | 595 | NAUTILUS, outdoor floodlight, QPAR51, stainless steel, max. 35W, incl. 1.5m cable | | 110.21 |
| 229931 | 4024163147965 | 692 | TERANG 2, outdoor wall and ceiling light, LED, 3000K, IP44, oval, white, max. 11W | | 73.83 |
| 229935 | 4024163147989 | 692 | TERANG 2, outdoor wall and ceiling light, LED, 3000K, IP44, oval, anthracite, 11W | | 73.83 |
| 229961 | 4024163167185 | 688 | AINOS, ceiling light, LED, 3000K, round, white | | 143.88 |
| 229965 | 4024163167192 | 688 | AINOS, ceiling light, LED, 3000K, round, anthracite | | 143.88 |
| 229971 | 4024163167208 | 688 | AINOS, ceiling light, LED, 3000K, round, white, with sensor | | 188.32 |
| 229975 | 4024163167215 | 688 | AINOS, ceiling light, LED, 3000K, round, anthracite, with sensor | | 188.32 |
| 230030 | 4024163128353 | 639 | PEMA, outdoor wall light, TC-(D,H,T,Q)SE, IP44, rectangular, black, max. 15W | | 99.51 |
| 230034 | 402416317851 | 639 | PEMA, outdoor wall light, TC-(D,H,T,Q)SE, IP44, rectangular, silver-grey, max. 15W | | 99.51 |
| 230060 | 4024163125468 | 516, 552, 565, 583 | EARTH SPIKE, for VAP SLIM 30/60/90, VAP BERRA and STRA, galvanised steel | | 48.95 |
| 230061 | 4024163125475 | 565 | CONCRETE ANCHOR SET, for VAP SLIM 30/60/90, VAP and BERRA | | 24.34 |
| 230063 | 402416314591 | 565 | VAP SLIM 30, outdoor floor stand, TC-TSE, IP44, brushed stainless steel, Ø/H 10/30 cm, max. 20W | | 155.15 |
| 230066 | 4024163124607 | 565 | VAP SLIM 60, outdoor floor stand, TC-TSE, IP44, brushed stainless steel, Ø/H 10/60 cm, max. 20W | | 209.72 |
| 230069 | 4024163124614 | 565 | VAP SLIM 90, outdoor floor stand, TC-TSE, IP44, brushed stainless steel, Ø/H 10/90 cm, max. 20W | | 278.55 |
| 230084 | 4024163136143 | 630 | MERIDIAN BOX, outdoor wall light, TC-(D,H,T,Q)SE, IP54, silver-grey, max. 20W, with sensor | | 160.60 |
| 230085 | 4024163136150 | 630 | MERIDIAN BOX, outdoor wall light, TC-(D,H,T,Q)SE, anthracite, max. 20W, with sensor | | 160.60 |
| 230090 | 4024163124683 | 527 | RUSTY PATHLIGHT, outdoor floor stand, energy-saving lamp, GX53, IP44, rusted steel, max. 9W | | 295.32 |
| 230095 | 4024163109604 | 661 | STRITRA, outdoor wall light, single-headed, TCR-TSE, IP44, anthracite, max. 9W | | 66.34 |
| 230096 | 4024163109635 | 661 | STRITRA, outdoor wall light, double-headed, TCR-TSE, IP44, up/down, anthracite, max. 18W | | 95.23 |
| 230098 | 4024163109555 | 661 | STRITRA, outdoor floor stand, A60, IP54, anthracite, max. 35W | | 66.34 |
| 230465 | 4024163105217 | 550 | OTOS GLAS, outdoor floor stand, TC-TSE, IP43, anthracite, max. 15W | | 133.75 |
| 230655 | 4024163156127 | 630 | MERIDIAN BOX 2, outdoor wall light, TC-(D,H,T,Q)SE, anthracite, max. 25W, clear plastic | | 107.00 |
| 230657 | 4024163156134 | 630 | MERIDIAN BOX 2, outdoor wall light, TC-(D,H,T,Q)SE, rust, max. 25W, transparent plastic | | 107.00 |
| 231010 | 4024163156581 | 638 | PEMA, wall light, LED, 3000K, white, 3.3W | | 110.21 |
| 231012 | 4024163004589 | 638 | PEMA, wall light, LED, 3000K, IP44, silver-grey, 4W | | 110.21 |
| 231015 | 4024163156668 | 638 | PEMA, wall light, LED, 3000K, anthracite, 3.3W | | 110.21 |
| 231035 | 4024163140775 | 597 | NAUTILUS, outdoor spike luminaire, LED, 3000K, IP65, square, anthracite, 9W | | 155.15 |
| 231072 | 4024163148977 | 591 | FLAC BEAM, outdoor façade light, LED, 3000K, IP65, stone-grey, with Philips DLM module 1800mm, 27W | | 459.03 |
| 231205 | 4024163096155 | 627 | GRAFIT WL, outdoor wall light, TC-0SE, IP44, anthracite, energy-saving lamp, max. 11W | | 78.11 |
| 231215 | 4024163200761 | 521 | GRAFIT 30, outdoor floor stand, TC-0SE, IP44, anthracite, energy-saving lamp, L/W/H 12/12/30 cm, max. 11W | | 78.11 |
| 231225 | 4024163096122 | 521 | GRAFIT 60, outdoor floor stand, TC-0SE, IP44, anthracite, energy-saving lamp, L/W/H 12/12/60 cm, max. 11W | | 99.51 |
| 231230 | 4024163100199 | 517, 521, 524, 525 | EARTH SPIKE, for GRAFIT, RUSTY SLOT, LOGS floor stand, galvanised steel, length 48cm | | 42.80 |
| 231231 | 4024163130431 | 577 | EARTH SPIKE, for IPERI, galvanised steel, length 50cm incl. bolts | | 47.88 |
| 231233 | 4024163132655 | 577 | EARTH SPIKE, for ARROCK ANIC, galvanised steel, length 50cm | | 47.82 |
| 231234 | 4024163134011 | 545, 561, 568 | EARTH SPIKE, for ROX ACRYL POLY, SQUARE POLY and GLOO PURE floor stand, galvanised steel | | 47.88 |
| 231235 | 4024163139038 | 536, 537 | EARTH SPIKE, for ARROCK STONE, galvanised steel | | 47.82 |
| 231305 | 4024163148661 | 577 | IPERI 50, outdoor floor stand, LED, 4000K, IP44, anthracite, 48 LED, L/W/H 17.4/12.7/50.2 cm | | 139.10 |
| 231315 | 4024163128885 | 662 | IPER WALL, outdoor wall light, LED, 4000K, IP44, anthracite, 48 LED, max. 117.70 | | 149.80 |
| 231351 | 4024163143561 | 642 | ANGOLU WALL, outdoor wall light, LED, 3000K, IP44, white, 36 SMD LED, max. 7.51W | | 149.80 |
| 231355 | 4024163143578 | 642 | ANGOLU WALL, outdoor wall light, LED, 3000K, IP44, anthracite, 36 SMD LED, max. 7.51W | | 149.80 |
| 231370 | 4024163156363 | 536 | ARROCK STONE, outdoor floor stand, LED, 3000K, square, stone-grey, L/W/H 12/12/50 cm, max. 6W | | 394.83 |
| 231371 | 4024163156370 | 536 | ARROCK STONE, outdoor floor stand, LED, 3000K, square, stone-grey, L/W/H 12/12/75 cm, max. 6W | | 448.33 |
| 231410 | 4024163110136 | 534 | ARROCK GRANITE, outdoor floor stand, TC-(D,H,T,Q)SE, IP44, square, salt & pepper, granite, L/W/H 12/12/40 cm, max. 15W | | 341.33 |
| 231411 | 4024163110187 | 534 | ARROCK GRANITE, outdoor floor stand, TC-(D,H,T,Q)SE, square, granite, salt & pepper, granite, L/W/H 12/12/70 cm, max. 15W | | 416.23 |
| 231420 | 4024163109229 | 534 | ARROCK ANIC, outdoor floor stand, IP44, salt & pepper, granite, max. 20W | | 341.33 |
| 231440 | 4024163136372 | 537 | ARROCK SLOT, outdoor floor stand, LED GU10 51mm, IP44, square, salt & pepper, granite, 4W LED | | 394.83 |
| 231455 | 4024163113108 | 571 | SLOTS 65, outdoor floor stand, LED, 3000K, round, anthracite, Ø/H 9/66.5 cm, max. 6.3W | | 176.55 |
| 231457 | 4024163150842 | 571 | SLOTS 65, outdoor floor stand, LED, 3000K, round, rust, Ø/H 9/66.5 cm, max. 6.3W | | 176.55 |
| 231465 | 4024163153998 | 659 | C-POL WALL, outdoor wall light, TC-(D,H,T,Q)SE, IP54, anthracite, max. 20W | | 145.52 |
| 231467 | 4024163179401 | 545 | C-POL, outdoor floor stand, TC-(D,H,T,Q)SE, IP54, anthracite, max. 20W | | 145.52 |
| 231505 | 4024163179336 | 583 | SITRA SL 360, outdoor floor stand, double-headed, TCR-TSE, IP44, anthracite, max. 18W | | 155.15 |
| 231515 | 402416317905 | 684 | SITRA 360 WL, outdoor wall light, TCR-TSE, IP44, anthracite, max. 9W | | 73.83 |
| 231525 | 4024163134477 | 602 | SITRA EARTH 360, outdoor spike luminaire, single-headed, TCR-TSE, IP44, anthracite, max. 9W | | 60.99 |
| 231535 | 4024163144600 | 603 | SITRA 360 SL SPRIKE, outdoor spike luminaire, double-headed, TCR-TSE, IP44, anthracite, max. 18W | | 181.90 |
| 231540 | 4024163134439 | 679 | SITRA, outdoor ceiling light, TCR-TSE, IP44, round, white, max. 9W | | 85.60 |
| 231545 | 4024163134453 | 679 | SITRA, outdoor ceiling light, TCR-TSE, IP44, round, anthracite, max. 9W | | 85.60 |
| 231585 | 4024163140270 | 659 | F-POL WALL, outdoor wall light, TC-(D,H,T,Q)SE, IP54, round, anthracite, max. 20W | | 132.68 |
| 231595 | 4024163140287 | 567 | F-POL, outdoor floor stand, TC-(D,H,T,Q)SE, IP54, round, anthracite, max. 20W | | 181.90 |
| 231605 | 4024163150880 | 647 | SITRA WALL, outdoor wall light, LED, 3000K, anthracite, 6.3 W | | 155.15 |
| 231607 | 4024163108873 | 647 | SITRA WALL, outdoor wall light, LED, 3000K, rust, 6.3 W | | 155.15 |
| 231815 | 4024163150859 | 570 | SLOTS 45, outdoor floor stand, LED, 3000K, anthracite, Ø/H 9/46.5 cm, max. 6.3W | | 165.85 |
| 231817 | 4024163150866 | 570 | SLOTS 45, outdoor floor stand, LED, 3000K, rust, Ø/H 9/46.5 cm, max. 6.3W | | 165.85 |
| 1005441 | 4024163269933 | 579 | BOOKAT PALE PHASE, anthracite free-standing lamp, CCT | old material no.: 231855 | 384.13 |
| 232045 | 4024163168685 | 657 | PHOTONIA, outdoor wall light, A60, IP55, round, anthracite, transparent glass, max. 60W | | 204.97 |
| 232058 | 4024163166072 | 677 | PHOTONIA, outdoor ceiling light, A60, round, anthracite, clear glass | | 214.00 |
| 232065 | 4024163166089 | 548 | PHOTONIA, outdoor pendant, E27, anthracite, IP44, incl. 5m chain and connecting cable with open end, max. 60W | | 226.84 |
| 232075 | 4024163166096 | 549 | PHOTONIA, pathway and floor stand, A60, round, anthracite, clear glass | | 281.41 |
| 232085 | 4024163166102 | 549 | CONCRETE ANCHOR, for PHOTONIA pathway and floor stand, stainless steel | | 47.82 |
| 232096 | 402416317803 | 548 | PHOTONIA, outdoor table lamp, E27, anthracite, IP44, incl. connection lead and shock-proof mains plug, anthracite, max. 60W | PHASE-OUT | 215.67 |
| 232101 | 4024163111319 | 652 | LOGS WALL, outdoor wall light, LED, 3000K, IP44, square, white, 8W | | 214.00 |
| 232104 | 4024163111346 | 652 | LOGS WALL, outdoor wall light, LED, 3000K, IP44, square, silver-grey, 8W | | 214.00 |
| 232105 | 4024163111353 | 652 | LOGS WALL, outdoor wall light, LED, 3000K, IP44, square, anthracite, 8W | | 214.00 |
| 232115 | 4024163124442 | 517 | LOGS 40, outdoor floor stand, LED, 3000K, IP44, square, anthracite, L/W/H 13/8/39.5 cm, BW | | 266.43 |
| 232119 | 4024163167178 | 517 | CONCRETE ANCHOR SET, for LOGS floor stands, stainless steel | | 59.52 |
| 232129 | 4024163134341 | 517 | LOGS 70, outdoor floor stand, LED, 3000K, IP44, square, anthracite, L/W/H 13/18/69.5 cm, BW | | 312.63 |
| 232135 | 4024163140485 | 574 | SLOTBOX 40, outdoor floor stand, LED, 3000K, IP44, square, anthracite, L/W/H 12/7/40, 4W | | 196.88 |
| 232145 | 4024163140478 | 574 | SLOTBOX 70, outdoor floor stand, LED, 3000K, IP44, square, anthracite, L/W/H 12/7/70, 4W | | 237.00 |
| 232155 | 4024163107772 | 572 | H-POL, pathway and floor stand, single-headed, LED, 3000K, anthracite, L/W/H 16.5/16.5/36 cm | | 240.75 |
| 232168 | 402416316796 | 572 | H-POL, pathway and floor stand, single-headed, LED, 3000K, anthracite, L/W/H 16.5/16.5/36 cm | | 347.75 |
| 232175 | 4024163167765 | 573 | H-POL, pathway and floor stand, double-headed, LED, 3000K, anthracite, L/W/H 16.5/16.5/36 cm | | 326.15 |
| 232185 | 402416317789 | 573 | H-POL, pathway and floor stand, double-headed, LED, 3000K, anthracite, L/W/H 16.5/16.5/66 cm | | 460.10 |
| 232195 | 4024163175487 | 572, 573 | MOUNTING POT, for H-POL pathway and floor stand, anthracite | | 47.88 |
| 232285 | 4024163111584 | 662 | QUADRASYL WL 15, outdoor wall light, energy-saving lamp GX53, IP44, square, L/W/H 15/12/7.5 cm, anthracite, max. 11W | | 60.99 |
| 232294 | 402416311652 | 577 | QUADRASYL 75, outdoor floor lamp, energy-saving lamp GX53, IP44, square, silver-grey, L/W/H 19/22.5/75 cm, max. 11W | | 160.60 |
| 232295 | 402416311744 | 577 | QUADRASYL 150, outdoor floor lamp, energy-saving lamp GX53, IP44, square, anthracite, L/W/H 19/22.5/75 cm, max. 11W | | 160.60 |
| 232431 | 4024163148634 | 627 | QUAD 1 XL, wall light, LED, 3000K, IP44, square, white, 3.2W | | 127.33 |
| 232435 | 4024163148641 | 633 | QUAD 1 XL, wall light, LED, 3000K, IP44, square, anthracite, 3.2W | | 127.33 |
| 232441 | 4024163148658 | 634 | QUAD 2 XL, wall light, LED, 3000K, IP44, square, up/down, white, 3.2W | | 143.38 |
| 232445 | 4024163148665 | 634 | QUAD 2 XL, wall light, LED, 3000K, IP44, square, up/down, anthracite, 3.2W | | 143.38 |
| 1005125 | 4024163252386 | 635 | BIG QUAD wall light, square shape, white, 3000K, IP54 | old material no.: 232451 | 352.64 |
| 1005126 | 4024163252393 | 635 | BIG QUAD wall light, square shape, anthracite, 3000K, IP54 | old material no.: 232455 | 362.64 |
| 232461 | 4024163129299 | 633 | QUAD 1, wall light, LED, 3000K, IP44, square, white, 4.6W | | 88.81 |
| 232465 | 4024163129305 | 633 | QUAD 1, wall light, LED, 3000K, IP44, square, anthracite, 4.6W | | 88.81 |
| 232471 | 4024163129312 | 634 | QUAD 2, wall light, LED, 3000K, IP44, square, up/down, white, 6W | | 121.98 |
| 232475 | 4024163193239 | 634 | QUAD 2, wall light, LED, 3000K, IP44, square, up/down, anthracite, 6W | | 121.98 |
| 232485 | 4024163129343 | 652 | BOX, outdoor wall light, QT-DET2, IP44, square, up/down, anthracite, max. 80W | | 95.23 |
| 232491 | 4024163129367 | 652 | BOX-L, outdoor wall light, TC-(D,H,T,Q)SE, IP44, square, white, max. 18W | | 99.51 |
| 232495 | 4024163129374 | 652 | BOX-L, outdoor wall light, TC-(D,H,T,Q)SE, IP44, square, anthracite, max. 18W | | 99.51 |
| 232497 | 4024163129381 | 652 | BOX-L, outdoor wall light, TC-(D,H,T,Q)SE, IP44, square, rust, max. 18W | | 99.51 |
| 232531 | 4024163112505 | 622 | SITRA CUBE, outdoor wall light, TCR-TSE, IP44, white, max. 18W | | 73.83 |
| 232535 | 4024163112512 | 622 | SITRA CUBE, outdoor wall light, TCR-TSE, IP44, anthracite, max. 18W | | 73.83 |
| 232537 | 4024163112543 | 622 | SITRA CUBE, outdoor wall light, TCR-TSE, IP44, rust, max. 18W | | 73.83 |
| 232905 | 4024163151337 | 651 | DRDI, outdoor wall light, LED, 3000K, anthracite, 9W | | 117.70 |
| 232915 | 4024163151344 | 651 | DRDI, outdoor wall light, LED, 3000K, anthracite, with sensor | | 144.45 |
| 232924 | 402416317652 | 686 | MYRA WALL, outdoor wall and ceiling light, double-headed, QPAR51, IP55, silver-grey, max. 100W | | 181.90 |
| 232995 | 4024163157469 | 686 | MYRA WALL, outdoor wall and ceiling light, double-headed, QPAR51, IP55, anthracite, max. 100W | | 181.90 |
| 233104 | 4024163140294 | 666 | MYRA WALL, outdoor wall and ceiling light, single-headed, QPAR51, IP55, silver-grey, max. 50W | | 96.30 |
| 233105 | 4024163140300 | 666 | MYRA WALL, outdoor wall and ceiling light, single-headed, QPAR51, IP55, anthracite, max. 50W | | 96.30 |
| 233114 | 4024163140317 | 644 | MYRA, outdoor wall light, QPAR51, IP55, up/down, silver-grey, max. 70W | | 117.70 |
| 233115 | 4024163140324 | 644 | MYRA, outdoor wall light, QPAR51, IP55, up/down, anthracite, max. 70W | | 117.70 |
| 233134 | 4024163140362 | 645 | MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, convex, max. 50W | | 171.20 |
| 233135 | 4024163140355 | 665 | MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, convex, max. 50W | | 171.20 |
| 233144 | 4024163140430 | 583 | BASE, for MYRA 1, silver-grey | | 24.88 |
| 233145 | 4024163140447 | 582, 583 | BASE, for MYRA 2 and HELIA, anthracite | | 24.88 |
| 233164 | 4024163140416 | 583 | EXTENSION BAR, for MYRA 1, silver-grey | | 24.88 |
| 233165 | 4024163140423 | 582, 583 | EXTENSION ROD, for MYRA 2 and HELIA, anthracite | | 24.88 |
| 233184 | 4024163140393 | 583 | MYRA 2, outdoor spike luminaire, double-headed, LED GU10 51mm, IP44, silver-grey, 18W | | 181.90 |
| 233215 | 4024163171729 | 644, 665, 666 | FRAME, for MYRA DISPLAY, MYRALED WALL, MYRA WALL, ENOLA_C and MYRA, anthracite | | 20.06 |
| 233245 | 4024163167109 | 686 | HELIA, outdoor wall light, single-headed, LED, 3000K, IP55, anthracite, titable, 8W | | 188.32 |
| 233255 | 4024163167123 | 686 | HELIA, outdoor wall light, double-headed, LED, 3000K, IP55, anthracite, titable, 2x8W | | 330.63 |
| 233275 | 4024163167154 | | | | |

| | | | | | |
|---------|---------------|-------------------------------------|--|-----------|---------|
| 233427 | 4024163157490 | 528 | RUSTY SQUARE 40, outdoor floor stand, LED, 3000K, square, rusted steel, L/W/H 12/12/40 | | 374.50 |
| 233447 | 4024163157506 | 528 | RUSTY SQUARE 70, outdoor floor stand, LED, 3000K, square, rusted steel, L/W/H 12/12/71 | | 454.75 |
| 233447 | 4024163157513 | 524 | RUSTY SLOT 50, outdoor floor stand, LED, 3000K, rusted steel, L/W/H 12/12/50 cm | | 374.50 |
| 233457 | 4024163157520 | 524 | RUSTY SLOT 80, outdoor floor stand, LED, 3000K, rusted steel, L/W/H 12/12/80 cm | | 487.92 |
| 233500 | 4024163158553 | 718 | DASAR* 52L LV, LED outdoor inground fitting, LED, 3000K, IP67, round, bezel brushed stainless steel, 12-25V, 6.5W | | 143.38 |
| 233530 | 4024163158527 | 718 | DASAR* 92L HV, LED outdoor inground fitting, LED, 3000K, IP67, round, bezel brushed stainless steel, 230V, 5.6W | | 158.32 |
| 233540 | 4024163158787 | 723 | DASAR MINI 37, outdoor inground fitting, LED, 3000K, IP67, round, brushed stainless steel, 12-24V, 2W | | 165.85 |
| 233570 | 4024163164412 | 598 | DASAR PROJECTOR, outdoor floodlight, LED, 3000K, IP68, stainless steel 316, 12-24V, 7W | | 231.12 |
| 233571 | 4024163164429 | 598 | DASAR PROJECTOR, outdoor floodlight, LED, 3000K, IP67, stainless steel 316, 230V, 6W | | 287.83 |
| 233580 | 4024163164436 | 598 | DIRT SPIKE, for DASAR PROJECTOR, stainless steel 316 | | 17.66 |
| 233582 | 4024163164450 | 598 | INSTALLATION PLATE, for DASAR PROJECTOR outdoor floodlight, stainless steel 316 | | 24.34 |
| 233601 | 4024163148078 | 701 | DOWNUNDER OUT LED S, outdoor recessed wall light, LED, 3000K, white | | 58.85 |
| 233605 | 4024163148092 | 701 | DOWNUNDER OUT LED S, outdoor recessed wall light, LED, 3000K, anthracite | | 58.85 |
| 233611 | 4024163148108 | 701 | DOWNUNDER OUT LED S, outdoor recessed wall light, LED, 3000K, white | | 83.46 |
| 233615 | 4024163148146 | 701 | DOWNUNDER OUT LED L, outdoor recessed wall light, LED, 3000K, anthracite | | 85.46 |
| 233621 | 4024163148115 | 701 | DOWNUNDER OUT LED M, outdoor recessed wall light, LED, 3000K, white | | 69.25 |
| 233625 | 4024163148153 | 701 | DOWNUNDER OUT LED M, outdoor recessed wall light, LED, 3000K, anthracite | | 69.25 |
| 233635 | 4024163169561 | 700 | ADI, outdoor recessed wall light, LED, 3000K, IP55, anthracite, 15.4W | | 243.96 |
| 233639 | 4024163169578 | 700 | MOUNTING POT, for ADI outdoor recessed wall light, black | | 18.14 |
| 233650 | 4024163164467 | 702 | BRICK, outdoor recessed wall light, LED, 3000K, stainless steel, IP67, 230V, 950m 10W | | 300.81 |
| 233660 | 4024163164481 | 702 | BRICK, outdoor recessed wall light, LED, 3000K, stainless steel, 230V, IP67, 850m, 10W | | 302.81 |
| 233792 | 4024163172301 | 724 | Inground mounting pot with cover for DASAR PREMIUM and GIMBLE OUT DN160 | | 49.76 |
| 234505 | 4024163175715 | 619 | BIG THEO WALL, outdoor wall light, double-headed, LED, 3000K, Flood up/down, anthracite, W/H/D 13/27.5/13.5 cm | | 309.23 |
| 234515 | 4024163175746 | 619 | BIG THEO WALL, outdoor wall light, double-headed, LED, 3000K, Flood up/beam down, silver-grey, W/H/D 13/29/13.5 cm | | 274.99 |
| 234525 | 4024163175777 | 621 | BIG THEO WALL, outdoor wall light, Flood down, LED, 3000K, anthracite, W/H/D 13/14/13.5 cm | | 220.42 |
| 234535 | 4024163175807 | 614 | BIG THEO LIGHTS, outdoor ceiling light, LED, 3000K, anthracite | | 203.30 |
| 240000 | 4024163162906 | 340 | P-LIGHT 27, wall and ceiling light, emergency exit light, LED, 6000K, white, L/W/H 26.5/4.5/21 cm, 3.5W | | 123.05 |
| 240002 | 4024163162920 | 340 | P-LIGHT 33, wall and ceiling light, emergency exit light, LED, 6000K, white, L/W/H 33/5/25 cm, 4W | | 156.22 |
| 240004 | 4024163162944 | 341 | P-LIGHT, ceiling light, LED, 6000K, IP65, rectangular, white, 6.5W | | 166.92 |
| 240006 | 4024163162968 | 420 | P-LIGHT, recessed fitting, LED, 6000K, round, white, 5W | | 156.22 |
| 240007 | 4024163162975 | 340, 341 | PICTOGRAM FOLDS, for P-LIGHT emergency exit light, set of 4, diagonal arrow in all directions, L/H 24/13.1 cm | | 37.18 |
| 240008 | 4024163162982 | 340, 341 | PICTOGRAM FOLDS, for P-LIGHT emergency exit light, set of 4, diagonal arrow in all directions, L/H 30/16.1 cm | | 37.18 |
| 240009 | 4024163162999 | 341 | PICTOGRAM FOLDS, for P-LIGHT emergency exit light, set of 3, L/H 35.3/16.5 cm | | 25.95 |
| 240010 | 4024163163002 | 341 | PICTOGRAM FOLDS, for P-LIGHT emergency exit light, set of 2, L/H 35.3/16.5 cm | | 21.40 |
| 240020 | 4024163165983 | 340 | RECHARGEABLE BATTERY, for P-LIGHT, 3.6V, 900mA | | 18.24 |
| 240021 | 4024163165990 | 340 | RECHARGEABLE BATTERY, for P-LIGHT, 3.6V, 1000mA | | 19.07 |
| 240022 | 4024163166003 | 341 | RECHARGEABLE BATTERY, for P-LIGHT, 3.6V, 1000mA, set consists of 2 pieces | | 36.11 |
| 240024 | 4024163166027 | 420 | RECHARGEABLE BATTERY, for P-LIGHT, 7.2V, 1000mA | | 42.80 |
| 461060 | 4024163066532 | 792 | MINI TRANSFORMER 1, 60VA, 12V, L/W/H 10.5/3.3/2.2 cm | | 18.99 |
| 461157 | 4024163087877 | 792 | ELECTRONIC TRANSFORMER 03, 150VA, 12V | | 49.76 |
| 464107 | 4024163169866 | 370, 801 | LED DRIVER, 15VA, 350mA, incl. strain relief | | 42.40 |
| 464107 | 4024163173700 | 401, 408, 409, 801 | LED DRIVER, 3VA, 350mA, with AMP plug, incl. strain relief | | 20.33 |
| 464108 | 4024163102179 | 404, 413, 724, 800 | LED DRIVER, 3W, 320mA, incl. strain relief | | 24.61 |
| 464140 | 4024163165169 | 412, 798 | LED DRIVER, 10W, 350mA, incl. strain relief, dimmable | | 35.31 |
| 464144 | 4024163158220 | 158, 159, 389, 390, 412, 798 | LED DRIVER, 15W, 300mA, incl. strain relief, dimmable | | 55.21 |
| 464120 | 4024163169416 | 410, 801 | LED DRIVER, 2W, 700mA, incl. strain relief | | 24.61 |
| 464804 | 4024163157735 | 419, 799 | LED DRIVER, 40W, 1050mA, triac dimmable | | 53.50 |
| 470500 | 4024163090902 | 755, 756, 796 | LED POWER SUPPLY, 100W, 24V | | 128.40 |
| 470505 | 4024163099677 | 30, 131, 132, 143, 254, 255, 256, 3 | EP1 DIMMER, 1-10V, max. 10W | | 12.31 |
| 470548 | 4024163159128 | 761, 762, 763, 796 | LED POWER SUPPLY, 150W, 24V, IP48, incl. cable gland | | 181.90 |
| 470549 | 4024163164870 | 757, 758, 760, 796 | LED POWER SUPPLY, 150W, 24V, incl. cable gland | PHASE-OUT | 171.20 |
| 560231 | 8718699686987 | 5, 722 | PHILIPS MASTER LED AR111, CR90, 15W, 24°, 2700K, dimmable | | 101.65 |
| 560232 | 8718699687021 | 5, 454, 504 | PHILIPS MASTER LED AR111, CR90, 15W, 40°, 2700K, dimmable | | 101.65 |
| 560233 | 8718699687007 | 5 | PHILIPS MASTER LED AR111, CR90, 15W, 24°, 3000K, dimmable | | 101.65 |
| 560234 | 8718699687045 | 5 | PHILIPS MASTER LED AR111, CR90, 15W, 40°, 3000K, dimmable | | 101.65 |
| 613137 | 4024163177115 | 339 | BENA, ceiling light, LED, 3000K, white, L/W/H 120/6/5/7.4 cm | | 161.57 |
| 613139 | 4024163177122 | 339 | BENA, ceiling light, LED, 3000K, white, L/W/H 150/6/5/7.4 cm | | 196.88 |
| 613147 | 4024163177139 | 339 | BENA, ceiling light, LED, 4000K, white, L/W/H 120/6/5/7.4 cm | | 161.57 |
| 613149 | 4024163177146 | 339 | BENA, ceiling light, LED, 4000K, white, L/W/H 150/6/5/7.4 cm | | 196.88 |
| 900011 | 4024163110013 | 595, 598 | PLASTIC CARTRIDGE SPIKE, black, length 17.5cm | | 3.75 |
| 950135 | 4024163263952 | 410 | GULL FITTING, with 15cm connection lead | | 1.87 |
| 961034 | 4024163159142 | 804 | STOPPER, for steel cable 0.75mm, incl. grub screw M4x5, 10 pieces | | 25.41 |
| 961037 | 4024163152051 | 803 | STEEL CABLE SUSPENSION, 1.5mm x 5000mm, with one nipped end, incl. 3 cable clips | | 18.99 |
| 961250 | 4024163079990 | 803 | Clear cable, 3x 0.75mm ² , 10m | | 25.41 |
| 961270 | 4024163144209 | 803 | PVC line with fabric sheath, 3-pole, 10m, black | | 49.76 |
| 961271 | 4024163144216 | 803 | PVC line with fabric sheath, 3-pole, 10m, white | | 49.76 |
| 961276 | 4024163144247 | 803 | PVC line with fabric sheath, 3-pole, 10m, red | | 49.76 |
| 1002944 | 4024163211381 | 279 | ACCANTO SQUARE E27, indoor surface-mounted ceiling light black | PHASE-OUT | 139.10 |
| 1002945 | 4024163211398 | 279 | ACCANTO SQUARE E27, indoor surface-mounted ceiling light white | PHASE-OUT | 139.10 |
| 1002947 | 4024163211411 | 156 | ACCANTO SQUARE E27, indoor pendant white | PHASE-OUT | 286.43 |
| 1002948 | 4024163211404 | 156 | ACCANTO SQUARE E27, indoor pendant black | PHASE-OUT | 286.43 |
| 1002942 | 4024163211367 | 221 | ACCANTO SQUARE E27, indoor surface-mounted wall light black | PHASE-OUT | 80.25 |
| 1002943 | 4024163211374 | 221 | ACCANTO SQUARE E27, indoor surface-mounted wall light white | PHASE-OUT | 80.25 |
| 1002927 | 4024163212113 | 210 | ANDREAS QT-DE12, indoor recessed wall light, black | | 100.58 |
| 1002926 | 4024163212106 | 210 | ANDREAS QT-DE12, indoor recessed wall light, grey | | 100.58 |
| 1002925 | 4024163211190 | 210 | ANDREAS QT-DE12, indoor recessed wall light, white | | 100.58 |
| 1002240 | 4024163216494 | 208 | ARLINA 130, Indoor LED surface-mounted wall light alu 3000K | | 300.81 |
| 1002239 | 4024163216487 | 208 | ARLINA 60, Indoor LED surface-mounted wall light alu 3000K | | 235.40 |
| 1002936 | 4024163211305 | 287 | ASTINA QPAR51, indoor surface-mounted ceiling light, grey | | 83.46 |
| 1002935 | 4024163211299 | 287 | ASTINA QPAR51, indoor surface-mounted ceiling light, grey | | 83.46 |
| 1002931 | 4024163211282 | 287 | ASTINA QPAR51, indoor surface-mounted ceiling light, white | | 83.46 |
| 1002939 | 4024163211336 | 160 | ASTINA QPAR51, indoor pendant, black | | 110.21 |
| 1002938 | 4024163211329 | 160 | ASTINA QPAR51, indoor pendant, grey | | 110.21 |
| 1002937 | 4024163211312 | 160 | ASTINA QPAR51, indoor pendant, white | | 110.21 |
| 1002933 | 4024163211275 | 217 | ASTINA UP/DOWN QPAR51, indoor surface-mounted wall light, black | | 104.86 |
| 1002932 | 4024163212668 | 217 | ASTINA UP/DOWN QPAR51, indoor surface-mounted wall light, grey | | 104.86 |
| 1002931 | 4024163212521 | 217 | ASTINA UP/DOWN QPAR51, indoor surface-mounted wall light, white | | 104.86 |
| 1002994 | 4024163231855 | 139, 295, 783, 785 | SLV VALETO* remote control, for controlling CCT and RGBW functions | | 51.36 |
| 1002965 | 4024163231589 | 287 | NAGY 75 QPAR51, indoor LED surface-mounted ceiling light, white | | 52.43 |
| 1002690 | 4024163230936 | 506 | COMET, cable luminaire for the TENSEO low voltage cable system, 2700K, chrome | | 78.11 |
| 1002689 | 4024163230912 | 506 | COMET, cable luminaire for the TENSEO low voltage cable system, 2700K, black | | 73.83 |
| 1002689 | 4024163230929 | 506 | COMET, cable luminaire for the TENSEO low voltage cable system, 2700K, white | | 73.83 |
| 1003107 | 4024163232944 | 179 | PARA FLAC DALI, indoor LED pendant black 4000K | | 448.33 |
| 1002859 | 4024163230551 | 222 | COUPA QT14, Indoor LED recessed wall light, chrome, frosted glass | | 127.33 |
| 1003106 | 4024163232937 | 797, 798, 794 | DAU PUSH-DIM control 24V | | 58.85 |
| 1002891 | 4024163230889 | 719 | DASAR* 270, Outdoor LED inground fitting, 3000K, round, IP67, asymmetrical beam | | 437.63 |
| 1002895 | 4024163230902 | 719 | DASAR* 270, Outdoor LED inground fitting, 4000K, round, IP67, asymmetrical beam | | 437.63 |
| 1002899 | 4024163230933 | 719 | Grill Diffuser for DASAR* 270 Outdoor, LED inground fitting with symmetrical beam | | 12.31 |
| 1002897 | 4024163230919 | 719 | DASAR* 270, Outdoor LED inground fitting, 3000K, round, IP67, symmetrical beam | | 437.63 |
| 1002898 | 4024163230926 | 719 | DASAR* 270, Outdoor LED inground fitting, 4000K, round, IP67, symmetrical beam | | 437.63 |
| 1002785 | 4024163230760 | 794 | Compensation module | PHASE-OUT | 47.62 |
| 1002860 | 4024163230568 | 245 | DISPLAY ADL 50 QPAR51, Indoor display fitting, white, max 50W, incl. connection box | | 44.94 |
| 1002868 | 4024163230643 | 648 | DOWNUNDER OUT, round WL Outdoor LED recessed wall light, anthracite, 3000K | | 125.19 |
| 1002869 | 4024163230650 | 648 | DOWNUNDER OUT, square WL Outdoor LED recessed wall light, anthracite, 3000K | | 125.19 |
| 1002985 | 4024163211770 | 245 | SPOT DISPLAY E27, indoor display fitting black | | 73.83 |
| 1002987 | 4024163211794 | 245 | SPOT DISPLAY E27, indoor display fitting grey | | 73.83 |
| 1002986 | 4024163211787 | 245 | SPOT DISPLAY E27, indoor display fitting white | | 73.83 |
| 1003031 | 4024163232120 | 104 | FENDA floor stand base I E27 indoor floor stand in white without shade | PHASE-OUT | 133.75 |
| 1003032 | 4024163232227 | 105 | FENDA table lamp base II E27 indoor table lamp in white without shade | PHASE-OUT | 73.83 |
| 1003030 | 4024163232203 | 104 | FENDA table lamp base I E27 indoor table lamp in white without shade | PHASE-OUT | 73.83 |
| 1003031 | 4024163232244 | 105 | FENDA floor stand base II E27 indoor floor stand in white without shade | PHASE-OUT | 133.75 |
| 1003029 | 4024163232197 | 106 | FENDA BOW BASIS E27, indoor floor stand black | PHASE-OUT | 233.26 |
| 1003028 | 4024163232180 | 106 | FENDA BOW BASIS E27, indoor floor stand white | PHASE-OUT | 233.26 |
| 1003034 | 4024163232241 | 104 | FENDA E27, indoor surface-mounted wall light in black without shade | PHASE-OUT | 98.44 |
| 1003035 | 4024163232258 | 219 | FENDA E27, indoor surface-mounted wall light in white without shade | PHASE-OUT | 98.44 |
| 1002991 | 4024163231831 | 576 | ABRIDOR POLE 50, Outdoor LED floor stand IP55 anthracite 3000/4000K | | 366.13 |
| 1002991 | 4024163231824 | 576 | ABRIDOR POLE 60, Outdoor LED floor stand IP55 anthracite 3000/4000K | | 212.93 |
| 1002990 | 4024163231817 | 650 | ABRIDOR SENSOR, Outdoor LED surface-mounted wall light IP55 anthracite 3000/4000K | | 191.53 |
| 1002989 | 4024163231800 | 650 | ABRIDOR, Outdoor LED surface-mounted wall light IP55 anthracite 3000/4000K | | 191.53 |
| 1002958 | 4024163231577 | 575 | FLATT POLE 100, Outdoor LED floor stand, 3000K, IP65, anthracite | | 287.83 |
| 1002959 | 4024163231534 | 575 | FLATT POLE 100, Outdoor LED floor stand, 3000K, IP65, anthracite/brown | | 287.83 |
| 1002956 | 4024163231503 | 575 | FLATT POLE 65, Outdoor LED floor stand, 3000K, IP65, anthracite | | 230.05 |
| 1002957 | 4024163231510 | 575 | FLATT POLE 65, Outdoor LED floor stand, 3000K, IP65, anthracite/brown | | 230.05 |
| 1002954 | 4024163231480 | 640 | FLATT SENSOR, Outdoor LED surface-mounted wall light, 3000K, IP65, anthracite | | 196.88 |
| 1002955 | 4024163231497 | 640 | FLATT SENSOR, Outdoor LED surface-mounted wall light, 3000K, IP65, anthracite/brown | | 196.88 |
| 1002952 | 4024163231466 | 640 | FLATT, Outdoor LED surface-mounted wall light, 3000K, IP65, anthracite | | 161.57 |
| 1002953 | 4024163231473 | 640 | FLATT, Outdoor LED surface-mounted wall light 3000K IP65 anthracite/brown | | 161.57 |
| 1002922 | 4024163231169 | 413 | WORO, Indoor LED recessed wall light, 3000K, white | | 64.20 |
| 1002855 | 4024163230513 | 220 | KENKUA SPOT, E27 indoor LED recessed wall light, chrome, 3000K | | 191.53 |
| 1002856 | 4024163230520 | 220 | KENKUA E27, indoor LED recessed wall light, chrome | | 127.33 |
| 1002993 | 4024163231848 | 211 | PURISA E27, indoor surface-mounted wall light white | | 109.14 |
| 1002913 | 4024163231077 | 119, 770 | ONE TRIPLE DALI, Indoor LED pendant, black, 3000/4000K | | 1068.93 |
| 1002914 | 4024163231084 | 119, 770 | ONE TRIPLE DALI, Indoor LED pendant, white, 3000/4000K | | 1068.93 |
| 1002909 | 4024163231039 | 120, 770 | ONE 60 DALI, Indoor LED pendant, black, 3000/4000K | | 395.90 |
| 1002910 | 4024163231046 | 120, 770 | ONE 60 DALI, Indoor LED pendant, white, 3000/4000K | | 395.90 |
| 1002911 | 4024163231053 | 120, 770 | ONE 80 DALI, Indoor LED pendant, black, 3000/4000K | | 451.54 |
| 1002912 | 4024163231060 | 120, 770 | ONE 80 DALI, Indoor LED pendant, white, 3000/4000K | | 451.54 |

| | | | | |
|---------|----------------|-----------------------------------|--|--------|
| 1002915 | 402416321091 | 294, 771 | ONE 60 DALI, Indoor LED wall-mounted light, black, 3000/4000K | 341.33 |
| 1002917 | 402416321107 | 294, 771 | ONE 60 DALI, Indoor LED recessed wall light, white, 3000/4000K | 341.33 |
| 1002918 | 402416321121 | 294, 771 | ONE 60 DALI, Indoor LED wall-mounted light, black, 3000/4000K | 395.90 |
| 1002919 | 402416321138 | 294, 771 | ONE 60 DALI, Indoor LED wall-mounted light, white, 3000/4000K | 395.90 |
| 1002823 | 4024163229999 | 389, 390, 798 | LED driver, 9.1-15W 350mA, dimmable | 36.28 |
| 1002981 | 402416321172 | 413 | NOTAPO I and II W/ installation frame | 12.47 |
| 1002983 | 402416321176 | 413 | MOBALA W/ installation box | 12.84 |
| 1002984 | 4024163211763 | 413 | MOBALA W/ installation frame | 12.84 |
| 1003050 | 402416322401 | 140 | I-PENDANT PRO DALI, Indoor LED pendant UGR<19 grey 3000K | 367.01 |
| 1003051 | 402416322418 | 140 | I-PENDANT PRO DALI, Indoor LED pendant UGR<19 grey 4000K | 367.01 |
| 1003048 | 402416322388 | 140 | I-PENDANT PRO DALI, Indoor LED pendant UGR<19 white 3000K | 367.01 |
| 1003049 | 402416322395 | 140 | I-PENDANT PRO DALI, Indoor LED pendant UGR<19 white 4000K | 367.01 |
| 1002854 | 4024163230506 | 484 | I*-KALU TRACK, Indoor LED 1-circuit system luminaire, black, 3000K, including 1-circuit adapter | 220.42 |
| 1003046 | 4024163223264 | 141 | PANEL 60 DALI, Indoor LED pendants round white 3000K | 319.93 |
| 1003047 | 4024163223271 | 141 | PANEL 60 DALI, Indoor LED pendants round white 4000K | 319.93 |
| 1003044 | 4024163223240 | 141 | PANEL 60 DALI, Indoor LED pendants round white 3000K | 319.93 |
| 1003045 | 4024163223257 | 141 | PANEL 60 DALI, Indoor LED pendants round white 4000K | 319.93 |
| 1003083 | 4024163223722 | 419 | LED PANEL 60x60, Indoor LED recessed ceiling light white 3000K UGR<19 | 199.02 |
| 1003084 | 4024163223729 | 419 | LED PANEL 60x60, Indoor LED recessed ceiling light white 4000K UGR<19 | 199.02 |
| 1003073 | 4024163224223 | 419 | LED PANEL 60x60, Indoor LED recessed ceiling light white 3000K UGR<19 | 199.02 |
| 1003074 | 4024163224230 | 419 | LED PANEL 60x60, Indoor LED recessed ceiling light white 4000K UGR<19 | 199.02 |
| 1002940 | 4024163211343 | 330 | IPSY 50 DRUM DALI CW, LED Indoor surface-mounted wall and ceiling light, white, 3000/4000K | 193.67 |
| 1002941 | 4024163211350 | 330 | IPSY 50 DRUM DALI CW, LED Indoor surface-mounted wall and ceiling light, white, 3000/4000K | 204.37 |
| 1002930 | 4024163211244 | 197 | LOGS IN L, Indoor LED recessed wall light, alu/white, 2000-3000K, DIM-TO-WARM | 287.83 |
| 1002928 | 4024163211220 | 197 | LOGS IN L, Indoor LED recessed wall light, black/gold, 2000-3000K, DIM-TO-WARM | 287.83 |
| 1002929 | 4024163211217 | 197 | LOGS IN L, Indoor LED recessed wall light, white, 2000-3000K, DIM-TO-WARM | 277.13 |
| 1002843 | 4024163230384 | 197 | LOGS IN L, Indoor LED recessed wall light, white, 3000K, TRIAC, dimmable | 223.63 |
| 1002842 | 4024163230377 | 197 | LOGS IN L, Indoor LED recessed wall light, black/brass, 3000K, TRIAC, dimmable | 223.63 |
| 1002844 | 4024163230391 | 197 | LOGS IN L, Indoor LED surface-mounted wall light, black/brass, 3000K, TRIAC, dimmable | 214.00 |
| 1002858 | 4024163220544 | 159, 295, 785 | SLV VALETTE FALANG, Indoor LED surface-mounted wall and ceiling light, RGBW, 2700-6500K | 786.45 |
| 1002904 | 4024163220940 | 141 | MANA IN, Indoor recessed wall light, anthracite, 3000K, IP65, dimmable | 319.93 |
| 1002902 | 4024163230964 | 655 | MANA OUT, Outdoor recessed wall light, rust, 3000K, IP65, dimmable | 264.29 |
| 1002882 | 4024163230780 | 138, 261 | MEDO 60 SQUARE DALI, Indoor LED recessed ceiling light, white, 3000K | 568.17 |
| 1002890 | 4024163230858 | 129 | MEDO RING 60 DALI, Indoor LED pendant, black, 3000K | 700.85 |
| 1002891 | 4024163230865 | 129 | MEDO RING 60 DALI, Indoor LED pendant, white, 3000K | 700.85 |
| 1002887 | 4024163230836 | 666 | NEO TRIA WX QPARS1, Outdoor surface-mounted wall light, black | 319.93 |
| 1002884 | 4024163230797 | 666 | NAUTILUS, installation plate for surface-mounted cabling | 5.08 |
| 1003009 | 4024163211992 | 389 | SENSER 18, Indoor LED recessed ceiling light round white 3000K | 32.10 |
| 1003101 | 4024163212005 | 389 | SENSER 24, Indoor LED recessed ceiling light round white 3000K | 42.80 |
| 1003008 | 4024163211985 | 389 | SENSER 12, Indoor LED recessed ceiling light round white 3000K | 27.82 |
| 1003011 | 4024163212029 | 390 | SENSER 18, Indoor LED recessed ceiling light square white 3000K | 32.10 |
| 1003013 | 4024163212036 | 390 | SENSER 24, Indoor LED recessed ceiling light square white 3000K | 42.80 |
| 1003011 | 4024163212012 | 390 | SENSER 12, Indoor LED recessed ceiling light square white 3000K | 27.82 |
| 1003015 | 4024163212050 | 320 | SENSER 18, Indoor LED surface-mounted ceiling light round white 3000K | 74.50 |
| 1003016 | 4024163212067 | 320 | SENSER 24, Indoor LED surface-mounted ceiling light round white 3000K | 80.25 |
| 1003011 | 4024163212043 | 320 | SENSER 12, Indoor LED surface-mounted ceiling light round white 3000K | 69.25 |
| 1003018 | 4024163212081 | 319 | SENSER 18, Indoor LED surface-mounted ceiling light square white 3000K | 74.50 |
| 1003019 | 4024163212098 | 319 | SENSER 24, Indoor LED surface-mounted ceiling light square white 3000K | 80.25 |
| 1003017 | 4024163212074 | 319 | SENSER 12, Indoor LED surface-mounted ceiling light square white 3000K | 69.25 |
| 1003067 | 4024163212562 | 358 | NEW TRIA 681 CS, Indoor LED recessed ceiling light alu 2700K round | 89.88 |
| 1003060 | 4024163212494 | 358 | NEW TRIA 681 CS, Indoor LED recessed ceiling light alu square 2700K 38" incl. driver clip springs | 50.29 |
| 1003058 | 4024163212470 | 358 | NEW TRIA 681 CS, Indoor LED recessed ceiling light black round 2700K 38" incl. driver clip springs | 50.29 |
| 1003059 | 4024163212487 | 358 | NEW TRIA 681 CS, Indoor LED recessed ceiling light white round 2700K 38" incl. driver clip springs | 50.29 |
| 1003057 | 4024163212463 | 357 | NEW TRIA 681 CS, Indoor LED recessed ceiling light black round 3000K 38" incl. driver clip springs | 50.29 |
| 1003064 | 4024163212531 | 359 | NEW TRIA 681 CS, Indoor LED recessed ceiling light alu square 2700K 38" incl. driver clip springs | 53.50 |
| 1003070 | 4024163212593 | 359 | NEW TRIA 681 CS, Indoor LED recessed ceiling light alu square 2700K square | 89.88 |
| 1003062 | 4024163212517 | 359 | NEW TRIA 681 CS, Indoor LED recessed ceiling light black square 2700K 38" incl. driver clip springs | 50.29 |
| 1003068 | 4024163212579 | 359 | NEW TRIA 681 CS, Indoor LED recessed ceiling light black 2700K square | 83.46 |
| 1003063 | 4024163212524 | 359 | NEW TRIA 681 CS, Indoor LED recessed ceiling light white square 2700K 38" incl. driver clip springs | 50.29 |
| 1003069 | 4024163212586 | 359 | NEW TRIA 681 CS, Indoor LED recessed ceiling light white square 2700K square | 83.46 |
| 1003061 | 4024163212500 | 357 | NEW TRIA 681 CS, Indoor LED recessed ceiling light black square 3000K 38" incl. driver clip springs | 50.29 |
| 1002610 | 4024163212836 | 470 | 1PH NOBLO SPOT SET 2700K black, including three spotlights, two 1m racks, one feed-in and one long connector | 235.40 |
| 1002611 | 4024163212843 | 470 | 1PH NOBLO SPOT SET 2700K white, including three spotlights, two 1m racks, one feed-in and one long connector | 235.40 |
| 1002612 | 4024163212850 | 470 | 1PH NOBLO SPOT SET 2700K grey, including three spotlights, two 1m racks, one feed-in and one long connector | 235.40 |
| 1002973 | 4024163211657 | 300 | NOBLO II, Indoor LED surface-mounted ceiling light 2700K black | 180.83 |
| 1002975 | 4024163211671 | 300 | NOBLO II, Indoor LED surface-mounted ceiling light 2700K silver | 180.83 |
| 1002974 | 4024163211664 | 300 | NOBLO II, Indoor LED surface-mounted ceiling light 2700K white | 180.83 |
| 1002969 | 4024163211619 | 300 | NOBLO I, Indoor LED surface-mounted ceiling light 2700K black | 112.35 |
| 1002971 | 4024163211640 | 300 | NOBLO I, Indoor LED surface-mounted ceiling light 2700K silver | 112.35 |
| 1002970 | 4024163211633 | 300 | NOBLO I, Indoor LED surface-mounted ceiling light 2700K white | 112.35 |
| 1002972 | 4024163211688 | 300 | NOBLO III, Indoor LED surface-mounted ceiling light 2700K black | 268.57 |
| 1002978 | 4024163211701 | 300 | NOBLO III, Indoor LED surface-mounted ceiling light 2700K silver | 268.57 |
| 1002977 | 4024163211695 | 300 | NOBLO III, Indoor LED surface-mounted ceiling light 2700K white | 268.57 |
| 1003054 | 4024163212449 | 263 | PANEL DALI, Indoor LED surface-mounted ceiling lights 1200x300mm grey 3000K | 285.69 |
| 1003055 | 4024163212456 | 263 | PANEL DALI, Indoor LED surface-mounted ceiling lights 1200x300mm grey 4000K | 285.69 |
| 1003052 | 4024163212421 | 263 | PANEL DALI, Indoor LED surface-mounted ceiling lights 1200x300mm white 3000K | 285.69 |
| 1003053 | 4024163212432 | 263 | PANEL DALI, Indoor LED surface-mounted ceiling lights 1200x300mm white 4000K | 285.69 |
| 1003042 | 4024163212326 | 263 | PANEL 60 DALI, Indoor LED surface-mounted ceiling lights round grey 3000K | 285.69 |
| 1003043 | 4024163212333 | 263 | PANEL 60 DALI, Indoor LED surface-mounted ceiling lights round grey 4000K | 285.69 |
| 1003040 | 4024163212302 | 263 | PANEL 60 DALI, Indoor LED surface-mounted ceiling lights round white 3000K | 285.69 |
| 1003041 | 4024163212319 | 263 | PANEL 60 DALI, Indoor LED surface-mounted ceiling lights round white 4000K | 285.69 |
| 1002686 | 4024163219005 | 445 | PARA CONE 14 PD pendant, QPARS1, copper/35W, incl. 3-circuit adapter | 116.63 |
| 1002873 | 4024163230698 | 474 | I*-PARA CONE 14 QPARS1, 1-circuit system luminaire, black/gold, incl. 1-circuit adapter | 81.32 |
| 1002875 | 4024163230711 | 474 | I*-PARA CONE 14 QPARS1, 1-circuit system luminaire, copper/white, incl. 1-circuit adapter | 84.53 |
| 1002874 | 4024163230704 | 474 | I*-PARA CONE 14 QPARS1, 1-circuit system luminaire, white/gold, incl. 1-circuit adapter | 81.32 |
| 1002876 | 4024163219728 | 445 | I*-PARA CONE 14 QPARS1, 3-circuit system luminaire, black/gold, incl. 3-circuit adapter | 81.32 |
| 1002878 | 4024163230742 | 445 | I*-PARA CONE 14 QPARS1, 3-circuit system luminaire, copper/white, incl. 3-circuit adapter | 84.53 |
| 1002877 | 4024163230735 | 445 | I*-PARA CONE 14 QPARS1, 3-circuit system luminaire, white/gold, incl. 3-circuit adapter | 81.32 |
| 1003005 | 4024163211954 | 162 | PANTILLO 20, Indoor pendant E27 copper | 165.85 |
| 1003004 | 4024163211947 | 162 | PANTILLO 20, Indoor pendant E27 chrome | 165.85 |
| 1003006 | 4024163211961 | 162 | PANTILLO 26, Indoor pendant E27 chrome | 200.09 |
| 1003007 | 4024163211978 | 162 | PANTILLO 26, Indoor pendant E27 copper | 200.09 |
| 1002949 | 4024163211435 | 169 | PHILIA 275 E27, Indoor pendant, black/gold | 153.01 |
| 1002950 | 4024163211442 | 169 | PHILIA 280 E27, Indoor pendant, black/gold | 180.83 |
| 1002961 | 4024163211558 | 244 | RETRATO, Indoor LED surface-mounted wall light, 3000K, chrome | 274.99 |
| 1002960 | 4024163211541 | 244 | RETRATO, Indoor LED surface-mounted wall light, 3000K, white | 240.75 |
| 1002238 | 4024163214055 | 191 | PIASTRA QT-DE12 WL, Indoor wall light, white | 74.50 |
| 1003001 | 4024163211916 | 578 | QUAD POLE, Outdoor LED floor stand 3000K anthracite | 395.90 |
| 1002964 | 4024163211572 | 207 | SEDO 7, Indoor LED surface-mounted wall light, 3000K, alu | 195.81 |
| 1002962 | 4024163211565 | 207 | SEDO 7, Indoor LED surface-mounted wall light, 3000K, white | 173.94 |
| 1002925 | 4024163210995 | 665 | ESKINA, Outdoor LED display fitting, anthracite, 3000/4000K, IP65, dimmable | 258.94 |
| 1002907 | 4024163210105 | 516 | ESKINA Pole, Outdoor floor stand, anthracite, 3000/4000K, IP65, dimmable | 292.11 |
| 1003006 | 4024163211008 | 516 | ESKINA Pole, Outdoor floor stand, anthracite, 3000/4000K, IP65, dimmable | 269.64 |
| 1002904 | 4024163210988 | 682 | ESKINA SENSOR, Outdoor surface-mounted wall and ceiling light, anthracite, 3000/4000K, IP54, dimmable | 258.94 |
| 1002903 | 4024163210971 | 683 | ESKINA, Outdoor surface-mounted wall and ceiling light, anthracite, 3000/4000K, IP65, dimmable | 236.47 |
| 1002968 | 4024163211602 | 284 | FERA 25 CL DALI, Indoor LED surface-mounted ceiling light, black | 266.43 |
| 1002967 | 4024163211596 | 284 | FERA 25 CL DALI, Indoor LED surface-mounted ceiling light, white | 266.43 |
| 1002845 | 4024163230407 | 433, 437, 467 | Steel wire suspension for EUTRAC*, S-TRACK and 1 phase tracks, 5m, set of two | 38.79 |
| 1003101 | 4024163212890 | 5, 110, 166, 446, 472, 474 | LED lamp, T32, GU10, 2600K, dimmable | 47.08 |
| 1002871 | 4024163210674 | 540 | THEO PATHLIGHT, double, QPARS1, Outdoor floor, stand, anthracite | 238.61 |
| 1002870 | 4024163210667 | 540 | THEO PATHLIGHT, single, QPARS1, Outdoor floor, stand, anthracite | 130.83 |
| 1003105 | 4024163212920 | 755, 756, 798 | LED POWER SUPPLY 100W 24V TRIAC DIMMABLE | 112.35 |
| 1003104 | 4024163212913 | 796 | LED POWER SUPPLY 50W 24V TRIAC DIMMABLE | 46.01 |
| 1002791 | 40241632129814 | 797 | LED driver 6W 350mA TRIAC dimmable | 26.75 |
| 1002792 | 40241632129821 | 798 | LED driver 6W 700mA TRIAC dimmable | 26.75 |
| 1002995 | 4024163211862 | 783 | SLV VALETTE OF Push switch module for dimming | 203.93 |
| 1002980 | 4024163211725 | 410 | NOTAPO II, Indoor recessed wall light 3000K white | 75.97 |
| 1002979 | 4024163211718 | 410 | NOTAPO I, Indoor recessed wall light 3000K white | 55.64 |
| 1002982 | 4024163211749 | 413 | MOBALA, Indoor recessed wall light 3000K white | 67.41 |
| 1002494 | 4024163217469 | 554 | ADEGAN MANILA S1 floor stand, PE rattan anthracite + SST 304 + granite G654, E27, max. 15W | 388.41 |
| 1002920 | 4024163213388 | 237 | W1, 105 wall light, chrome, double glass, 1x114 | 89.88 |
| 1002229 | 4024163216395 | 237 | W1, 106 wall light, double glass, chrome, 2x114 | 166.92 |
| 1002635 | 40241632128510 | 431 | S-TRACK DALI track 4m black | 149.80 |
| 1002636 | 40241632128527 | 431 | S-TRACK DALI track 4m white | 149.80 |
| 1003317 | 4024163214849 | 204 | CHROMBO Indoor LED wall-mounted light, grey 3000K | 159.43 |
| 1003316 | 4024163214832 | 204 | CHROMBO Indoor LED wall-mounted light, white 3000K | 159.43 |
| 1003065 | 4024163212548 | 358 | NEW TRIA 681 CS, Indoor LED recessed ceiling light black 2700K round | 83.46 |
| 1003066 | 4024163212555 | 358 | NEW TRIA 681 CS, Indoor LED recessed ceiling light white 2700K round | 83.46 |
| 1002853 | 4024163230490 | 612, 615, 616, 657, 658, 677, 688 | Spacer set for outdoor wall-mounted lights anthracite | 7.22 |
| 1004784 | 4024163248948 | 467 | I*-Track cover, grey 2x2m | 19.53 |
| 1004783 | 4024163249331 | 467 | I*-Track cover, black 2x2m | 19.53 |
| 1004785 | 4024163249355 | 467 | I*-Track cover, white 2x2m | 19.53 |
| 1004684 | 4024163248431 | 433 | I*-DALI, point outlet black | 36.11 |
| 1004685 | 4024163248358 | 433 | I*-DALI, point outlet white | 36.11 |
| 1004362 | 4024163245128 | 62 | I*-NUMINOS* DALI S, 3 phase system light black/black 2700K 24" | 165.85 |
| 1004363 | 4024163245135 | 62 | I*-NUMINOS* DALI S, 3 phase system light black/black 2700K 36" | 165.85 |
| 1004364 | 4024163245142 | 62 | I*-NUMINOS* PHASE S, 3 phase system light black/black 2700K 60" | 165.85 |

| | | | | | |
|---------|---------------|--|--|-----------|--------|
| 1003417 | 402416325747 | 615 | ENOLA SQUARE M, single outdoor LED surface-mounted wall light anthracite | | 362.15 |
| 1003420 | 402416325778 | 672 | ENOLA SQUARE S, outdoor LED surface-mounted ceiling light anthracite | | 194.04 |
| 1003416 | 402416325730 | 615 | ENOLA SQUARE S, single outdoor LED surface-mounted wall light anthracite | | 184.00 |
| 1003438 | 402416325952 | 616 | ENOLA SQUARE UP/DOWN L, outdoor LED surface-mounted wall light anthracite CCT 3000/4000K | | 445.12 |
| 1003419 | 402416325761 | 616 | ENOLA SQUARE UP/DOWN M, outdoor LED surface-mounted wall light anthracite | | 323.14 |
| 1003418 | 402416325754 | 616 | ENOLA SQUARE UP/DOWN S, outdoor LED surface-mounted wall light anthracite | | 252.15 |
| 1004749 | 402416324890 | 512 | ESKINA FRAME 45 FL, outdoor LED floor light single anthracite CCT switch 3000/4000K | | 269.64 |
| 1004751 | 4024163249010 | 512 | ESKINA FRAME 75 FL, Outdoor LED free-standing light double anthracite CCT switch 3000/4000K | | 331.70 |
| 1004750 | 4024163249003 | 512 | ESKINA FRAME 75 FL, Outdoor LED free-standing light single anthracite CCT switch 3000/4000K | | 292.11 |
| 1004747 | 4024163248976 | 631 | ESKINA FRAM WL, Outdoor LED wall-mounted light anthracite CCT switch 3000/4000K | | 208.65 |
| 1004748 | 4024163248983 | 631 | ESKINA FRAME WL, Outdoor LED wall-mounted light double anthracite CCT switch 3000/4000K | | 258.04 |
| 1004682 | 4024163248327 | 214 | FITU CRANE BASE, black | | 59.92 |
| 1004683 | 4024163248334 | 214 | FITU CRANE BASE, white | | 59.92 |
| 1004738 | 4024163248884 | 215 | FITU CUBE WL, indoor wall-mounted light E27 black | | 74.90 |
| 1004739 | 4024163248891 | 215 | FITU CUBE WL, indoor wall-mounted light E27 white | | 74.90 |
| 1004746 | 4024163248969 | 151 | FITU ceiling rose chrome | | 35.31 |
| 1004744 | 4024163248945 | 151 | FITU ceiling rose black | | 32.10 |
| 1004745 | 4024163248952 | 151 | FITU ceiling rose white | | 32.10 |
| 1004676 | 4024163248266 | 151 | FITU, built in rose chrome | | 25.68 |
| 1004674 | 4024163248242 | 151 | FITU, built in rose black | | 21.40 |
| 1004675 | 4024163248259 | 151 | FITU, built in rose white | | 21.40 |
| 1003448 | 4024163236058 | 591 | GALEN 120 SP, LED PROFILE Outdoor Single Colour CCT switch 3000/4000K | | 319.93 |
| 1003447 | 4024163236041 | 591 | GALEN 60 SP, Indoor single colour LED profile anthracite CCT switch 3000/4000K | | 212.93 |
| 1004889 | 4024163250399 | 738 | GRAZIA 10 EDGE, 2m aluminium | | 26.75 |
| 1004890 | 4024163250405 | 738 | GRAZIA 10 EDGE, 2m white | | 26.75 |
| 1004889 | 4024163250436 | 739 | GRAZIA 10 EDGE, end caps aluminium | | 2.51 |
| 1004894 | 4024163250443 | 739 | GRAZIA 10 EDGE, end caps white | | 2.51 |
| 1004895 | 4024163250450 | 739 | GRAZIA 10 EDGE, mounting clips | | 3.69 |
| 1004929 | 4024163250795 | 743 | GRAZIA 20, cover 1.5m flat milky | | 12.84 |
| 1004930 | 4024163250801 | 743 | GRAZIA 20, PC cover 1.5m high frosted | | 20.06 |
| 1004927 | 4024163250771 | 743 | GRAZIA 20, PC cover 1.5m flat frosted | | 8.43 |
| 1004928 | 4024163250788 | 743 | GRAZIA 20, PMMA cover 1.5m flat frosted | | 12.84 |
| 1004931 | 4024163250818 | 743 | GRAZIA 20, PMMA cover 1.5m high frosted | | 32.90 |
| 1004924 | 4024163250740 | 742 | GRAZIA 20, Profile Structure 1.5m aluminium | | 50.29 |
| 1004925 | 4024163250757 | 742 | GRAZIA 20, Profile structure 1.5m white | | 50.29 |
| 1004926 | 4024163250764 | 742 | GRAZIA 20, Profile structure 1.5m black | | 50.29 |
| 1004921 | 4024163250719 | 741 | GRAZIA 20, Profil Flat 1.5m aluminium | | 44.94 |
| 1004922 | 4024163250726 | 741 | GRAZIA 20, Profil Flat 1.5m white | | 44.94 |
| 1004923 | 4024163250733 | 741 | GRAZIA 20, Profil Flat 1.5m black | | 44.94 |
| 1004918 | 4024163250689 | 741 | GRAZIA 20, Profil Standard 1.5m aluminium | | 44.94 |
| 1004919 | 4024163250696 | 741 | GRAZIA 20, Profil Standard 1.5m white | | 44.94 |
| 1004920 | 4024163250702 | 741 | GRAZIA 20, Profil Standard 1.5m black | | 44.94 |
| 1004896 | 4024163250467 | 747 | GRAZIA 60, 1.5m black | | 104.86 |
| 1004897 | 4024163250474 | 747 | GRAZIA 60, 1.5m white | | 104.86 |
| 1004898 | 4024163250481 | 747 | GRAZIA 60, 3m black | | 211.86 |
| 1004899 | 4024163250488 | 747 | GRAZIA 60, 3m white | | 211.86 |
| 1004912 | 4024163250627 | 748 | GRAZIA 60, cover 1.5m black | | 32.37 |
| 1004913 | 4024163250634 | 748 | GRAZIA 60, cover 1.5m white | | 32.37 |
| 1004909 | 4024163250597 | 748 | GRAZIA 60, end caps black | | 6.69 |
| 1004910 | 4024163250603 | 748 | GRAZIA 60, end caps white | | 6.69 |
| 1004911 | 4024163250610 | 749 | GRAZIA 60, assembly mounting clips | | 128.40 |
| 1004904 | 4024163250542 | 749 | GRAZIA 60, feeder set | | 11.24 |
| 1004900 | 4024163250504 | 748 | GRAZIA 60, end caps black | | 10.00 |
| 1004901 | 4024163250511 | 748 | GRAZIA 60, end caps white | | 10.00 |
| 1004903 | 4024163250535 | 749 | GRAZIA 60 longitudinal connector | | 10.00 |
| 1004914 | 4024163250641 | 748 | GRAZIA 60, PC cover 1.5m frosted | | 16.32 |
| 1004915 | 4024163250658 | 748 | GRAZIA 60, PC cover 3m frosted | | 32.37 |
| 1004916 | 4024163250665 | 748 | GRAZIA 60, PMMA cover 1.5m frosted | | 20.87 |
| 1004917 | 4024163250672 | 748 | GRAZIA 60, PMMA cover 3m frosted | | 41.20 |
| 1004902 | 4024163250528 | 749 | GRAZIA 60, Profil structure 1.5m black | | 89.06 |
| 1004905 | 4024163250559 | 749 | GRAZIA 60, Profil structure 1.5m white | | 89.06 |
| 1004906 | 4024163250566 | 747 | GRAZIA 20, Profile structure 1.5m white | | 66.34 |
| 1004908 | 4024163250580 | 747 | GRAZIA 20, Profile structure 3m white | | 132.68 |
| 1004907 | 4024163250573 | 747 | GRAZIA 60, Profile structure 3m black | | 132.68 |
| 1004726 | 4024163248761 | 762 | GRAZIA IP FLEXSTRIP, 24V 2700-600K IP55 | | 186.18 |
| 1004732 | 4024163248877 | 763 | GRAZIA IP FLEXSTRIP, 24V RGBW IP55 | | 202.23 |
| 1004734 | 4024163248846 | 761 | GRAZIA IP FLEXSTRIP, 24V 3360 lm IP55 2700K | | 104.86 |
| 1004735 | 4024163248853 | 761 | GRAZIA IP FLEXSTRIP, 24V 3360 lm IP55 3000K | | 104.86 |
| 1004736 | 4024163248860 | 761 | GRAZIA IP FLEXSTRIP, 24V 3615 lm IP55 4000K | | 104.86 |
| 1004725 | 4024163248754 | 759 | GRAZIA PRO FLEXSTRIP, 24V 10mm 2700-6500K | | 155.15 |
| 1004727 | 4024163248776 | 760 | GRAZIA PRO FLEXSTRIP, 24V 12mm RGBW | | 148.73 |
| 1004720 | 4024163248709 | 757 | GRAZIA PRO MAX FLEXSTRIP, 24V 20mm 5m 12500lm 3000K | | 211.86 |
| 1004721 | 4024163248716 | 757 | GRAZIA PRO MAX FLEXSTRIP, 24V 20mm 5m 13000lm 4000K | | 211.86 |
| 1004722 | 4024163248723 | 758 | GRAZIA PRO MAX FLEXSTRIP, 24V 20mm 5m 20000lm 3000K | | 426.93 |
| 1004712 | 4024163248624 | 755 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 6500lm 2700K | | 128.40 |
| 1004714 | 4024163248648 | 755 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 7000lm 3000K | | 128.40 |
| 1004716 | 4024163248662 | 756 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 8500lm 2700K | | 148.73 |
| 1004717 | 4024163248679 | 756 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 8500lm 3000K | | 148.73 |
| 1004718 | 4024163248686 | 756 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 9100lm 4000K | | 148.73 |
| 1004719 | 4024163248693 | 756 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 9100lm 6500K | | 148.73 |
| 1004723 | 4024163248730 | 758 | GRAZIA PRO FLEXSTRIP, 24V 20mm 5m 21400lm 3000K | | 426.93 |
| 1004713 | 4024163248631 | 755 | GRAZIA PRO FLEXSTRIP, 24V 10mm 5m 6500lm 3000K | | 128.40 |
| 1004708 | 4024163248587 | 754 | GRAZIA FLEXSTRIP, LED 24V 10mm 5m 3500lm 2700K | | 73.83 |
| 1004709 | 4024163248594 | 754 | GRAZIA FLEXSTRIP, LED 24V 10mm 5m 3500lm 3000K | | 73.83 |
| 1004710 | 4024163248600 | 754 | GRAZIA FLEXSTRIP, LED 24V 10mm 5m 3750lm 4000K | | 73.83 |
| 1003435 | 4024163259211 | 157 | HELIA AMBIENT 35, indoor LED pendant black without canopy | | 180.93 |
| 1003436 | 4024163259388 | 157 | HELIA AMBIENT 35, indoor LED pendant TRAC black with canopy | | 226.94 |
| 1004706 | 4024163248563 | 224 | KARPO MAGN WL, indoor LED wall-mounted light black 3000K | | 192.60 |
| 1004707 | 4024163248570 | 224 | KARPO MAGN WL, indoor LED wall-mounted light white 3000K | | 192.60 |
| 1004776 | 4024163248923 | 795, 796, 761, 797 | LED Power supply 300W 24V | | 112.35 |
| 1005072 | 4024163251181 | 4,453,476,478,481,482,485,494 | LED QPARSL, lightbulb GU10 2700K 36° | PHASE-OUT | 6.37 |
| 1005075 | 4024163252010 | 7, 266, 274, 376, 395 | LED lightbulb QPARSL, GU10, 2700K, grey | | 7.22 |
| 1005077 | 4024163252034 | 7, 371, 395, 478 | LED lightbulb QPARSL, GU10, 2700K, black | | 7.22 |
| 1005076 | 4024163252027 | 7, 452, 453, 479 | LED lightbulb QPARSL, GU10, 2700K, white | | 7.22 |
| 1004973 | 4024163251198 | 351, 352, 370, 372, 402, 405, 453, 454 | LED QPARSL, lightbulb GU10 3000K 36° | PHASE-OUT | 6.37 |
| 1005078 | 4024163252041 | 7, 308, 459 | LED lightbulb QPARSL, GU10, 3000K, grey | | 7.22 |
| 1005080 | 4024163252065 | 7, 373, 445, 482 | LED lightbulb QPARSL, GU10, 3000K, black | | 7.22 |
| 1005079 | 4024163252058 | 7, 307, 480, 485, 492, 686, 721 | LED lightbulb QPARSL, GU10, 3000K, white | | 7.22 |
| 1004974 | 4024163251204 | 6, 217, 281, 307, 372, 593 | LED QPARSL, lightbulb GU10 4000K 36° | PHASE-OUT | 6.37 |
| 1005081 | 4024163252072 | 7 | LED lightbulb QPARSL, GU10, 4000K, grey | | 7.22 |
| 1005083 | 4024163252102 | 7 | LED lightbulb QPARSL, GU10, 4000K, black | | 7.22 |
| 1005082 | 4024163252089 | 7 | LED lightbulb QPARSL, GU10, 4000K, white | | 7.22 |
| 1004649 | 4024163247993 | 666 | LED SPOT SP, Outdoor LED wall-mounted light anthracite 3000K | | 66.34 |
| 1004957 | 4024163251075 | 666 | LED SPOT SP, Outdoor LED wall-mounted light rust 3000K | | 66.34 |
| 1004067 | 4024163242172 | 58 | LED driver, 15W 250mA DALI | | 77.04 |
| 1004069 | 4024163242196 | 59 | LED driver, 1.5-40.0W 230/250/500/700mA | | 77.04 |
| 1004070 | 4024163242202 | 60 | LED driver, 40W 700mA | | 77.04 |
| 1004062 | 4024163242127 | 60 | LED driver, 21-29.5W 500/600/700mA | | 28.89 |
| 1004064 | 4024163242141 | 59 | LED driver, 21-29.5W 500/600/700mA | | 28.89 |
| 1004781 | 4024163249317 | 801 | LED driver, 21-29.5W 500/600/700mA | | 28.89 |
| 1004065 | 4024163242165 | 60 | LED driver, 26-40W 1000mA PHASE | | 58.85 |
| 1004054 | 4024163242042 | 59 | LED driver, 30W 500mA PHASE | | 55.64 |
| 1004065 | 4024163242158 | 60 | LED driver, 30W 700mA | | 55.64 |
| 1004782 | 4024163249324 | 802 | LED driver, 31.5-44W 800/900/1050mA | | 35.31 |
| 1004071 | 4024163242219 | 60 | LED driver 4.2-50W 1050mA DALI | | 77.04 |
| 1004053 | 4024163242097 | 60 | LED driver 60W multi mA | | 28.89 |
| 1004055 | 4024163242059 | 58 | LED driver, 6.5-10W 250mA PHASE | | 38.52 |
| 1004058 | 4024163242080 | 58 | LED driver, 6.5-10W 250mA | | 24.61 |
| 1004780 | 4024163249300 | 800 | LED driver, 6.5-10W 250mA | | 24.61 |
| 1003536 | 4024163256874 | 538 | L-LINE OUT 30 FL, Outdoor LED free-standing light anthracite CCT switch 3000/4000K | | 219.95 |
| 1003537 | 4024163256881 | 538 | L-LINE OUT 50 POLE, Outdoor LED free-standing light horizontal anthracite CCT switch 3000/4000K | | 180.93 |
| 1003535 | 4024163256867 | 538 | L-LINE OUT 60 FL, Outdoor LED free-standing light anthracite CCT switch 3000/4000K | | 231.12 |
| 1003538 | 4024163256898 | 539 | L-LINE OUT 80 FL POLE, Outdoor LED free-standing light horizontal anthracite CCT switch 3000/4000K | | 208.65 |
| 1003539 | 4024163256904 | 656 | L-LINE OUT WL, Outdoor LED wall-mounted light anthracite CCT switch 3000/4000K | | 134.82 |
| 1004970 | 4024163251167 | 113 | MAGANDA TL, indoor LED table lamp chrome CCT switch 2700/3000/4000K | | 167.99 |
| 1004971 | 4024163252218 | 232 | MAGANDA WL, indoor LED wall-mounted light chrome CCT switch 2700/3000/4000K | | 189.39 |
| 1004657 | 4024163248075 | 185 | MANA BASIS WL, indoor LED wall-mounted light round anthracite CCT switch 2700/3000K | | 185.11 |
| 1004660 | 4024163248105 | 185 | MANA, shade round 40 beige | | 95.23 |
| 1004661 | 4024163248112 | 185 | MANA, shade round 40 grey | | 95.23 |
| 1004662 | 4024163248129 | 185 | MANA, shade round 60 beige | | 134.82 |
| 1004663 | 4024163248136 | 185 | MANA, shade round 60 grey | | 134.82 |
| 1004969 | 4024163251150 | 185 | MANA, Wall bracket without lightbulb round anthracite | | 24.88 |
| 1003023 | 4024163232135 | 209, 785 | NEW FLAT WL, indoor LED wall-mounted light alu RGBW | | 559.61 |
| 1003022 | 4024163232128 | 209, 785 | NEW FLAT, indoor LED wall light, RGBW, white | | 551.05 |
| 1003530 | 4024163256843 | 142 | NOVA PD PHASE, indoor LED pendant light black CCT switch 2700/3000K | | 448.93 |
| 1003532 | 4024163256850 | 142 | NOVA PD PHASE, indoor LED pendant light white CCT switch 2700/3000K | | 448.93 |
| 1004410 | 4024163245609 | 80 | NUMINOS [®] CL DALI S, Indoor LED recessed ceiling light black/black 2700K 24° | | 143.38 |

| | | | | |
|---------|---------------|-----|--|---------|
| 1004204 | 4024163243544 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light black/black 3000K 60" | 138.03 |
| 1004210 | 4024163243605 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light black/black 4000K 24" | 138.03 |
| 1004211 | 4024163243612 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light black/black 4000K 36" | 138.03 |
| 1004212 | 4024163243629 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light black/black 4000K 60" | 138.03 |
| 1004198 | 4024163243483 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 2700K 24" | 138.03 |
| 1004199 | 4024163243490 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 2700K 36" | 138.03 |
| 1004200 | 4024163243506 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 3000K 60" | 138.03 |
| 1004206 | 4024163243568 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 3000K 24" | 138.03 |
| 1004207 | 4024163243575 | 74 | NUMINOS® SPOT PHASE M, Indoor LED surface-mounted ceiling light white/black 3000K 36" | 138.03 |
| 1004208 | 4024163243582 | 74 | NUMINOS® SPOT PHASE M, Indoor LED surface-mounted ceiling light white/black 3000K 60" | 138.03 |
| 1004214 | 4024163243643 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 4000K 24" | 138.03 |
| 1004215 | 4024163243650 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 4000K 36" | 138.03 |
| 1004216 | 4024163243667 | 74 | NUMINOS® SPOT PHASE M, Indoor LED recessed ceiling light white/black 4000K 60" | 138.03 |
| 1004290 | 4024163244404 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 2700K 24" | 153.01 |
| 1004291 | 4024163244411 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 2700K 36" | 153.01 |
| 1004292 | 4024163244428 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 2700K 60" | 153.01 |
| 1004298 | 4024163244480 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 3000K 24" | 153.01 |
| 1004299 | 4024163244497 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 3000K 36" | 153.01 |
| 1004300 | 4024163244503 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 3000K 60" | 153.01 |
| 1004306 | 4024163244565 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 4000K 24" | 153.01 |
| 1004307 | 4024163244572 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 4000K 36" | 153.01 |
| 1004308 | 4024163244589 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light black/black 4000K 60" | 153.01 |
| 1004294 | 4024163244442 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 2700K 24" | 153.01 |
| 1004295 | 4024163244459 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 2700K 36" | 153.01 |
| 1004296 | 4024163244466 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 2700K 60" | 153.01 |
| 1004301 | 4024163244527 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 3000K 24" | 153.01 |
| 1004303 | 4024163244534 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 3000K 36" | 153.01 |
| 1004304 | 4024163244541 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 3000K 60" | 153.01 |
| 1004310 | 4024163244602 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 4000K 24" | 153.01 |
| 1004311 | 4024163244619 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 4000K 36" | 153.01 |
| 1004312 | 4024163244626 | 76 | NUMINOS® SPOT PHASE L, Indoor LED recessed ceiling light white/black 4000K 60" | 153.01 |
| 1004666 | 4024163248167 | 280 | OCULUS CL, Indoor LED wall and ceiling mounted light black DIM-TO-WARM 2000-3000K | 219.35 |
| 1004667 | 4024163248174 | 280 | OCULUS CL, Indoor LED wall and ceiling mounted light white DIM-TO-WARM 2000-3000K | 219.35 |
| 1004664 | 4024163248143 | 296 | OCULUS CW, Indoor LED wall and ceiling mounted light black DIM-TO-WARM 2000-3000K | 272.85 |
| 1004665 | 4024163248150 | 296 | OCULUS CW, Indoor LED wall and ceiling mounted light white DIM-TO-WARM 2000-3000K | 272.85 |
| 1004668 | 4024163248181 | 296 | OCULUS DL MOVE, Indoor LED wall and ceiling mounted light black DIM-TO-WARM 2000-3000K | 202.23 |
| 1004669 | 4024163248198 | 396 | OCULUS DL MOVE, Indoor LED ceiling recessed light black DIM-TO-WARM 2000-3000K | 202.23 |
| 1004672 | 4024163248228 | 147 | OCULUS PD, Indoor LED pendant light single black DIM-TO-WARM 2000-3000K | 223.63 |
| 1004673 | 4024163248235 | 147 | OCULUS PD, Indoor LED pendant light single white DIM-TO-WARM 2000-3000K | 223.63 |
| 1004670 | 4024163248204 | 188 | OCULUS UP/DOWN WL, Indoor LED wall-mounted light black 2000-3000K | 266.43 |
| 1004671 | 4024163248211 | 188 | OCULUS UP/DOWN WL, Indoor LED wall-mounted light white 2000-3000K | 266.43 |
| 1004761 | 4024163249119 | 121 | ONE 60 PD DALI UP/DOWN, Indoor LED pendant light black CCT switch 3000/4000K | 512.53 |
| 1004762 | 4024163249126 | 121 | ONE 60 PD DALI UP/DOWN, Indoor LED pendant light white CCT switch 3000/4000K | 512.53 |
| 1004759 | 4024163249096 | 121 | ONE 60 PD PHASE UP/DOWN, Indoor LED pendant light black CCT switch 2700/3000K | 463.31 |
| 1004760 | 4024163249103 | 121 | ONE 60 PD PHASE UP/DOWN, Indoor LED pendant light white CCT switch 2700/3000K | 463.31 |
| 1004763 | 4024163249133 | 121 | ONE 60 PD DALI UP/DOWN, Indoor LED pendant light black CCT switch 3000/4000K | 608.83 |
| 1004764 | 4024163249140 | 121 | ONE 60 PD DALI UP/DOWN, Indoor LED pendant light white CCT switch 3000/4000K | 608.83 |
| 1004767 | 4024163249171 | 123 | ONE DOUBLE PD DALI UP/DOWN, Indoor LED pendant light black CCT switch 3000/4000K | 1068.93 |
| 1004768 | 4024163249188 | 123 | ONE DOUBLE PD DALI UP/DOWN, Indoor LED pendant light white CCT switch 3000/4000K | 1068.93 |
| 1004765 | 4024163249157 | 123 | ONE DOUBLE PD PHASE UP/DOWN, Indoor LED pendant light black CCT switch 2700/3000K | 783.24 |
| 1004766 | 4024163249164 | 123 | ONE DOUBLE PD PHASE UP/DOWN, Indoor LED pendant light white CCT switch 2700/3000K | 783.24 |
| 1003518 | 4024163236737 | 686 | OUT-BEAM FRAME CW, Outdoor LED wall and ceiling mounted light anthracite 3000K | 119.94 |
| 1003519 | 4024163236744 | 686 | OUT-BEAM FRAME CW, Outdoor LED wall and ceiling mounted light white 3000K | 119.94 |
| 1004681 | 4024163248310 | 542 | DVALISK 100 FL, Outdoor LED free-standing light anthracite CCT switch 3000/4000K | 337.05 |
| 1004680 | 4024163248303 | 542 | DVALISK 75 FL, Outdoor LED free-standing light anthracite CCT switch 3000/4000K | 309.23 |
| 1004677 | 4024163248273 | 676 | DVALISK CL, Outdoor LED ceiling-mounted light anthracite CCT switch 3000/4000K | 253.59 |
| 1004678 | 4024163248280 | 676 | DVALISK WL, Outdoor LED ceiling-mounted light anthracite CCT switch 3000/4000K | 253.59 |
| 1004679 | 4024163248297 | 637 | DVALISK WL Sensor, Outdoor LED ceiling-mounted light anthracite CCT switch 3000/4000K | 269.64 |
| 1004443 | 4024163236003 | 163 | PANTULO CONVEX 29, Indoor pendant E27 chrome | 234.33 |
| 1003444 | 4024163236010 | 163 | PANTULO CONVEX 40, Indoor pendant E27 chrome | 333.84 |
| 1003454 | 4024163236119 | 639 | PENMA® WL, outdoor LED surface-mounted wall light grey CCT switch 3000/4000K | 138.03 |
| 1003453 | 4024163236102 | 639 | PENMA® WL, outdoor LED surface-mounted wall light black CCT switch 3000/4000K | 138.03 |
| 1004733 | 4024163248839 | 190 | PLASTRA WL CUBES, Indoor wall-mounted light QT14 white | 55.64 |
| 1004732 | 4024163248822 | 193 | PLASTRA WL CURVED CURTAIN, Indoor wall-mounted light QT-DE12 white | 68.48 |
| 1004765 | 4024163236232 | 198 | QUAD FRAME 1A, Indoor LED surface-mounted wall light TRAC white CCT switch 2700/3000K | 95.23 |
| 1003460 | 4024163236249 | 198 | QUAD FRAME 1B, Indoor LED surface-mounted wall light TRAC white CCT switch 2700/3000K | 95.23 |
| 1003466 | 4024163236225 | 410 | QUAD FRAME 9, Indoor LED recessed wall light 3000K white | 88.81 |
| 1003432 | 4024163235891 | 165 | QUADRASS, Indoor pendant, E27, white | 96.30 |
| 1003428 | 4024163235853 | 212 | QUADRASS SPOT, Indoor surface-mounted wall light with LED spotlight and E27 socket, black | 196.88 |
| 1003429 | 4024163235860 | 212 | QUADRASS SPOT, Indoor surface-mounted wall light with LED spotlight and E27 socket, white | 196.88 |
| 1003430 | 4024163235877 | 212 | QUADRASS, Indoor surface-mounted wall light, E27, black | 159.61 |
| 1003431 | 4024163235884 | 212 | QUADRASS, Indoor surface-mounted wall light, E27, white | 129.47 |
| 1004651 | 4024163248413 | 636 | RUSTY® UP/DOWN WL, outdoor LED surface-mounted wall light round rust CCT switch 3000/4000K | 269.64 |
| 1004650 | 4024163248406 | 636 | RUSTY® UP/DOWN WL, outdoor LED surface-mounted wall light square rust CCT switch 3000/4000K | 269.64 |
| 1004757 | 4024163248072 | 592 | SAMIRNIA SP single OPARGL, outdoor ground spike light black | 40.13 |
| 1004703 | 4024163248532 | 319 | SENSE 12 CW, Indoor LED wall and ceiling-mounted light square white 4000K | 69.55 |
| 1004700 | 4024163248501 | 320 | SENSE 12 CW, Indoor LED wall and ceiling-mounted light round white 4000K | 69.55 |
| 1004697 | 4024163248471 | 390 | SENSE 12 DL, Indoor LED recessed ceiling light square white 4000K | 27.82 |
| 1004694 | 4024163248440 | 389 | SENSE 12 DL, Indoor LED recessed ceiling light round white 4000K | 27.82 |
| 1004704 | 4024163248529 | 319 | SENSE 18 CW, Indoor LED wall and ceiling-mounted light square white 4000K | 74.90 |
| 1004701 | 4024163248518 | 320 | SENSE 18 CW, Indoor LED wall and ceiling-mounted light round white 4000K | 74.90 |
| 1004698 | 4024163248488 | 390 | SENSE 18 DL, Indoor LED recessed ceiling light square white 4000K | 32.10 |
| 1004695 | 4024163248457 | 389 | SENSE 18 DL, Indoor LED recessed ceiling light round white 4000K | 32.10 |
| 1004705 | 4024163248556 | 319 | SENSE 24 CW, Indoor LED wall and ceiling-mounted light square white 4000K | 80.25 |
| 1004702 | 4024163248525 | 320 | SENSE 24 CW, Indoor LED wall and ceiling-mounted light round white 4000K | 80.25 |
| 1004699 | 4024163248495 | 389 | SENSE 24 DL, Indoor LED recessed ceiling light square white 4000K | 42.80 |
| 1004696 | 4024163248464 | 389 | SENSE 24 DL, Indoor LED recessed ceiling light round white 4000K | 42.80 |
| 1003459 | 4024163236164 | 227 | SOMNILA FLEX, Indoor LED surface-mounted wall light 3000K white version left incl. USB connection | 230.05 |
| 1003460 | 4024163236171 | 227 | SOMNILA FLEX, Indoor LED surface-mounted wall light 3000K white version right incl. USB connection | 230.05 |
| 1003455 | 4024163236126 | 226 | SOMNILA SPOT, Indoor LED surface-mounted wall light 3000K black version left incl. USB connection | 218.28 |
| 1003456 | 4024163236133 | 226 | SOMNILA SPOT, Indoor LED surface-mounted wall light 3000K black version right incl. USB connection | 218.28 |
| 1003457 | 4024163236140 | 226 | SOMNILA SPOT, Indoor LED surface-mounted wall light 3000K white version left incl. USB connection | 218.28 |
| 1003458 | 4024163236157 | 226 | SOMNILA SPOT, Indoor LED surface-mounted wall light 3000K white version right incl. USB connection | 218.28 |
| 1004939 | 4024163250894 | 433 | S-TRACK DALI, cover track black 2m | 7.22 |
| 1004940 | 4024163250901 | 433 | S-TRACK DALI, cover track white 2m | 7.22 |
| 1004937 | 4024163250870 | 431 | S-TRACK DALI track 1m black | 42.80 |
| 1004938 | 4024163250887 | 431 | S-TRACK DALI track 1m white | 42.80 |
| 1004941 | 4024163250917 | 433 | S-TRACK DALI T-Connector II right black | 37.18 |
| 1004942 | 4024163250924 | 433 | S-TRACK DALI T-Connector II right white | 37.18 |
| 1004943 | 4024163250931 | 433 | S-TRACK DALI T-Connector II left black | 37.18 |
| 1004944 | 4024163250948 | 433 | S-TRACK DALI T-Connector II left white | 37.18 |
| 1003299 | 4024163234672 | 384 | SUPROS, Indoor LED recessed ceiling light black round 3000K 60° CR190 3000m | 219.35 |
| 1003301 | 4024163234696 | 384 | SUPROS, Indoor LED recessed ceiling light black round 3000K 60° CR190 3380m | 230.05 |
| 1003303 | 4024163234719 | 384 | SUPROS, Indoor LED recessed ceiling light black round 4000K 60° CR190 2700m | 219.35 |
| 1003305 | 4024163234733 | 385 | SUPROS, Indoor LED recessed ceiling light black round 4000K 60° CR190 3200m | 230.05 |
| 1003300 | 4024163234689 | 384 | SUPROS, Indoor LED recessed ceiling light white round 3000K 60° CR190 2600m | 219.35 |
| 1003302 | 4024163234702 | 384 | SUPROS, Indoor LED recessed ceiling light white round 3000K 60° CR190 3380m | 230.05 |
| 1003304 | 4024163234726 | 384 | SUPROS, Indoor LED recessed ceiling light white round 4000K 60° CR190 2700m | 219.35 |
| 1003306 | 4024163234740 | 385 | SUPROS, Indoor LED recessed ceiling light white round 4000K 60° CR190 3520m | 230.05 |
| 1003283 | 4024163234511 | 270 | SUPROS MOVE CL, Indoor LED ceiling mounted light, round, black, 3000K, 60° reflector, CR190, 3880m | 266.43 |
| 1003289 | 4024163234573 | 270 | SUPROS MOVE CL, Indoor LED ceiling mounted light, round, black, 3000K, 60° reflector, CR190, 3520m | 252.52 |
| 1003285 | 4024163234535 | 270 | SUPROS MOVE CL, Indoor LED ceiling mounted light, round, black, 4000K, 60° reflector, CR190, 3520m | 266.43 |
| 1003287 | 4024163234559 | 270 | SUPROS MOVE CL, Indoor LED ceiling mounted light, round, black, 4000K, 60° reflector, CR190, 2700m | 252.52 |
| 1003284 | 4024163234528 | 270 | SUPROS CL, Indoor LED ceiling mounted light, round, white, 3000K, 60° reflector, CR190, 3380m | 266.43 |
| 1003290 | 4024163234580 | 270 | SUPROS CL, Indoor LED ceiling mounted light, round, white, 3000K, 60° reflector, CR190, 2600m | 252.52 |
| 1003288 | 4024163234542 | 270 | SUPROS MOVE CL, Indoor LED ceiling mounted light, round, white, 4000K, 60° reflector, CR190, 3520m | 266.43 |
| 1003286 | 4024163234566 | 270 | SUPROS MOVE CL, Indoor LED ceiling mounted light, round, white, 4000K, 60° reflector, CR190, 2700m | 252.52 |
| 1003307 | 4024163234757 | 386 | SUPROS MOVE, Indoor LED recessed ceiling light black round 3000K 60° CR190 2600m | 266.43 |
| 1003309 | 4024163234771 | 387 | SUPROS MOVE, Indoor LED recessed ceiling light black round 3000K 60° CR190 3380m | 272.85 |
| 1003311 | 4024163234795 | 386 | SUPROS MOVE, Indoor LED recessed ceiling light black round 4000K 60° CR190 2700m | 266.43 |
| 1003313 | 4024163234819 | 387 | SUPROS MOVE, Indoor LED recessed ceiling light black round 4000K 60° CR190 3520m | 272.85 |
| 1003308 | 4024163234764 | 386 | SUPROS MOVE, Indoor LED recessed ceiling light white round 3000K 60° CR190 2600m | 266.43 |
| 1003310 | 4024163234788 | 387 | SUPROS MOVE, Indoor LED recessed ceiling light white round 3000K 60° CR190 3380m | 272.85 |
| 1003312 | 4024163234801 | 386 | SUPROS MOVE, Indoor LED recessed ceiling light white round 4000K 60° CR190 2700m | 266.43 |
| 1003314 | 4024163234825 | 387 | SUPROS MOVE, Indoor LED recessed ceiling light white round 4000K 60° CR190 3520m | 272.85 |
| 1003275 | 4024163234626 | 148 | SUPROS PD, Indoor LED pendant, round, black, 3000K, 60° reflector, CR190, 3000m | 266.43 |
| 1003279 | 4024163234474 | 148 | SUPROS PD, Indoor LED pendant, round, black, 3000K, 60° reflector, CR190, 3380m | 272.85 |
| 1003277 | 4024163234450 | 148 | SUPROS PD, Indoor LED pendant, round, black, 4000K, 60° reflector, CR190, 2700m | 266.43 |
| 1003281 | 4024163234498 | 149 | SUPROS PD, Indoor LED pendant, round, black, 4000K, 60° reflector, CR190, 3520m | 272.85 |
| 1003276 | 4024163234443 | 148 | SUPROS PD, Indoor LED pendant, round, white, 3000K, 60° reflector, CR190, 2600m | 266.43 |
| 1003280 | 4024163234481 | 149 | SUPROS PD, Indoor LED pendant, round, white, 3000K, 60° reflector, CR190, 3380m | 272.85 |
| 1003278 | 4024163234467 | 148 | SUPROS PD, Indoor LED pendant, round, white, 4000K, 60° reflector, CR190, 2700m | 266.43 |
| 1003282 | 4024163234504 | 149 | SUPROS PD, Indoor LED pendant, round, white, 4000K, 60° reflector, CR190, 3520m | 272.85 |
| 1002863 | 4024163230599 | 504 | DURNO, cable luminaire for the TENSEO low voltage cable system, 2700K, chrome | 81.32 |
| 1002861 | 4024163230575 | 504 | DURNO, cable luminaire for the TENSEO low voltage cable system, 2700K, black | 77.04 |
| 1002862 | 4024163230582 | 504 | DURNO, cable luminaire for the TENSEO low voltage cable system, 2700K, white | 77.04 |
| 1002866 | 4024163230629 | 505 | PITTYA rectangular, cable luminaire for the TENSEO low voltage cable system, 2700K, chrome | 66.34 |

| | | | | | |
|---------|---------------|------------------------------------|--|---------------|--------|
| 1002864 | 4024163230605 | 505 | PYTTA rectangular, cable luminaire for the TENSEO low voltage cable system, 2700K, black | | 60.99 |
| 1002865 | 4024163230612 | 505 | PYTTA rectangular, cable luminaire for the TENSEO low voltage cable system, 2700K, white | | 60.99 |
| 1004654 | 4024163248044 | 541 | THEO BRACKET 50 FL, outdoor free-standing light QPARS1 anthracite | | 116.63 |
| 1004655 | 4024163248051 | 541 | THEO BRACKET 70 FL, outdoor free-standing light QPARS1 anthracite | | 129.47 |
| 1004653 | 4024163248037 | 684 | THEO BRACKET CW, outdoor wall and ceiling-mounted light QPARS1 anthracite | | 75.57 |
| 1004652 | 4024163248020 | 603 | THEO BRACKET SP QPARS1, outdoor ground spike light anthracite | | 64.20 |
| 1004730 | 4024163248808 | 233 | TRUKKO WL, Indoor LED wall-mounted light square defog aluminium | | 358.45 |
| 1004731 | 4024163248815 | 233 | TRUKKO WL, Indoor LED wall-mounted light round aluminium | | 341.33 |
| 1003254 | 4024163242930 | 389, 390, 797 | LED driver, 5 - 8.4W 200mA | | 33.71 |
| 1004786 | 4024163249362 | 58 | NUMINOS [®] 5, diffuser Ellipse | | 4.01 |
| 1006187 | 4024163262668 | 118 | ONE LINEAR 100 PHASE up/down, brass pendant light, 24W 2700/3000K | NEW | 315.65 |
| 1006188 | 4024163262651 | 118 | ONE LINEAR 140 PHASE up/down, black pendant light, 35W 2700/3000K | NEW | 347.75 |
| 1006189 | 4024163262644 | 118 | ONE LINEAR 140 PHASE up/down, white pendant light, 35W 2700/3000K | NEW | 347.75 |
| 1006185 | 4024163262682 | 118 | ONE LINEAR 100 PHASE up/down, black pendant light, 24W 2700/3000K | NEW | 294.25 |
| 1006186 | 4024163262675 | 118 | ONE LINEAR 100 PHASE up/down, white pendant light, 24W 2700/3000K | NEW | 294.25 |
| 1006190 | 4024163262637 | 118 | ONE LINEAR 140 PHASE up/down, brass pendant light, 35W 2700/3000K | NEW | 389.15 |
| 1005443 | 4024163256919 | 632 | BOOKAT, anthracite wall-mounted light, 15W 3000/4000K | NEW | 187.25 |
| 1005305 | 4024163253536 | 10, 171, 288, 333 | A60 E27 Mirrorhead, chrome LED light, 7.5W 2700K CR190 180° | NEW | 17.92 |
| 1005285 | 4024163253727 | 4, 165, 191, 530, 691 | C35 E14, Frosted LED light, 4.2W 2700K CR190 320° | NEW | 9.10 |
| 1005309 | 4024163253499 | 10, 215 | G95 E27, transparent LED light, 7.5W 2700K CR190 320° | NEW | 16.85 |
| 1005313 | 4024163253451 | 7, 787 | QPAR111 GU10 tunable smart, white / transparent LED light, 10W 2700-6500K CR190 25° | NEW | 55.64 |
| 1005314 | 4024163253444 | 7, 787 | QPAR111 GU10 tunable smart, white LED light, 10W 2700-6500K CR190 40° | NEW | 55.64 |
| 1005315 | 4024163253437 | 7, 787 | QPAR111 GU10 RGBW smart, white LED light, 10W CR190 25° | NEW | 72.76 |
| 1005316 | 4024163253420 | 7, 787 | QPAR111 GU10 RGBW smart, white / transparent LED light, 10W CR190 40° | NEW | 72.76 |
| 1005289 | 4024163253680 | 333,534,545,554,555,557,560,58 | T8 E27, white LED light, 8W 3000K CR190 240° | NEW | 9.10 |
| 1005290 | 4024163253673 | 1, 512, 520, 520, 513, 534,545,58 | T8 E27, white LED light, 8W 4000K CR190 240° | NEW | 9.10 |
| 1005310 | 4024163253482 | 10, 245 | G125 E27, transparent LED light, 7.5W 2700K CR190 330° | NEW | 20.33 |
| 1005307 | 4024163253512 | 10, 557, 659 | T45 E27, white LED light, 13.5W 3000K CR190 240° | NEW | 11.24 |
| 1005308 | 4024163253505 | 10, 557 | T45 E27, white / milky LED light, 13.5W 4000K CR190 240° | NEW | 11.24 |
| 1005302 | 4024163253587 | 4,179,220,227,276,278,286,332 | A60 E27, white LED light, 13.5W 2700K CR190 220° | NEW | 12.84 |
| 1005295 | 4024163253895 | 3, 162, 163, 214, 218,447,549,552 | A60 E27, gold LED light, 7.5W 2500K CR190 320° | NEW | 24.61 |
| 1005287 | 4024163253703 | 4, 194, 202, 205, 652 | QT DEL2 R75 78mm, transparent LED light, 5W 3000K CR190 330° | NEW | 20.33 |
| 1005304 | 4024163253543 | 3, 104, 106, 174, 221, 518, 546,56 | A60 E27, Frosted LED light, 7.5W 2700K CR190 320° | NEW | 11.50 |
| 1005311 | 4024163253475 | 6, 492, 786 | QPARS1 GU10 tunable smart, white / transparent LED light, 5W 2700-6500K CR190 38° | NEW | 34.24 |
| 1005291 | 4024163253666 | 8 | QPAR111 GU10 silver LED light, 7W 2700K CR190 25° | NEW | 17.66 |
| 1005292 | 4024163253659 | 8, 355 | QPAR111 GU10 silver LED light, 7W 3000K CR190 25° | NEW | 17.66 |
| 1005293 | 4024163253642 | 8 | QPAR111 GU10 silver LED light, 7W 4000K CR190 25° | NEW | 17.66 |
| 1005294 | 4024163253635 | 8 | QPAR111 GU10 silver LED light, 7W 2700K CR190 40° | NEW | 17.66 |
| 1005295 | 4024163253628 | 8 | QPAR111 GU10 silver LED light, 7W 3000K CR190 40° | NEW | 17.66 |
| 1005296 | 4024163253611 | 8 | QPAR111 GU10 silver LED light, 7W 4000K CR190 40° | NEW | 17.66 |
| 1005312 | 4024163253468 | 6, 786 | QPARS1 GU10 RGBW smart, white / transparent LED light, 5.2W CR190 38° | NEW | 48.15 |
| 1005303 | 4024163253550 | 3, 150, 162, 167, 219, 477, 518,63 | A60 E27, transparent LED light, 7.5W 2700K CR190 320° | NEW | 9.10 |
| 1005284 | 4024163253734 | 4, 194, 211, 237, 475, 494, 703 | C35 E14, transparent LED light, 4.2W 2700K CR190 320° | NEW | 7.49 |
| 1005318 | 4024163253406 | 9, 786 | A60 E27 RGBW smart, white / milky LED light, 9W CR190 230° | NEW | 64.94 |
| 1005288 | 4024163253697 | 4, 191, 193, 202, 210, 245 | QT DEL2 R75 118mm, transparent LED light, 15W 3000K CR190 330° | NEW | 26.75 |
| 1005291 | 4024163253413 | 9, 786 | A60 E27 Tunable smart, white LED light, 9W 2700-6500K CR190 320° | NEW | 32.10 |
| 1005275 | 4024163253826 | 8, 378, 502, 503, 645 | QPAR111 GU10 silver LED light, 12.5W 2700K CR190 10° | NEW | 53.50 |
| 1005278 | 4024163253796 | 8, 353 | QPAR111 GU10 silver LED light, 12.5W 3000K CR190 10° | NEW | 53.50 |
| 1005281 | 4024163253765 | 8 | QPAR111 GU10 silver LED light, 12.5W 4000K CR190 10° | NEW | 53.50 |
| 1005301 | 4024163253574 | 6,211,212,219,220,227,278,279 | A60 E27, white LED light, 9W 2700K CR190 220° | NEW | 6.96 |
| 1005274 | 4024163253833 | 375, 304, 355, 374, 378, 454,674 | QPAR111 GU10 transparent LED light, 12.5W 2700K CR190 38° | NEW | 48.15 |
| 1005306 | 4024163253529 | 11, 170, 171 | G125 E27 Mirrorhead, chrome LED light, 7.5W 2700K CR190 180° | NEW | 24.61 |
| 1005286 | 4024163253710 | 4, 190, 216, 222, 237, 662 | QT14 09, White LED light, 3.7W 3000K CR190 300° | NEW | 9.36 |
| 1005276 | 4024163253819 | 8, 446, 476, 484, 495, 619, 645 | QPAR111 GU10 silver LED light, 12.5W 2700K CR190 30° | NEW | 48.15 |
| 1005277 | 4024163253802 | 8, 172, 621 | QPAR111 GU10 silver LED light, 12.5W 2700K CR190 60° | NEW | 48.15 |
| 1005279 | 4024163253789 | 8 | QPAR111 GU10 LED lamp, silver, 12.5W 3000K CR190 30° | NEW | 48.15 |
| 1005280 | 4024163253772 | 8 | QPAR111 GU10 LED lamp, silver, 12.5W 3000K CR190 60° | NEW | 48.15 |
| 1005282 | 4024163253758 | 8, 275, 355, 446, 452, 722 | QPAR111 GU10 silver LED light, 12.5W 4000K CR190 30° | NEW | 48.15 |
| 1005283 | 4024163253741 | 8 | QPAR111 GU10 silver LED light, 12.5W 4000K CR190 60° | NEW | 48.15 |
| 1005273 | 4024163253840 | 3, 217, 351, 352, 371, 376, 405,44 | QPARS1 GU10, LED light, 6W 2200 2700K CR190 360° | NEW | 9.36 |
| 1005299 | 4024163253871 | 375, 527, 577, 583, 622, 644,662 | QPARS1 GU10, white / milky LED light, 6W 4000K CR190 120° | NEW | 9.63 |
| 1005271 | 4024163253864 | 4, 603, 661, 679, 684 | TCR TSE GX53, white / milky LED light, 6W 3000K CR190 120° | NEW | 9.63 |
| 1005272 | 4024163253857 | 4, 602 | TCR TSE GX53, white / milky LED light, 6W 2700K CR190 120° | NEW | 9.63 |
| 1005268 | 4024163253888 | 0, 164, 169, 211, 548, 553, 657,67 | ST58 E27, transparent LED light, 7.5W 2700K CR190 320° | NEW | 11.50 |
| 1005106 | 4024163262071 | 717 | DASAR FLAT 120 EL stainless steel in-ground light, 7W 3000K | NEW | 144.45 |
| 1005107 | 4024163262064 | 717 | DASAR FLAT 120 EL stainless steel in-ground light, 7W 4000K | NEW | 144.45 |
| 1005206 | 4024163252874 | 611, 612, 615, 616, 617, 671, 672 | ENOLA M, lens asymmetric | GOOD LIGHT 21 | 39.59 |
| 1005205 | 4024163252867 | 611, 612, 615, 616, 617, 671, 672 | ENOLA M, lens 20° | GOOD LIGHT 21 | 39.59 |
| 1005263 | 4024163253390 | 611, 612, 615, 616, 617, 671, 672 | ENOLA L, chrome reflector 60° | NEW | 20.33 |
| 1005262 | 4024163253383 | 611, 612, 615, 616, 617, 671, 672 | ENOLA S, chrome reflector 60° | NEW | 15.52 |
| 1005207 | 4024163253881 | 611, 612, 615, 616, 617, 671, 672 | ENOLA M, reflector 60° | GOOD LIGHT 21 | 33.54 |
| 1005440 | 4024163253501 | 515 | ESKINA FRAME 175 Pole double, anthracite free-standing lamp, 27W 3000/4000K 95° | NEW | 454.75 |
| 1005439 | 4024163253518 | 514 | ESKINA FRAME 125 Pole double, anthracite free-standing lamp, 27W 3000/4000K 95° | NEW | 379.85 |
| 1004775 | 4024163249256 | 107, 155, 277 | FENDA 45 cm round lampshade, grey | NEW | 78.11 |
| 1005216 | 4024163252959 | 176 | PARA DOME, black shade | NEW | 96.30 |
| 1005217 | 4024163252966 | 176 | PARA DOME, grey shade | NEW | 96.30 |
| 1005218 | 4024163252973 | 176 | PARA DOME, transparent shade | NEW | 96.30 |
| 1004774 | 4024163249049 | 107, 155, 277 | FENDA 30 cm round lampshade, grey | NEW | 49.76 |
| 1004773 | 4024163249232 | 107, 155 | FENDA 15 cm round lampshade, grey | NEW | 42.53 |
| 1006192 | 4024163262633 | 589 | FLOOD M, anthracite / transparent wall and ceiling-mounted light, 30W 3000K 100° | NEW | 52.43 |
| 1006193 | 4024163262626 | 589 | FLOOD L, anthracite / transparent wall and ceiling-mounted light, 60W 3000K 100° | NEW | 74.83 |
| 1006191 | 4024163262620 | 589 | FLOOD S, anthracite / transparent wall and ceiling-mounted light, 9.3W 3000K 100° | NEW | 31.03 |
| 1006179 | 4024163262743 | 626 | GRAFIT E27 round Sensor, anthracite wall-mounted light | NEW | 78.11 |
| 1006182 | 4024163262712 | 518 | GRAFIT E27 90 Pole round, anthracite free-standing lamp | NEW | 127.33 |
| 1006183 | 402416326705 | 627 | GRAFIT E27 square Sensor, anthracite wall-mounted light | NEW | 78.11 |
| 1006184 | 4024163262699 | 518 | GRAFIT E27 60 Pole square, anthracite free-standing lamp | NEW | 127.33 |
| 1006181 | 4024163262729 | 518 | GRAFIT E27 60 Pole round, anthracite free-standing lamp | NEW | 95.23 |
| 1006180 | 4024163262736 | 518 | GRAFIT E27 30 Pole round, anthracite free-standing lamp | NEW | 78.11 |
| 1006178 | 4024163262750 | 626 | GRAFIT E27 round, anthracite wall-mounted light | NEW | 78.11 |
| 1004932 | 4024163252825 | 745 | GRADIA 20 mounting spring, chrome / aluminium, 2 pcs | NEW | 20.33 |
| 1005434 | 4024163253202 | 373 | HORN GU10, white recessed ceiling light, 25W blower door tested | NEW | 25.68 |
| 1005435 | 4024163253219 | 373 | HORN GU10, black recessed ceiling light, 25W blower door tested | NEW | 25.68 |
| 1006122 | 4024163261913 | 371 | HORN double QPARS1, white recessed ceiling light, 25W | NEW | 71.69 |
| 1006121 | 4024163261920 | 371 | HORN double QPARS1, black recessed ceiling light, 25W | NEW | 71.69 |
| 1006161 | 4024163262361 | 224 | KARPO GOOSE, white wall-mounted light, 5.8W 3000K 40° | NEW | 170.13 |
| 1006162 | 4024163262354 | 224 | KARPO GOOSE, black wall-mounted light, 5.8W 3000K 40° | NEW | 170.13 |
| 1006127 | 4024163261869 | 334 | BATTEN, white connector | NEW | 5.35 |
| 1006128 | 4024163261852 | 334 | BATTEN, white direct connector | NEW | 2.14 |
| 1006125 | 4024163261883 | 334 | BATTEN, white feed-in | NEW | 9.63 |
| 1006126 | 4024163261876 | 334 | BATTEN, white mounting clamps | NEW | 1.82 |
| 1006123 | 4024163261926 | 334 | BATTEN 60, white light bar, 9W CCT Switch 3000/4000K | NEW | 48.15 |
| 1006124 | 4024163261890 | 334 | BATTEN 120, white light bar, 18W CCT Switch 3000/4000K | NEW | 60.99 |
| 1006444 | 4024163256902 | 795 | LED Power supply, 15W 12V | NEW | 26.75 |
| 1006445 | 4024163256896 | 795 | LED Power supply, 15W 24V | NEW | 26.75 |
| 1006380 | 4024163254533 | 795 | LED Power supply, 12W 24V | NEW | 24.61 |
| 1004777 | 4024163260970 | 757, 758, 797 | LED Power supply, 200W 24V | NEW | 155.11 |
| 1006134 | 4024163262118 | 795, 762, 797 | LED Netzteil, 100W DALI 24V 2-Channel Tunable | NEW | 174.41 |
| 1006133 | 4024163262101 | 795, 762, 797 | LED power supply, 60W DALI 24V 2-Channel Tunable White | NEW | 144.45 |
| 1005384 | 4024163254496 | 801 | LED Driver, 10W 500mA | NEW | 24.61 |
| 1006202 | 4024163262781 | 349, 799 | LED Driver, 20W 700mA | NEW | 32.10 |
| 1005382 | 4024163254519 | 795 | LED Power supply, 40W 24V | NEW | 58.85 |
| 1006120 | 4024163261937 | 415, 416, 417, 802 | LED driver, 40W 700/900/1000mA | NEW | 53.50 |
| 1005241 | 4024163253079 | 795 | LED Power supply, 12W 12V | NEW | 26.75 |
| 1005383 | 4024163254502 | 795 | LED power supply, 60W 24V | NEW | 69.55 |
| 1005381 | 4024163254526 | 795 | LED Power supply, 20W 12/24V | NEW | 37.45 |
| 1005446 | 4024163256889 | 415, 416, 417, 799 | LED driver, 40W 100mA PHASE | NEW | 42.80 |
| 1005387 | 4024163254557 | 799 | LED Driver, 40W 100mA PHASE | NEW | 53.50 |
| 1006609 | 4024163255417 | 58 | LED Driver, 200mA 10W PHASE, Quick Connector | NEW | 33.71 |
| 1006610 | 4024163255400 | 58 | LED Driver, 200mA 10W, Quick Connector | NEW | 24.61 |
| 1006611 | 4024163254904 | 58 | LED Driver, 200mA 13.5W DALI dimmable, Quick Connector | NEW | 90.95 |
| 1005449 | 4024163254858 | 798 | LED Driver, 20W 350mA PHASE | NEW | 48.15 |
| 1004933 | 4024163250632 | 471 | PANEL TRACK square 150x300mm, 1-phase spot, black, 18W 3000K | NEW | 90.95 |
| 1004934 | 4024163250649 | 471 | PANEL TRACK square 150x300mm, 1-phase spot, white, 18W 3000K | NEW | 90.95 |
| 1004935 | 4024163250856 | 471 | PANEL TRACK round 200mm, 1-phase spot, black, 18W 3000K | NEW | 90.95 |
| 1004936 | 4024163250863 | 471 | PANEL TRACK round 200mm, 1-phase spot, white, 18W 3000K | NEW | 90.95 |
| 1006217 | 4024163262491 | 727 | SMALL PLOT Module, stainless steel / frosted LED module, 3W 3000K CR180 180° | NEW | 90.95 |
| 1006173 | 4024163262477 | 727 | SMALL PLOT, stainless steel 2-slot cover | NEW | 133.75 |
| 1006175 | 4024163262453 | 727 | SMALL PLOT, stainless steel 4-slot cover | NEW | 133.75 |
| 1006172 | 4024163262484 | 727 | SMALL PLOT Module, aluminium / frosted LED module, 3W 3000K CR180 180° | NEW | 77.04 |
| 1006174 | 4024163262460 | 727 | SMALL PLOT, anthracite 2-slot cover | NEW | 39.59 |
| 1006176 | 4024163262446 | 727 | SMALL PLOT, anthracite 4-slot cover | NEW | 39.59 |
| 1005409 | 4024163254861 | 349 | MILANDOS 4, white recessed ceiling light, 2700K 45° | NEW | 176.55 |
| 1005410 | 4024 | | | | |

| | | | | | |
|---------|----------------|------------------------|--|------------------------|--------|
| 1005773 | 4024163260213 | 87 | NUMINOS® DALI XL, black ceiling mounted light, 36W 4000K 60° | NEW | 235.40 |
| 1005774 | 4024163260206 | 87 | NUMINOS® DALI XL, white / black ceiling mounted light, 36W 4000K 24° | NEW | 235.40 |
| 1005775 | 4024163260190 | 87 | NUMINOS® DALI XL, white / black ceiling mounted light, 36W 4000K 36° | NEW | 235.40 |
| 1005776 | 4024163260183 | 87 | NUMINOS® DALI XL, white / black ceiling mounted light, 36W 4000K 60° | NEW | 235.40 |
| 1005114 | 4024163261999 | 71 | NUMINOS® ZOOM M DALI, black 3-phase spot, 20W 2700K 15-60° | NEW | 214.00 |
| 1005115 | 4024163261982 | 71 | NUMINOS® ZOOM M DALI, white 3-phase spot, 20W 2700K 15-60° | NEW | 214.00 |
| 1005116 | 4024163261975 | 71 | NUMINOS® ZOOM M DALI, black 3-phase spot, 20W 3000K 15-60° | NEW | 214.00 |
| 1006117 | 4024163261968 | 71 | NUMINOS® ZOOM M DALI, white 3-phase spot, 20W 3000K 15-60° | NEW | 214.00 |
| 1006118 | 4024163261951 | 71 | NUMINOS® ZOOM M DALI, black 3-phase spot, 20W 4000K 15-60° | NEW | 214.00 |
| 1005119 | 4024163261944 | 71 | NUMINOS® ZOOM M DALI, white 3-phase spot, 20W 4000K 15-60° | NEW | 214.00 |
| 1005795 | 4024163259996 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 2700K 24° | NEW | 240.75 |
| 1005796 | 4024163259989 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 2700K 36° | NEW | 240.75 |
| 1005797 | 4024163259972 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 2700K 60° | NEW | 240.75 |
| 1005798 | 4024163259965 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 2700K 24° | NEW | 240.75 |
| 1005799 | 4024163259958 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 2700K 36° | NEW | 240.75 |
| 1005800 | 4024163259941 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 2700K 60° | NEW | 240.75 |
| 1005801 | 4024163259934 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 3000K 24° | NEW | 240.75 |
| 1005802 | 4024163259927 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 3000K 36° | NEW | 240.75 |
| 1005803 | 4024163259910 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 3000K 60° | NEW | 240.75 |
| 1005804 | 4024163259903 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 3000K 24° | NEW | 240.75 |
| 1005805 | 4024163258997 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 3000K 36° | NEW | 240.75 |
| 1005806 | 4024163258980 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 3000K 60° | NEW | 240.75 |
| 1005807 | 4024163258973 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 4000K 24° | NEW | 240.75 |
| 1005808 | 4024163258966 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 4000K 36° | NEW | 240.75 |
| 1005809 | 4024163258959 | 69 | NUMINOS® DALI XL, black 3-phase spot, 36W 4000K 60° | NEW | 240.75 |
| 1005810 | 4024163258942 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 4000K 24° | NEW | 240.75 |
| 1005811 | 4024163258935 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 4000K 36° | NEW | 240.75 |
| 1005812 | 4024163258928 | 69 | NUMINOS® DALI XL, white / black 3-phase spot, 36W 4000K 60° | NEW | 240.75 |
| 1005741 | 4024163262634 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 2700K 24° | NEW | 235.40 |
| 1005742 | 4024163262627 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 2700K 36° | NEW | 235.40 |
| 1005743 | 4024163262620 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 2700K 60° | NEW | 235.40 |
| 1005744 | 4024163262603 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 2700K 24° | NEW | 235.40 |
| 1005745 | 4024163262497 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 2700K 36° | NEW | 235.40 |
| 1005746 | 4024163262480 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 2700K 60° | NEW | 235.40 |
| 1005747 | 4024163262473 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 3000K 24° | NEW | 235.40 |
| 1005748 | 4024163262466 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 3000K 36° | NEW | 235.40 |
| 1005749 | 4024163262459 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 3000K 60° | NEW | 235.40 |
| 1005750 | 4024163262442 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 3000K 24° | NEW | 235.40 |
| 1005751 | 4024163262435 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 3000K 36° | NEW | 235.40 |
| 1005752 | 4024163262428 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 3000K 60° | NEW | 235.40 |
| 1005753 | 4024163262411 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 4000K 24° | NEW | 235.40 |
| 1005754 | 4024163262404 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 4000K 36° | NEW | 235.40 |
| 1005755 | 4024163263998 | 79 | NUMINOS® SPOT DALI XL, black ceiling mounted light, 36W 4000K 60° | NEW | 235.40 |
| 1005756 | 4024163263981 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 4000K 24° | NEW | 235.40 |
| 1005757 | 4024163263974 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 4000K 36° | NEW | 235.40 |
| 1005758 | 4024163263967 | 79 | NUMINOS® SPOT DALI XL, white / black ceiling mounted light, 36W 4000K 60° | NEW | 235.40 |
| 1006151 | 4024163262156 | 806 | Numinos® XL Mounting Frame, round 240/180mm black | NEW | 14.58 |
| 1006152 | 4024163262149 | 806 | Numinos® XL Mounting Frame, round 240/180mm white | NEW | 14.58 |
| 1006137 | 4024163262293 | 807 | Numinos® XS Mounting Frame, square 160/70mm black | NEW | 16.05 |
| 1006138 | 4024163262286 | 807 | Numinos® XS Mounting Frame, square 160/70mm white | NEW | 16.05 |
| 1006147 | 4024163262194 | 806 | Numinos® L Mounting Frame, round 240/150mm black | NEW | 16.05 |
| 1006148 | 4024163262187 | 806 | Numinos® L Mounting Frame, round 240/150mm white | NEW | 16.05 |
| 1006143 | 4024163262231 | 806 | Numinos® M Mounting Frame, round 240/120mm black | NEW | 17.12 |
| 1006144 | 4024163262224 | 806 | Numinos® M Mounting Frame, round 240/120mm white | NEW | 17.12 |
| 1006149 | 4024163262170 | 807 | Numinos® S Mounting Frame, square 240/150mm black | NEW | 16.05 |
| 1006150 | 4024163262163 | 807 | Numinos® S Mounting Frame, square 240/150mm white | NEW | 16.05 |
| 1006141 | 4024163262255 | 807 | Numinos® S Mounting Frame, square 160/100mm black | NEW | 13.91 |
| 1006142 | 4024163262248 | 807 | Numinos® S Mounting Frame, square 160/100mm white | NEW | 13.91 |
| 1006135 | 4024163262316 | 806 | Numinos® XS Mounting Frame, round 160/70mm black | NEW | 16.05 |
| 1006136 | 4024163262309 | 806 | Numinos® XS Mounting Frame, round 160/70mm white | NEW | 16.05 |
| 1006153 | 4024163262132 | 807 | Numinos® XL Mounting Frame, square 240/180mm black | NEW | 14.58 |
| 1006154 | 4024163262125 | 807 | Numinos® XL Mounting Frame, square 240/180mm white | NEW | 14.58 |
| 1006145 | 4024163262217 | 807 | Numinos® M Mounting Frame, square 240/120mm black | NEW | 17.12 |
| 1006146 | 4024163262200 | 807 | Numinos® M Mounting Frame, square 240/120mm white | NEW | 17.12 |
| 1006139 | 4024163262279 | 806 | Numinos® S Mounting Frame, round 160/100mm black | NEW | 13.91 |
| 1006140 | 4024163262282 | 806 | Numinos® S Mounting Frame, round 160/100mm white | NEW | 13.91 |
| 1006163 | 4024163255370 | 58 | NUMINOS® XS, transparent diffuser | NEW | 4.65 |
| 1006614 | 4024163255363 | 58 | NUMINOS® XS, frosted diffuser | NEW | 4.65 |
| 1006615 | 4024163255356 | 58 | NUMINOS® XS, black diffuser | NEW | 7.49 |
| 1006617 | 4024163262538 | 62 | NUMINOS® S, white front ring | NEW | 1.02 |
| 1006612 | 4024163262587 | 58 | NUMINOS® XS, diffuser | NEW | 4.01 |
| 1006170 | 4024163262507 | 68 | NUMINOS® XL, white front ring | NEW | 3.16 |
| 1006169 | 4024163262514 | 66 | NUMINOS® L, white front ring | NEW | 2.09 |
| 1006168 | 4024163262521 | 64 | NUMINOS® M, white front ring | NEW | 2.09 |
| 1005177 | 4024163262807 | 121 | ONE 60 PD PHASE up/down, brass pendant light, 24W 2700/3000 130° | NEW | 480.43 |
| 1005178 | 4024163262814 | 123 | ONE DOUBLE PHASE up/down, brass pendant light, 36W 2700/3000 130° | NEW | 614.63 |
| 1006155 | 4024163262422 | 472 | PARA CONE GL GU10, black / transparent 1-phase spot | NEW | 84.53 |
| 1006156 | 4024163262415 | 472 | PARA CONE GL GU10, white / transparent 1-phase spot | NEW | 84.53 |
| 1006157 | 4024163262408 | 444 | PARA CONE GL GU10, bamboo / transparent 3-phase spot | NEW | 95.23 |
| 1006158 | 4024163262392 | 444 | PARA CONE GL GU10, white / transparent 3-phase spot | NEW | 95.23 |
| 1006159 | 4024163262385 | 166, 444, 472 | PARA CONE GL GU10, black / transparent pendant light | NEW | 79.18 |
| 1006160 | 4024163262378 | 166, 444, 472 | PARA CONE GL GU10, white / transparent pendant light | NEW | 79.18 |
| 1005214 | 4024163252935 | 176 | PARA DOME E27, black pendant light | NEW | 75.97 |
| 1005215 | 4024163252928 | 176 | PARA DOME E27, grey pendant light | NEW | 75.97 |
| 1005442 | 40241632626926 | 522 | QUADRULO, anthracite / white free-standing lamp, 7W 3000K | NEW | 160.50 |
| 1005201 | 4024163262843 | 629 | QUADRULO WL, LED outdoor wall-mounted light, anthracite | GOOD LIGHT 21 | 160.50 |
| 1005202 | 4024163262850 | 675 | QUADRULO CL, LED outdoor ceiling-mounted light, anthracite | GOOD LIGHT 21 | 160.50 |
| 1006105 | 4024163262088 | 730 | ROCCI 200 EL square, black in-ground light 16W 3000K 120° | NEW | 176.55 |
| 1006104 | 4024163262095 | 730 | ROCCI 200 EL round, black in-ground light 16W 3000K 120° | NEW | 176.55 |
| 1005397 | 4024163262487 | 440 | SIGHT TRACK DALI, black 3-phase spot, CCT | NEW | 401.25 |
| 1005399 | 4024163262467 | 440 | SIGHT TRACK DALI, white 3-phase spot, CCT | NEW | 401.25 |
| 1005402 | 4024163254649 | 450 | SIGHT TRACK, silver 3-phase spot, CCT | NEW | 330.63 |
| 1005400 | 4024163254663 | 450 | SIGHT TRACK, black 3-phase spot, CCT | NEW | 330.63 |
| 1005401 | 4024163254656 | 450 | SIGHT TRACK, white 3-phase spot, CCT | NEW | 330.63 |
| 1005157 | 4024163252539 | 624 | SITRA L WL UP/DOWN, LED outdoor wall-mounted light, rust coloured, CCT switch 3000/4000K | GOOD LIGHT 21 | 176.55 |
| 1005156 | 4024163252522 | 624 | SITRA L WL UP/DOWN, LED outdoor wall-mounted light, white, CCT switch 3000/4000K | GOOD LIGHT 21 | 176.55 |
| 1005155 | 4024163252515 | 624 | SITRA L WL UP/DOWN, outdoor LED wall-mounted light, anthracite, CCT switch 3000/4000K | GOOD LIGHT 21 | 176.55 |
| 1005154 | 4024163252508 | 624 | SITRA M WL UP/DOWN, LED outdoor wall-mounted light, rust coloured, CCT switch 3000/4000K | GOOD LIGHT 21 | 138.03 |
| 1005153 | 4024163252492 | 624 | SITRA M WL UP/DOWN, LED outdoor wall-mounted light, white, CCT switch 3000/4000K | GOOD LIGHT 21 | 138.03 |
| 1005151 | 4024163252485 | 624 | SITRA M WL UP/DOWN, outdoor LED wall-mounted light, anthracite, CCT switch 3000/4000K | GOOD LIGHT 21 | 138.03 |
| 1005150 | 4024163252478 | 624 | SITRA S WL SINGLE, LED outdoor wall-mounted light, rust coloured, CCT switch 3000/4000K | GOOD LIGHT 21 | 88.81 |
| 1005149 | 4024163252461 | 624 | SITRA S WL SINGLE, LED outdoor wall-mounted light, white, CCT switch 3000/4000K | GOOD LIGHT 21 | 88.81 |
| 1005148 | 4024163252454 | 624 | SITRA S WL SINGLE, LED outdoor wall-mounted light, anthracite, CCT switch 3000/4000K | GOOD LIGHT 21 | 88.81 |
| 1004729 | 4024163248792 | 233 | TRUKKO square, wall-mounted light, milky, 24W 3000/4000/6500K | NEW | 401.25 |
| 1005396 | 4024163254588 | 146, 774 | WORKLIGHT DALI, white pendant light, 57W 4000K 80° | NEW | 636.65 |
| 1005395 | 4024163254595 | 146, 774 | WORKLIGHT DALI, black pendant light, 57W 4000K 80° | NEW | 636.65 |
| 1005391 | 4024163254625 | 101 | WORKLIGHT, white free-standing lamp, 79W 4000K 80° | NEW | 802.50 |
| 1005390 | 4024163254632 | 101 | WORKLIGHT, black free-standing lamp, 79W 4000K 80° | NEW | 802.50 |
| 1005394 | 4024163254601 | 100 | WORKLIGHT, white table lamp, 79W 4000K 80° | NEW | 743.65 |
| 1005392 | 4024163254618 | 100 | WORKLIGHT, black table lamp, 79W 4000K 80° | NEW | 743.65 |
| 464142 | 4024163164887 | 349, 410 | LED DRIVER, 10 SW, 700mA, incl. strain relief, dimmable | NEW | 35.31 |
| 464147 | 4024163160223 | 349 | LED Driver 14.7W 700mA dimmable | NEW | 35.31 |
| 1002423 | 4024163269005 | 349, 414, 416, 800 | LED driver MEDO 300 dimmable DALI/1-10V | NEW | 80.25 |
| 1003479 | 4024163263648 | 671, 672 | Spacer set, for the ENOLA SQUARE OUT and ROUND OUT ceiling lights in anthracite | NEW | 8.56 |
| 133009 | 4024163148443 | forgotten in catalogue | PARA CONE 20 pendant, round, copper brushed, E27, max. 60W | forgotten in catalogue | 155.15 |
| 133050 | 4024163148788 | forgotten in catalogue | PARA CONE 20 pendant, round, black/gold, E27, max. 60W | forgotten in catalogue | 110.21 |
| 133300 | 4024163157902 | forgotten in catalogue | PHELIA S PENDANT, black, E27, max. 23W | forgotten in catalogue | 131.61 |
| 133330 | 4024163157933 | forgotten in catalogue | PHELIA CONE PENDANT, black, E27, max. 23W | forgotten in catalogue | 131.61 |
| 155570 | 4024163152105 | forgotten in catalogue | Cover for FENDA | forgotten in catalogue | 27.55 |
| 228560 | 4024163217912 | forgotten in catalogue | EARTH SPIKE, for HELIA pathway and floor stand, stainless steel, 17 cm | forgotten in catalogue | 24.88 |
| 230960 | 4024163123890 | forgotten in catalogue | Aluminium earth spike for ADEGAN and PENUDA, anthracite | forgotten in catalogue | 33.71 |
| 230044 | 4024163123884 | forgotten in catalogue | MERIDIAN BOX wall and ceiling light, silver-grey, E27, max. 25W | forgotten in catalogue | 96.30 |
| 230045 | 4024163123891 | forgotten in catalogue | MERIDIAN BOX wall and ceiling light, anthracite, E27, max. 25W | forgotten in catalogue | 96.30 |
| 230444 | 4024163105163 | forgotten in catalogue | MERIDIAN 2 wall and ceiling light, silver-grey, E27 Energy Saver, max. 25W, IP54 | forgotten in catalogue | 75.97 |
| 230445 | 4024163105170 | forgotten in catalogue | MERIDIAN 2 wall and ceiling light, anthracite, E27 Energy Saver, max. 25W, IP54 | forgotten in catalogue | 75.97 |
| 232434 | 4024163167186 | forgotten in catalogue | Adaptive frame for surface-mounted cable, silver | forgotten in catalogue | 20.06 |
| 234340 | 4024163167338 | forgotten in catalogue | Wall bracket for Outdoor Beam and MLOX floodlight, black, 50cm | forgotten in catalogue | 47.62 |
| 234350 | 4024163167369 | forgotten in catalogue | Wall bracket for Outdoor Beam and MLOX floodlight, black, 80cm | forgotten in catalogue | 58.85 |
| 1001393 | 4024163196871 | forgotten in catalogue | 3-circuit adapter with hook for S-TRACK 3-circuit track, traffic white | forgotten in catalogue | 2.51 |
| 1002948 | 4024163214228 | forgotten in catalogue | PHELIA 175 E27 indoor pendant black/gold | forgotten in catalogue | 138.03 |
| 1002951 | 4024163214159 | forgotten in catalogue | PHELIA 130 E27 indoor pendant black/gold | forgotten in catalogue | 126.26 |
| 184040 | 4024163165242 | forgotten in catalogue | Ceiling suspension for EASYTEC II, black, 30cm | forgotten in catalogue | 21.40 |
| 184042 | 4024163087834 | forgotten in catalogue | Ceiling suspension for EASYTEC II, silver-grey, 30cm | forgotten in catalogue | 21.40 |